

1 This is the Authors' Accepted Manuscript of the following article: T. Varelmann, N. Erwes,  
2 P. Schäfer, A. Mitsos, Simultaneously optimizing bidding strategy in pay-as-bid-markets  
3 and production scheduling, Computers & Chemical Engineering, Volume 157, 107610,  
4 2022, which has been published in final form at  
5 <https://doi.org/10.1016/j.compchemeng.2021.107610>. © 2022. This manuscript  
6 version is made available under the CC-BY-NC-ND 4.0 license  
7 <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

# 1 Simultaneously Optimizing Bidding Strategy in 2 Pay-as-Bid-Markets and Production Scheduling

3 Tim Varelmann<sup>1</sup>, Nils Erwes<sup>1</sup>, Pascal Schäfer<sup>1, 4</sup>, and Alexander Mitsos<sup>2,1,3,\*</sup>

4 <sup>1</sup>Process Systems Engineering (AVT.SVT), RWTH Aachen University,  
5 52074 Aachen, Germany

6 <sup>2</sup>JARA-CSD, 52056 Aachen, Germany

7 <sup>3</sup>Institute of Energy and Climate Research, Energy Systems Engineering  
8 (IEK-10), Forschungszentrum Jülich GmbH, 52425 Jülich, Germany

9 <sup>4</sup>current address: Evonik Industries AG, Industriepark Wolfgang, 63457  
10 Hanau, Germany

11 \*corresponding author

## 12 **Abstract**

13 The volatility of renewable energy sources leads to the development of electricity  
14 markets with different time horizons, where flexible consumers can monetize their flex-  
15 ibility to stabilize the electric grid. From an electricity-user perspective, the optimal  
16 monetization strategy and choice of markets is difficult to identify. We consider si-  
17 multaneous participation in an ancillary service market with pay-as-bid mechanism  
18 and a day-ahead market. We develop a formulation based on Benders decomposition  
19 that decouples the participation in both markets. This allows to optimally distribute

1 flexibility to bids in an ancillary service market and participation in day-ahead market  
2 via scheduling optimizations. In particular, our formulation allows the optimization  
3 problem to be solved with general-purpose nonlinear programming solvers. We demon-  
4 strate that using the proposed decomposition is computationally more efficient than  
5 our previously published enumeration-based approach.

6 **keywords:** Demand-Side Management, Ancillary Service Markets, Benders Decomposition,  
7 Model-Based Bidding Strategies

## 8 1 Introduction

9 Renewable energy sources have the potential to solve the climate crisis ([Houghton, 2009](#)),  
10 but are fluctuating in time. An established way to help synchronize supply and demand in  
11 electricity grids powered by fluctuating renewable energy suppliers is demand-side manage-  
12 ment ([Mitsos et al., 2018](#); [Strbac, 2008](#); [Gellings, 1985](#)), which refers to all efforts to utilize  
13 consumer flexibility for grid stability.

14 Flexible electricity users can monetize their flexibility in a variety of markets: For ex-  
15 ample, [Schäfer et al.](#) consider combined participation in a day-ahead market and primary  
16 balancing reserve market ([Schäfer et al., 2019b](#)), and extend their approach to also partici-  
17 pating in the secondary balancing reserve market ([Schäfer et al., 2019a](#)). [Otashu and Baldea](#)  
18 ([2018](#)) aim for participation of a chlor-alkali process in a 15-minute market and [Dowling](#)  
19 [et al. \(2017\)](#) consider both a hierarchy of ancillary service markets addressing different time  
20 scales and a hierarchy of spot markets from day-ahead market to real-time trading. Finally,  
21 [Zhang et al. \(2016\)](#) also consider specially negotiated contracts such as discount and penalty  
22 contracts. As done in ([Dowling et al., 2017](#)), the markets can be categorized into markets  
23 for ancillary services and spot markets. Ancillary services, i.e., providing balancing reserve  
24 capacity, are often sold in auction-based markets. If a bid is accepted, the electricity user  
25 permanently has to reserve sufficient flexibility to serve potential balancing requests within  
26 a tight time frame. Alternatively, flexible electricity users can exploit price fluctuations on  
27 a spot market to schedule overproduction during times of cheap electricity and reduce con-

1 sumption when electricity becomes expensive (Ramin et al., 2018; Zhang and Grossmann,  
2 2016; Castro et al., 2011, 2009). The question of how much flexibility to monetize in which  
3 market is a complex optimization problem (Bohlayer et al., 2018; Klæboe and Fosso, 2013),  
4 as answering the question requires simultaneous consideration of an optimal bidding strat-  
5 egy and the influence of that bidding strategy on the ability of the process to reduce its  
6 production cost on a spot market.

7 The markets around the globe, both for ancillary services and spot markets, are evolving  
8 (Eid et al., 2016; Hu et al., 2018). The considered time horizons for ancillary service bids,  
9 payment mechanisms for accepted bids, qualifications of participation in ancillary service  
10 markets and spot markets and several other details are adapted, in part based on research  
11 with the goal to harmonize the markets. We follow the German market structure presented  
12 in our previous work (Schäfer et al., 2019b): a pay-as-bid balancing reserve market and  
13 the day-ahead market. Therein, we developed a method to optimally distribute flexibility  
14 between these two markets. Our solution approach in (Schäfer et al., 2019b) relies on ex-  
15 plicit enumeration of scenarios of acceptance and rejection of bids on the balancing market.  
16 Because of combinatorial explosion, such an algorithm rapidly becomes intractable, even on  
17 modern computers. To facilitate computationally more efficient solution algorithms for the  
18 simultaneous optimization of bidding strategy and production scheduling, we improve on  
19 both the formulation and solution approach presented in our previous work (Schäfer et al.,  
20 2019b).

21 Our novel formulation is based on the idea of Benders decomposition (BD) (Benders,  
22 1962) to separate the production scheduling problem from the optimal bidding problem. BD  
23 relies on strong duality of the subproblems of the decomposition. In our case, the subprob-  
24 lem is the scheduling problem, which is often formulated as Mixed-Integer Linear Problem  
25 (MILP) (Zhang and Grossmann, 2016) because such models have the capability to model a  
26 broad variety of situations and powerful solution algorithms exist for this class of problems.  
27 For example, Zhang et al. (2016) model continuous process networks, Kelley et al. (2018)

1 formulate MILP-models to integrate scheduling and control, and [Raman and Grossmann](#)  
2 [\(1991\)](#) formulate logic constraints as mixed-integer linear constraints. The scheduling prob-  
3 lem in [\(Schäfer et al., 2019b\)](#) is also formulated as MILP. Despite all the advantages that  
4 come with this problem class, strong duality rarely holds for MILPs. Therefore, it is not  
5 enough to reformulate the interaction between scheduling problem and bidding problem. We  
6 also reformulate the scheduling problem itself to a continuous linear program (LP), so that  
7 strong duality holds.

8 The key contributions of this work are:

- 9 • We reformulate the scheduling model in a way that strong duality holds.
- 10 • We exploit the property of strong duality to embed optimal scheduling information in  
11 a bidding strategy model. As a consequence, explicit enumeration is not required to  
12 find an optimal bidding strategy anymore.
- 13 • We reconstruct results from [\(Schäfer et al., 2019b\)](#) and show that our new formulation  
14 enables solution algorithms that can be more efficient than explicit enumeration.

## 15 **2 Background**

16 Production processes are subject to a variety of constraints to satisfy quality standards,  
17 safety requirements, timing of demand and supply, and storage space. Other constraints  
18 arise from physics and technical limits. An optimal schedule satisfies all these constraints  
19 and chooses the degrees of freedom of the process in a way that optimizes the process aim.  
20 Typically, many degrees of freedom of energy-intensive processes can be found in the pro-  
21 duction profile, i.e. the distribution of utilized production capacity over time can be chosen  
22 by process operators. Historically, such profiles have often been a flat nominal production  
23 rate to keep the process control simple. However, increasingly fluctuating electricity prices  
24 give rise to demand for optimal production scheduling, in particular for energy-intensive  
25 processes. Research in this field is done for a broad variety of applications: seawater desali-  
26 nation ([Jabari et al., 2019](#); [Ghobeity and Mitsos, 2014](#)), air separation ([Basán et al., 2020](#);

1 Caspari et al., 2020; Tsay et al., 2019), chlor-alkali processes (Otashu and Baldea, 2019;  
2 Brée et al., 2019), and cooling of buildings (Sadat-Mohammadi et al., 2020) are some recent  
3 examples. Often, the uncertainty of electricity prices is accounted for with stochastic or  
4 robust programming in the references mentioned above. Fluctuating electricity prices also  
5 affect the revenue of power generators, so optimal scheduling for electricity generation and  
6 distribution is also studied (Alirezazadeh et al., 2020; Bostan et al., 2020; Thaeer Hammid  
7 et al., 2020). Generic production processes are considered in (Schäfer et al., 2020) and (Cas-  
8 tro et al., 2011). A common ground of optimal scheduling research findings is developed in  
9 (Maravelias, 2012), while (Harjunkski et al., 2014) focuses more on future challenges in the  
10 field.

11 We will integrate the scheduling problem into a bidding strategy problem with a BD.  
12 This approach is well suited for computationally decoupling components of an optimization  
13 problem without compromising solution quality and has had tremendous success in opti-  
14 mization problems in virtually all application areas, including electricity grids (Mansouri  
15 et al., 2020; Saberi et al., 2020), logistics (Alkaabneh et al., 2020; Fischetti et al., 2017) and  
16 production scheduling (Fang et al., 2021; Michels et al., 2019). While BD is still advancing  
17 – see (Rahmaniani et al., 2017) for a recent review – we will only need the basic concepts  
18 which connect subproblems that are pure LPs (Benders, 1962) or convex nonlinear programs  
19 (NLP) with constraint qualifications (Geoffrion, 1972) to a master problem.

20 Our master problem will be the problem of finding the optimal amount of balancing  
21 capacity to offer and the optimal ask price for each offer as presented in (Schäfer et al., 2019b).  
22 Therein, an aluminum electrolysis process participating in the German primary balancing  
23 market is considered. The following tradeoffs need to be optimized: a larger amount of  
24 offered balancing capacity – when accepted – generates more revenue from the balancing  
25 market, but reduces the flexibility available for the process to exploit price fluctuations on a  
26 spot market through an optimal production schedule. The ask price also directly influences  
27 the revenue generated on the balancing market. However, since the grid operators are more

1 likely to accept lower prices, a large ask price comes with the risk of being rejected, thus  
2 jeopardizing all potential balancing market revenue.

3 In the literature, optimal bidding strategies are studied in different fields of application.  
4 Power production from conventional thermal power plants (Plazas et al., 2005; Conejo et al.,  
5 2002) and from hydropower (Faria and Fleten, 2011; Fleten and Kristoffersen, 2007) were  
6 among the first considered applications. Through aggregation of several entities which alone  
7 would not be allowed to enter restricted markets, consumer pools were enabled to partici-  
8 pate in those markets, e.g. residential pools (Nizami et al., 2020) or industrial aggregators  
9 (Ottesen et al., 2018). On an even larger scale, (Khajeh et al., 2019) aggregated several  
10 electrical microgrids to a price-making entity of the market.

### 11 **3 An Improved Formulation to Integrate Optimization of Bidding Strategy and** 12 **Flexible Scheduling**

13 In (Schäfer et al., 2019b), we developed a model of an aluminum electrolysis participating  
14 in a pay-as-bid balancing market and a day-ahead spot market. We reported that a mono-  
15 lithic formulation, including both the bidding and the scheduling problem, does not allow to  
16 compute a global solution with state-of-the-art solvers. Instead, we exploited that the vari-  
17 ables which couple bidding and scheduling are the amounts of reserved balancing capacity.  
18 Because of market regulations, the offered capacities have to have integer values. Therefore,  
19 there is only a finite number of feasible values that are coupling bidding and scheduling,  
20 which facilitates an enumeration. We pre-computed the solution of all possible scheduling  
21 problems before using these solutions in an explicit enumeration of the acceptance/rejection  
22 scenarios of the bids. Then, the remaining NLP to find the optimal ask prices is solved  
23 to global optimality for each scenario. Using the pre-computed scheduling results this way  
24 requires that only integer-valued points are considered also in the bidding problem. Thus,  
25 the explicit enumeration is necessary, general-purpose MINLP solution algorithms can not  
26 be applied. The latter would require the relaxation of the integrality requirements, which is  
27 not possible since optimal schedules can only be pre-computed for a finite number of scenar-

1 ios. Our novel formulation introduces bounds for the scheduling problem through BD. These  
2 bounds are valid for fractional values of offered balancing capacities. Thus, our formulation  
3 enables the use of general-purpose MINLP solution algorithms.

4 BD is a decomposition of a problem into a master problem (here the bidding problem)  
5 and a subproblem (here the scheduling problem), where only few terms are coupling the  
6 master and the subproblem (here the reserved balancing capacity). The subproblem can  
7 be formulated parametrically in the coupling terms. For an effective decomposition, the  
8 subproblem has to be easy to solve once the coupling terms are fixed. From such a subproblem  
9 solution, a cut can be generated. These Benders-cuts (BCs) are inequalities that are added to  
10 the master problem. They describe a lower bound on the objective value of the subproblem  
11 as a function of the coupling terms, which are decision variables in the master problem.  
12 Such a bound is sharp for at least the value the coupling terms were fixed to in the run  
13 that generated the cut. Moreover, the lower bound is valid for all values of coupling terms,  
14 including fractional values after relaxing integrality constraints.

15 As we will show, by representing the scheduling problem with BCs in the bidding problem,  
16 the latter can be solved as one Mixed-Integer Nonlinear Problem (MINLP). This was not  
17 possible in (Schäfer et al., 2019b) because the tabulated solutions for the scheduling problem  
18 were only available for integral values of the coupling terms. As we demonstrate in our  
19 case study, we can compute the solution for the optimal bidding problem with integrated  
20 scheduling computationally more efficiently.

### 21 **3.1 The Process Model of Aluminum Production**

22 We already presented a decomposition of the simultaneous optimization of bidding strat-  
23 egy and production scheduling to a bidding problem and a scheduling problem in (Schäfer  
24 et al., 2019b). Although it was not used for a BD, the scheduling problem was already  
25 formulated parametrically in the amount of balancing capacity that had to remain reserved.

26 We review the most important aspects of the aluminum production process and its model.  
27 The process in general is very simple: a bauxite-based liquid electrolyte feeds an electrolysis

1 cell, where electrical power is used to form aluminum from aluminum ions. The aluminum is  
2 heavier than the electrolyte and sediments to the bottom of the electrolysis cell, where it can  
3 be collected. The plant that runs this process is located in Essen, Germany and operated  
4 by TRIMET Aluminium SE (Schäfer et al., 2019b). In our model, the power consumption  
5 of the process can vary between 75% and 125% of the nominal power consumption. As the  
6 process was optimally designed for nominal operation, production at rates above or below  
7 100% of nominal power consumption is less efficient (the specific electricity requirement  
8 increases). This effect is modeled with a cubic relation between power consumption and  
9 resulting aluminum production. Due to efficiency losses for both over- and underproduction,  
10 the aluminum production curve as a function of power consumption is concave. Also, if the  
11 production rate exceeds or subceeds 100%, the accumulated thermal energy in the process  
12 increases or decreases. To prevent damage in the electrolysis cells, the accumulated thermal  
13 energy must not exceed two days of maximum power uptake worth of accumulated energy.  
14 Similarly, to prevent freezing of the electrolyte in the cells, the accumulated thermal energy  
15 must not fall below two days of minimum power uptake worth of thermal energy reduction.

16 Within the given bounds for the power consumption, the aluminum electrolysis can switch  
17 from one power consumption level to another within seconds, as already pointed out by  
18 Todd et al. (2008). Since primary balancing requests require a response within seconds, the  
19 ability to change power consumption fast is a prerequisite for the process to provide primary  
20 balancing capacity. The agility of the process also allows us to describe the process as a  
21 quasi-stationary model with noncontinuous production changes. The time is discretized in  
22 hourly intervals because we consider participation in a day-ahead market providing hourly  
23 prices. The scheduling problem minimizes cost for electricity and opportunity cost for lost  
24 aluminum production due to efficiency losses.

25 Other processes with dynamic operational limits could also be modeled: if linear ramping  
26 constraints are used, the resulting description would still lead to an LP scheduling problem.  
27 However, such processes will probably have to participate in other markets, that pose less

1 tight response requirement, for example, the secondary balancing market that is also con-  
 2 sidered in (Schäfer et al., 2019a).

### 3 3.2 Scheduling Problem Formulation with Strong Duality

4 A prerequisite for computing valid BCs is that strong duality holds for the scheduling  
 5 problem. While this property typically does not hold in MILP formulations, it always holds  
 6 for continuous LPs and convex NLPs with constraint qualifications. LPs as subproblems are  
 7 used in the original BD (Benders, 1962), convex NLPs are used in generalized BD (Geoffrion,  
 8 1972). We formulated the scheduling problem as MILP in (Schäfer et al., 2019b); now we  
 9 reformulate it as LP to prepare the decomposition. In particular, we deconstruct the usage  
 10 of binary variables in the scheduling model used in (Schäfer et al., 2019b) and then develop  
 11 a reformulation that provides a continuous LP.

#### 12 3.2.1 Origin of Binary Variables

13 In (Schäfer et al., 2019b), we linearized the cubic relation between power consumption and  
 14 aluminum production to avoid a nonlinear optimization problem with a piecewise lineariza-  
 15 tion on disjunctive intervals, which requires the introduction of binary variables to keep  
 16 track of the linearization intervals. This results in the following description of the aluminum  
 17 production rate:

$$\dot{m}_t = \sum_{i \in \mathcal{I}} y_{i,t} \cdot b_i + \sum_{i \in \mathcal{I}} P_{i,t}^{(lin)} \cdot s_i, \quad (1)$$

$$y_{i,t} \in \{0, 1\} \quad \forall i \in \mathcal{I}; \quad \forall t \in \{1, \dots, T\}, \quad (2)$$

$$\sum_{i \in \mathcal{I}} y_{i,t} = 1 \quad \forall t \in \{1, \dots, T\}, \quad (3)$$

20 where  $\dot{m}_t$  denotes aluminum production rate in time slot  $t$ , electrical power input is denoted  
 21 with  $P_{i,t}^{(lin)}$ , and the linearization parameters slope and intercept are denoted with  $s_i$  and  $b_i$ .  
 22 Finally,  $y_{i,t}$  are indicators for the relevant linearization interval  $i$  from the set of linearization  
 23 intervals  $\mathcal{I}$  in time slot  $t$ . A scheduling horizon of one week with hourly resolution leads to  
 24  $T = 168$ . In combination, (2) and (3) ensure that in each time slot  $t$  exactly one  $y_{i,t}$  is equal

1 to one. Thus, the first sum in (1) has exactly one nonzero addend. The entries of the power  
 2 input  $P^{(lin)}$  obeys the following bounds:

$$P_{i,t}^{(lin)} \geq y_{i,t} \cdot P_{MIN,i}^{(lin)} \quad \forall i \in \mathcal{I}; \quad \forall t \in \{1, \dots, T\}, \quad (4)$$

3

$$P_{i,t}^{(lin)} \leq y_{i,t} \cdot P_{MAX,i}^{(lin)} \quad \forall i \in \mathcal{I}; \quad \forall t \in \{1, \dots, T\}, \quad (5)$$

4 with Big-M parameters  $P_{MIN,i}^{(lin)}$  and  $P_{MAX,i}^{(lin)}$ , leading to exactly one nonzero addend of the  
 5 second sum in (1).

### 6 3.2.2 Reformulation Without Binary Variables

7 For a formulation without binary variables, we do not keep track of linearization intervals.  
 8 Rather, we can interpret the linear functions defined by slope  $s_i$  and intercept  $b_i$  as globally  
 9 valid inequalities, below which the aluminum production rate has to stay. Every inequality  
 10 is the tightest one on the interval it was designed for, because the original nonlinear function  
 11 has a concave curvature. Conversely, an inequality is redundant on every interval it was not  
 12 designed for. The linear inequalities for the production rates  $\dot{m}_t$  are:

$$\dot{m}_t \leq b_i + P_t \cdot s_i \quad \forall i \in \mathcal{I}; \quad \forall t \in \{1, \dots, T\}. \quad (6)$$

13 In (6), the parameters  $s_i$  and  $b_i$  are the same as in the corresponding (1) from the mixed-  
 14 integer scheme. (2) and (3) do not have counterparts, since this linearization approach does  
 15 not require binary variables. Also, upper and lower bounds for the power input  $P_t$  do not  
 16 depend on the linearization intervals. Simple box constraints are derived from technical  
 17 considerations:

$$P_t \geq P_{MIN} \quad \forall t \in \{1, \dots, T\}, \quad (7)$$

18

$$P_t \leq P_{MAX} \quad \forall t \in \{1, \dots, T\}. \quad (8)$$

19 How is it possible to replace equality constraints with inequality constraints, as we pro-

1 pose? Admittedly, with our reformulation, we changed the feasible set of the scheduling  
 2 problem. Now that we are using inequalities to model the relation between electrical power  
 3 input and aluminum output, a nonnegative, but nonphysically low aluminum production  
 4 is feasible for any electrical power input that obeys the bounds for power input. However,  
 5 the objective of the scheduling problem is designed to minimize production cost including  
 6 opportunity cost for not produced products. To minimize this opportunity cost, any optimal  
 7 point is on the upper bound of feasible aluminum production – as long as the aluminum price  
 8 is positive, which is a reasonable assumption for any industrially produced good. The upper  
 9 bound of feasible aluminum production is exactly the feasible set of the MILP formulation  
 10 that used equalities. Mathematically, this is because the projection of the objective function  
 11 to the  $\dot{m}_t$ - $P_t$ -plane always has a positive component along the  $\dot{m}_t$ -axis, so it always points  
 12 towards maximum production for products with a positive price. Figure 1 sketches the new  
 13 feasible set with globally valid inequalities and visualizes the projection of the objective func-  
 14 tion to illustrate that every possible optimal point is also a feasible point of the MILP-model  
 15 from (Schäfer et al., 2019b).




Figure 1: The lines defined by the  $s_i$  and  $b_i$  are globally valid inequalities. Each line is sketched solid on the interval  $i$  it was designed for, and dashed on neighboring intervals. In the  $P_t$ - $\dot{m}_t$ -plane, the piecewise linear relation composed of the solid line segments would be the feasible region of the integer-based formulation; the green area would be the feasible region of the integer-free formulation. All possible optimal points remain on the solid line segments since the objective function (projected with blue arrow) favors maximum allowed production, as it always has a component in positive  $\dot{m}_t$ -direction for positive product prices.

16 Our formulation of the scheduling problem now has exactly the same optimal points as

1 the MILP-formulation presented in (Schäfer et al., 2019b), but additionally has the property  
2 that strong duality holds. As a consequence, we can now formulate BCs that underestimate  
3 the optimal cost of production, even when integrality requirements are relaxed. A possible  
4 alternative to the linearization we propose is to stick to the nonlinear formulation of alu-  
5 minum production. Thereby, a convex NLP would arise, which could be used to generate  
6 the required cuts as well by using generalized BD. However, as in (Schäfer et al., 2019b), we  
7 decided to use a linearization because it reduces the complexity of the problems to solve.

8 The real-world prerequisite for such a modeling approach without integers was the cur-  
9 vature of the relation between production and electrical power input. This is a pattern that  
10 can be found in many real-world flexible processes, because plants are still designed and op-  
11 timized for one specific operation point of nominal operation. Then, any deviation from the  
12 nominal operation comes with efficiency losses. When a stronger deviation from the design  
13 point leads to more efficiency losses, a concave relation between production and electrical  
14 power input emerges. In turn, the problem of optimally scheduling a flexible process might  
15 be nonlinear, but it stays a convex problem. Further, the absence of logical or other non-  
16 continuous phenomena allows to formulate the scheduling problem without using binary or  
17 integer variables.

### 18 **3.3 Embedding Solutions of Scheduling Problems in the Bidding Problem**

19 When strong duality holds, optimal objectives of primal and dual problem are equal.  
20 BD is based on the idea that the dual problem corresponding to the primal subproblem has  
21 a feasible set that is independent from the values of the coupling terms. Thus, the dual  
22 problem can be described by its extreme points and extreme rays, and the coupling term  
23 values only determine the direction of the objective function. In LPs, an optimal solution  
24 point of a feasible and bounded problem can always be found on an extreme point of the  
25 feasible set. So, to embed the subproblem in the master problem, it suffices to describe all the  
26 extreme points and extreme rays of the dual feasible set in the master problem. The objective  
27 function of the dual problem on all those points is a lower bound for the optimal value of

1 the primal problem – and at least one point’s dual objective is equal to the optimal value of  
2 the primal subproblem. However, this is only theoretically interesting because the number  
3 of extreme points and extreme rays of a problem grows exponentially with the problem size.  
4 Usually, when BD is successful, the reason is that a provably optimal point is found by only  
5 adding a small fraction of extreme points and extreme rays of the dual feasible set to the  
6 master problem rather than performing an exhaustive enumeration.

7 The term that couples the bidding problem and the scheduling problem is the amount of  
8 balancing capacity that has to remain reserved. Due to market restrictions, it is a bounded  
9 integer quantity. In the primal scheduling model, the reserved capacity directly affects the  
10 box constraints of electrical power inputs  $P_t$  and the production loss due to efficiency losses  
11 in off-design production when the balancing capacity is called. Because the coupling term is  
12 a bounded integer, it can only take finitely many feasible values.

13 In the perspective of the dual scheduling problem, the integrality requirements of the  
14 coupling term imply that only a finite number of objective functions is possible in the dual  
15 scheduling problem. Thus, rather than enumerating all extreme rays and extreme points of  
16 the dual feasible set, we enumerate all possible objective functions of the dual scheduling  
17 problem. This yields all possible optimal schedules which can be represented in the bidding  
18 problem through BCs. In fact, one could iterate between master and subproblem like Ben-  
19 ders originally suggested ([Benders, 1962](#)). Such an algorithm would add representations of  
20 optimal schedules iteratively and hope to find a provably optimal point before computing all  
21 possible optimal schedules. Whether that is efficient depends on the computational effort to  
22 solve the master problem relative to the computational effort to solve the subproblem.

23 A BC can be generated from the optimal solution of a scheduling problem by fixing the  
24 amount of balancing capacity that has to remain reserved. This term is just a parameter  
25 of the scheduling problem, but it does not explicitly exist in the bidding problem. There,  
26 it is uncertain which offers will be accepted and therefore what balancing capacity has to  
27 remain reserved. In the following paragraphs, we describe how we solve this issue by defining

1 scenarios for which bids are accepted.

### 2 **3.3.1 Scenarios for Accepted Bids**

3 In the bidding problem, the degrees of freedom are – for each bid  $b$  allowed to be placed –  
 4 one amount of balancing capacity  $P_b^{PRL}$  in MW and a corresponding ask price  $A_b$  in €/MW.  
 5 To break symmetry, we sort the bids in ascending order of prices, i.e.

$$A_1 \leq A_2 \leq \dots \leq A_B, \quad (9)$$

6 where  $B$  is the number of bids allowed to be placed in the model. An offer will be accepted  
 7 when the ask price is below the maximum price the grid operators will accept,  $A^{acc,max}$ . In  
 8 the bidding problem,  $A^{acc,max}$  is a continuous random variable. With a suitable stochastic  
 9 model for the maximum accepted ask price  $A^{acc,max}$ , such as the one presented in (Schäfer  
 10 et al., 2019b), the probability that a bid with ask price  $A_b$  will be accepted can be computed  
 11 with

$$\mathbb{P}(\text{bid } b \text{ accepted}) = \mathbb{P}(A^{acc,max} \geq A_b) = 1 - \mathbb{P}(A^{acc,max} \leq A_b). \quad (10)$$

After ordering the bids according to (9), we can define discrete scenarios by aggregating  
 all values for  $A^{acc,max}$  between two ask prices plus two more scenarios to describe the case  
 where the maximum accepted ask price is below respectively above all ask prices  $A_b$ . We  
 will refer to the scenario in which all bids from the first to the  $b^{th}$  bid are accepted and all  
 other bids are rejected as scenario  $b^{(acc)}$ . From (10), we derive the probability for any of  
 these scenarios as:

$$\mathbb{P}_{B^{(acc)}} = 1 - \mathbb{P}(A^{acc,max} \leq A_B) \quad (11)$$

$$\begin{aligned} \mathbb{P}_{b^{(acc)}} &= \mathbb{P}(A_b \leq A^{acc,max} \leq A_{b+1}) \\ &= \mathbb{P}(A^{acc,max} \leq A_{b+1}) - \mathbb{P}(A^{acc,max} \leq A_b) \quad \forall b = \{1, \dots, B-1\}, \end{aligned} \quad (12)$$

$$\mathbb{P}_{0^{(acc)}} = 1 - \sum_{\tilde{b}=1}^B \mathbb{P}_{\tilde{b}^{(acc)}} \quad (13)$$

1 where  $\mathbb{P}_{0^{(acc)}}$  denotes the probability of scenario  $0^{(acc)}$  – in which all bids are rejected –,  $\mathbb{P}_{b^{(acc)}}$   
2 denotes the probability of scenario  $b^{(acc)}$ , and  $\mathbb{P}_{B^{(acc)}}$  denotes the probability that all bids  
3 are accepted, i.e. the probability of scenario  $B^{(acc)}$ . Now, the bidding problem is able  
4 to optimize the expected value of scheduling cost and revenue from balancing markets by  
5 weighting the optimally scheduled production cost and the PRL revenue from each scenario  
6 with the probability of that scenario.

### 7 **3.3.2 Representing Costs of Optimal Schedules in the Bidding Problem with** 8 **BC**

9 The amount of balancing capacity that has to remain reserved is the sum of the offered  
10 capacities  $P_b^{PRL}$  of all accepted bids. This sum is the term that couples bidding problem  
11 and scheduling problem. Because the coupling terms are scenario-dependent, the BC that  
12 relate coupling terms and the representation of optimal production cost are also formulated  
13 for each scenario  $b^{(acc)}$ , except for the scenario  $0^{(acc)}$  in which all bids are rejected:

$$C_{b^{(acc)}}^{(sched)} \geq \rho_c - \mu_c \cdot \sum_{b=1}^{b^{(acc)}} P_b^{PRL} \quad \forall c \in \{0, \dots, 10\}, \quad \forall b^{(acc)} \in \{1^{(acc)}, \dots, B^{(acc)}\} \quad (14)$$

14 where  $C_{b^{(acc)}}^{(sched)}$  represents the optimal production cost in scenario  $b^{(acc)}$  of the bidding problem.  
15 In case that all offers are rejected, we do not need to specify any BC; the optimally scheduled  
16 production cost for the full flexibility available on the day-ahead market is computed before  
17 the solution of the bidding problem and specified as parameter  $C_{0^{(acc)}}^{(sched)}$ . The coefficients  
18  $\rho_c$  and  $\mu_c$  can be computed according to (Benders, 1962) from the dual solution of the  
19 scheduling problem in which  $c$  MW had to remain reserved for balancing requests. Note  
20 that the scheduling problem only depends on this reserved balancing capacity. In particular,  
21 the optimal schedule and the corresponding dual solution are independent of whether the  
22 reserved balancing capacity was just due to one single bid or the sum of several bids. As a  
23 consequence, the coefficients  $\rho_c$  and  $\mu_c$  are independent of the scenario  $b^{(acc)}$ .

24 By adding BCs to the bidding problem, we have represented all possible optimal schedules

1 in the bidding problem with a few linear inequalities rather than the fully blown scheduling  
 2 problem. The remaining bidding problem has to optimize the offered capacities  $P_b^{PRL}$  and  
 3 corresponding ask prices  $A_b$ . General-purpose (MI)NLP solvers can construct and use valid  
 4 continuous relaxations of the bidding problem because it contains BCs that describe valid  
 5 lower bounds for the optimally scheduled production cost for all fractional values of offered  
 6 capacity. Therefore, this formulation can be solved by implicit enumeration algorithms. Like  
 7 explicit enumeration, such algorithms have an exponential runtime in the worst case, but in  
 8 practice they are often more efficient than explicit enumeration.

## 9 4 Case Study

10 We repeat the case study of an aluminum production process presented in (Schäfer et al.,  
 11 2019b), which we briefly reviewed in Subsection 3.1, and simultaneously optimize bidding  
 12 strategy and production scheduling for this setup. We compare solving the original formula-  
 13 tion by an explicit enumeration scheme to solving our reformulation with a general-purpose  
 14 MINLP solver. Coming from the bidding model and scheduling model presented in (Schäfer  
 15 et al., 2019b), we replace the parts of the scheduling model described in Section 3.2.1 with  
 16 our reformulation presented in Section 3.2.2. The amount of reserved balancing capacity  
 17 determines both the flexible range of electrical power input and the production losses due  
 18 to efficiency losses when a balancing request is issued by the grid.

19 We compute all possible cuts prior to solving the bidding-MINLP. We solve the scheduling  
 20 LPs for all feasible balancing capacities and compute all corresponding  $\rho_c$  and  $\mu_c$  to build  
 21 all required cuts (14). This guarantees that we only have to solve one MINLP. Also, we can  
 22 derive tight bounds for the objective and the variables  $C_{b(acc)}^{(sched)}$  which represent the optimally  
 23 scheduled production cost in the bidding MINLP. The effort for solving the scheduling LPs  
 24 is negligible compared to solving the MINLP. In other setups (less complex bidding and  
 25 more complex scheduling problem), an algorithm with few iterations between master and  
 26 subproblems might be suitable, as discussed in Section 3.3.

27 Following (Schäfer et al., 2019b), we take market data from the first four weeks of 2018 in

1 Germany to describe primary balancing market and the day-ahead market. We run the case  
2 study for the number of allowed bids  $B$  ranging from 1 to 3, again adopting form (Schäfer  
3 et al., 2019b). Note that in practice, one bid on the primary balancing market suffices to  
4 find a good solution (Schäfer et al., 2019b), but we want to examine the benefit of our  
5 reformulation of the problem also for the computationally more complex case of  $B = 3$ .

6 For (mixed-integer) nonlinear optimization problems, such as our bidding problem, it is  
7 desirable to solve for a global optimum. For this purpose, we choose the global deterministic  
8 optimization solver BARON (Tawarmalani and Sahinidis, 2005; Zhou et al., 2018). We also  
9 tried to solve the bidding problem with our solver MAiNGO (Bongartz et al., 2018), which  
10 is based on McCormick-relaxations (McCormick, 1976; Mitsos et al., 2009; Tsoukalas and  
11 Mitsos, 2014) rather than the auxiliary variable method. However, MAiNGO performed  
12 inferior to BARON. We do not know the reason for the performance differences, but remark  
13 that BARON and MAiNGO differ substantially in many aspects, for example, MAiNGO uses  
14 McCormick-relaxations (McCormick, 1976; Mitsos et al., 2009; Tsoukalas and Mitsos, 2014),  
15 while BARON uses the auxiliary variable method. Further differences are the methods to  
16 treat bilinear products, and whether the code is open-source or commercially available, to  
17 name some more examples. All calculations were carried out on a Server equipped with an  
18 Intel(R) Xeon(R) Silver 4112 CPU @2.60 GHz and 256GB RAM. We used a single thread and  
19 called BARON through the GAMS 28.2-interface (GAMS Development Corporation, 2019).  
20 Our code, including a MATLAB script to compute the BC coefficients from the scheduling  
21 problems, is publicly available on <http://permalink.avt.rwth-aachen.de/?id=963420>.

## 22 5 Results and Discussion

23 We solved the problem of simultaneous optimization of bidding strategy in pay-as-bid  
24 markets and production scheduling with the explicit enumeration strategy from (Schäfer  
25 et al., 2019b) and as monolithic MINLP enabled by our reformulation. As convergence  
26 criterion, we define a relative optimality gap of 0.1%. Such a tight relative tolerance is desired  
27 because the absolute production costs are several hundred thousand euros per week. Thus,

1 even relatively small savings correspond to a significant absolute cost reduction. Tighter  
2 tolerances would not be justified, given the approximate model.

3 The two algorithms find comparable solutions in all studied setups. As shown in Table  
4 1, the bidding strategies sometimes differ slightly, but the relative differences in the optimal  
5 objectives are significantly smaller than the optimality tolerance and as such, both solutions  
6 are optimal. Figure 2 shows the optimal schedules for two scenarios from week 4: If no  
7 bid is accepted, the full process flexibility is available and will be exploited by the process.  
8 If some flexibility has to remain reserved as balancing capacity, the feasible domain for  $P_t$   
9 becomes tighter. The schedule shown in the bottom of Figure 2 is the optimal schedule for  
10 both explicit enumeration and MINLP formulation in week 4 with  $B = 2$ , if both bids are  
11 accepted. In this case, the MINLP solution is to bid 6 MW in the first bid and 1 MW in the  
12 second bid, whereas the explicit enumeration approach would be to split the bids into 5 MW  
13 and 2 MW. However, if both bids are accepted, the total reserved balancing capacity –which  
14 determines the optimal schedule– is 7 MW either way. Since the LP formulation developed  
15 in Section 3 has the same optimal points as the MILP formulation in (Schäfer et al., 2019b),  
16 the optimal schedules are independent of the chosen formulation.

17 In Table 2, we present the CPU time required to execute the solve statements for both  
18 approaches (provided by the GAMS (GAMS Development Corporation, 2019) parameter  
19 *etSolve*). The scheduling step that takes place before the explicit enumeration, respectively  
20 the MINLP-solution process, takes around 60 seconds for all 4 weeks with the MILP formu-  
21 lation from (Schäfer et al., 2019b) and 13 seconds for all 4 weeks with our LP-reformulation  
22 from Section 3.2. Table 2 shows that our reformulation decreases the time required for global  
23 optimization of a bidding strategy with simultaneous consideration of production scheduling  
24 with access to a day-ahead market. Our MINLP approach often reduces the time explicit  
25 enumeration requires by more than 70% and up to 87%. Only in setups with  $B = 3$ , the  
26 performance of our MINLP approach is mixed, for which we do not have a clear explanation.  
27 With increasing  $B$ , the MINLP problem size, i.e, the number of variables and constraints




Figure 2: Optimal schedules in week 4; in the top for the scenario where no bid is accepted, and in the bottom where the total reserved balancing capacity is 7 MW.

1 increases. While the increase is mostly linear in  $B$ , as each additional bid gives one addi-  
2 tional acceptance scenario to consider, the computational effort for solving a linearly growing  
3 problem grows exponentially. In contrast, in the explicit enumeration scheme, the number  
4 of NLPs that have to be solved grows combinatorially, and the NLP size grows linearly. It  
5 is hard to judge if these effects contribute to the mixed performance of our reformulation  
6 relative to the explicit enumeration scheme. Another potentially relevant aspect might be  
7 the tolerances: as we argued before,  $10^{-3}$  is quite a tight tolerance for global optimization  
8 solvers, but it is justified in our context. In our preliminary studies, we have seen that with  
9 a tolerance of  $10^{-2}$ , for both the NLPs in explicit enumeration, and the MINLP resulting  
10 from our reformulation, our MINLP is still 50%-90% faster than the explicit enumeration  
11 for all the scenarios with  $B = 3$ . This is an indication that the tight tolerances have a larger  
12 impact on the one large MINLP formulation, than on the many smaller NLPs that are solved  
13 during explicit enumeration.

14 The runtime until the optimal solution is found when BARON solves our MINLP formu-  
15 lation is given in the last column of Table 2. Often, the optimal solution is already found in  
16 BARON's preprocessing step. This means that BARON quickly finds the optimal solution  
17 and spends the vast majority of the runtime proving its optimality by refining the lower  
18 bound. We did not try to solve the problem with local solvers because the globally optimal  
19 solution can be considered a local solution as soon as it is found, i.e. within less than one  
20 second. Such an algorithmic behavior is common in deterministic global optimization. The  
21 existence of a global lower bound is the second advantage of general-purpose MINLP solvers  
22 over explicit enumeration in which no lower bound is available. With the lower bound, a  
23 guaranteed optimality gap for the solution is available as soon as an incumbent solution  
24 is found. Another advantage of the MINLP formulation over the explicit enumeration ap-  
25 proach is that just one call to BARON is required to solve one MINLP, which might reduce  
26 solver-calling-related computational overhead.

27 In explicit enumeration, the time to find the optimal solution depends on the enumeration

1 order, which is arbitrary. Therefore, we only show the time to complete the enumeration in  
2 Table 2, not the time until the optimal solution is found. In this case study, the differences  
3 between the optimal objectives of different scenarios can be up to 2.5% of the optimal  
4 expected cost. This seemingly small difference is in fact very relevant because the majority  
5 of cost savings is achieved by optimally scheduling the production to exploit price differences  
6 in the day-ahead market. When we compare optimal objectives of different scenarios, the  
7 schedule is already optimized in both cases and the difference is only affected by the bidding  
8 strategy. However, note that the absolute numbers in this case study are several hundred  
9 thousand € production cost per week. Therefore, the bidding strategy has a significant effect  
10 on the absolute cost and it is highly attractive to solve for the optimal strategy. Thus, a  
11 third advantage of our MINLP-formulation over explicit enumeration is its ability to reliably  
12 identify the optimal solution early in the algorithm. Particularly for the setups with  $B = 3$ ,  
13 where the MINLP-formulation can take more time to terminate with proven optimality than  
14 explicit enumeration, it is important to note that the MINLP-formulation finds the optimal  
15 solution reliably in less than a second.

16 As the results presented in (Schäfer et al., 2019b) used a very tight relative optimality  
17 gap of  $10^{-5}$ , we compared the performance of our approach to the explicit enumeration for  
18 this tight tolerance as well. Except once, we found exactly the same solutions with the two  
19 approaches, with our approach being more efficient for all but some setups with  $B = 3$ . In  
20 one of these setups, the MINLP approach did not converge to a relative optimality gap of  
21  $10^{-5}$  within 4 CPU-hours. As discussed before, problem size and a potentially larger impact  
22 of tight tolerances on the runtime to solve one large MINLP than on the runtime to solve  
23 many smaller NLPs are possible explanations for the degradation of MINLP performance  
24 compared to explicit enumeration.

## 25 **6 Conclusion**

26 Based on BD, we developed a reformulation of the problem of simultaneous optimization  
27 of bidding strategy in pay-as-bid markets and production scheduling that enables the solution

1 with general-purpose MINLP solvers. A case study on the German primary balancing market  
2 and the German day-ahead-market of 2018 showed that the reformulation enables reductions  
3 of the computational runtimes to find and proof a globally optimal solution, often to a third  
4 or less of the time an explicit enumeration scheme takes. Further algorithmic advantages  
5 enabled by our reformulation are that optimal solutions are identified quickly and inherently  
6 come with an optimality gap as soon as they are identified with branch-and-bound-based  
7 algorithms.

8 The reformulation we presented is applicable in all pay-as-bid markets. Examples for such  
9 markets from 2021 are the secondary and tertiary balancing market in Germany, also known  
10 as automatic Frequency Restoration Reserve and manual Frequency Restoration Reserve.  
11 In pay-as-cleared market the optimal bidding strategy is simpler to identify without solving  
12 optimization problems of the kind we discussed: Setting an ask price equal to the marginal  
13 cost of providing balancing capacity for the process always generates the optimal revenue  
14 from a pay-as-cleared market for a price-taking market participant.

## 15 **Acknowledgement**

16 This work was funded by the Deutsche Forschungsgemeinschaft (DFG, German Research  
17 Foundation) - 33849990/ GRK2379 (IRTG Modern Inverse Problems). The authors grate-  
18 fully acknowledge the financial support of the Kopernikus project SynErgie by the Federal  
19 Ministry of Education and Research (BMBF) and the project supervision by the project  
20 management organization Projektträger Jülich.

## 21 **References**

- 22 A. Alirezazadeh, M. Rashidinejad, A. Abdollahi, P. Afzali, and A. Bakhshai. A new flexible  
23 model for generation scheduling in a smart grid. *Energy*, 191:116438, 2020.
- 24 F. Alkaabneh, A. Diabat, and H. O. Gao. Benders decomposition for the inventory ve-  
25 hicle routing problem with perishable products and environmental costs. *Computers &*  
26 *Operations Research*, 113:104751, 2020.

- 1 N. P. Basán, M. E. Cóccola, R. G. Dondo, A. Guarnaschelli, G. A. Schweickardt, and C. A.  
2 Méndez. A reactive-iterative optimization algorithm for scheduling of air separation units  
3 under uncertainty in electricity prices. *Computers & Chemical Engineering*, 142:107050,  
4 2020.
- 5 J. F. Benders. Partitioning procedures for solving mixed-variables programming problems.  
6 *Numerische mathematik*, 4(1):238–252, 1962.
- 7 M. Bohlayer, M. Fleschutz, M. Braun, and G. Zöttl. Demand Side Management and the  
8 Participation in Consecutive Energy Markets-A Multistage Stochastic Optimization Ap-  
9 proach. In *2018 15th International Conference on the European Energy Market (EEM)*,  
10 pages 1–5. IEEE, 2018.
- 11 D. Bongartz, J. Najman, S. Sass, and A. Mitsos. MAiNGO - McCormick-based Algorithm  
12 for mixed-integer Nonlinear Global Optimization. Technical report, 2018.
- 13 A. Bostan, M. S. Nazar, M. Shafie-Khah, and J. P. Catalão. Optimal scheduling of distribu-  
14 tion systems considering multiple downward energy hubs and demand response programs.  
15 *Energy*, 190:116349, 2020.
- 16 L. C. Brée, K. Perrey, A. Bulan, and A. Mitsos. Demand side management and operational  
17 mode switching in chlorine production. *AIChE Journal*, 65(7):e16352, 2019.
- 18 A. Caspari, C. Tsay, A. Mhamdi, M. Baldea, and A. Mitsos. The integration of scheduling  
19 and control: Top-down vs. bottom-up. *Journal of Process Control*, 91:50–62, 2020.
- 20 P. M. Castro, I. Harjunoski, and I. E. Grossmann. New Continuous-Time Scheduling For-  
21 mulation for Continuous Plants under Variable Electricity Cost. *Industrial & Engineering*  
22 *Chemistry Research*, 48(14):6701–6714, 2009.
- 23 P. M. Castro, I. Harjunoski, and I. E. Grossmann. Optimal scheduling of continuous plants  
24 with energy constraints. *Computers & Chemical Engineering*, 35(2):372 – 387, 2011.

- 1 A. J. Conejo, F. J. Nogales, and J. M. Arroyo. Price-taker bidding strategy under price  
2 uncertainty. *IEEE Transactions on Power Systems*, 17(4):1081–1088, 2002.
- 3 A. W. Dowling, R. Kumar, and V. M. Zavala. A multi-scale optimization framework for  
4 electricity market participation. *Applied Energy*, 190:147–164, 2017.
- 5 C. Eid, P. Codani, Y. Perez, J. Reneses, and R. Hakvoort. Managing electric flexibility from  
6 Distributed Energy Resources: A review of incentives for market design. *Renewable and  
7 Sustainable Energy Reviews*, 64:237–247, 2016.
- 8 K. Fang, S. Wang, M. L. Pinedo, L. Chen, and F. Chu. A combinatorial Benders decompo-  
9 sition algorithm for parallel machine scheduling with working-time restrictions. *European  
10 Journal of Operational Research*, 291(1):128–146, 2021.
- 11 E. Faria and S.-E. Fleten. Day-ahead market bidding for a Nordic hydropower producer:  
12 taking the Elbas market into account. *Computational Management Science*, 8(1-2):75–101,  
13 2011.
- 14 M. Fischetti, I. Ljubić, and M. Sinnl. Redesigning Benders decomposition for large-scale  
15 facility location. *Management Science*, 63(7):2146–2162, 2017.
- 16 S.-E. Fleten and T. K. Kristoffersen. Stochastic programming for optimizing bidding strate-  
17 gies of a Nordic hydropower producer. *European Journal of Operational Research*, 181(2):  
18 916–928, 2007.
- 19 GAMS Development Corporation. General algebraic modeling system (GAMS) release  
20 28.2.0, accessed 25th may 2021, Jan. 2019. URL <https://www.gams.com/download/>.
- 21 C. W. Gellings. The concept of demand-side management for electric utilities. *Proceedings  
22 of the IEEE*, 73(10):1468–1470, Oct 1985.
- 23 A. M. Geoffrion. Generalized benders decomposition. *Journal of optimization theory and  
24 applications*, 10(4):237–260, 1972.

- 1 A. Ghobeity and A. Mitsos. Optimal design and operation of desalination systems: new  
2 challenges and recent advances. *Current opinion in chemical engineering*, 6:61–68, 2014.
- 3 I. Harjunkoski, C. T. Maravelias, P. Bongers, P. M. Castro, S. Engell, I. E. Grossmann,  
4 J. Hooker, C. Méndez, G. Sand, and J. Wassick. Scope for industrial applications of  
5 production scheduling models and solution methods. *Computers & Chemical Engineering*,  
6 62:161 – 193, 2014.
- 7 J. Houghton. *Global warming: the complete briefing*. Cambridge university press, 2009.
- 8 J. Hu, R. Harmsen, W. Crijns-Graus, E. Worrell, and M. van den Broek. Identifying barriers  
9 to large-scale integration of variable renewable electricity into the electricity market: A  
10 literature review of market design. *Renewable and Sustainable Energy Reviews*, 81:2181–  
11 2195, 2018.
- 12 F. Jabari, B. Mohammadi-ivatloo, and M. Mohammadpourfard. Robust optimal self-  
13 scheduling of potable water and power producers under uncertain electricity prices. *Applied*  
14 *Thermal Engineering*, 162:114258, 2019.
- 15 M. T. Kelley, R. C. Pattison, R. Baldick, and M. Baldea. An MILP framework for optimizing  
16 demand response operation of air separation units. *Applied energy*, 222:951–966, 2018.
- 17 H. Khajeh, A. A. Foroud, and H. Firoozi. Robust bidding strategies and scheduling of a  
18 price-maker microgrid aggregator participating in a pool-based electricity market. *IET*  
19 *Generation, Transmission & Distribution*, 13(4):468–477, 2019.
- 20 G. Klæboe and O. B. Fosso. Optimal bidding in sequential physical markets— A literature  
21 review and framework discussion. In *2013 IEEE Grenoble Conference*, pages 1–6. IEEE,  
22 2013.
- 23 S. Mansouri, A. Ahmarinejad, M. Ansarian, M. Javadi, and J. Catalao. Stochastic planning  
24 and operation of energy hubs considering demand response programs using Benders de-

1 composition approach. *International Journal of Electrical Power & Energy Systems*, 120:  
2 106030, 2020.

3 C. T. Maravelias. General framework and modeling approach classification for chemical  
4 production scheduling. *AIChE Journal*, 58(6):1812–1828, 2012.

5 G. P. McCormick. Computability of global solutions to factorable nonconvex programs: Part  
6 I—Convex underestimating problems. *Mathematical programming*, 10(1):147–175, 1976.

7 A. S. Michels, T. C. Lopes, C. G. S. Sikora, and L. Magatão. A Benders’ decomposition  
8 algorithm with combinatorial cuts for the multi-manned assembly line balancing problem.  
9 *European Journal of Operational Research*, 278(3):796–808, 2019.

10 A. Mitsos, B. Chachuat, and P. I. Barton. McCormick-based relaxations of algorithms. *SIAM*  
11 *Journal on Optimization*, 20(2):573–601, 2009.

12 A. Mitsos, N. Asprion, C. A. Floudas, M. Bortz, M. Baldea, D. Bonvin, A. Caspari, and  
13 P. Schäfer. Challenges in process optimization for new feedstocks and energy sources.  
14 *Computers & Chemical Engineering*, 113:209–221, 2018.

15 M. Nizami, M. Hossain, B. R. Amin, and E. Fernandez. A residential energy management  
16 system with bi-level optimization-based bidding strategy for day-ahead bi-directional elec-  
17 tricity trading. *Applied Energy*, 261:114322, 2020.

18 J. I. Otashu and M. Baldea. Grid-level “battery” operation of chemical processes and  
19 demand-side participation in short-term electricity markets. *Applied Energy*, 220:562–575,  
20 2018.

21 J. I. Otashu and M. Baldea. Demand response-oriented dynamic modeling and operational  
22 optimization of membrane-based chlor-alkali plants. *Computers & Chemical Engineering*,  
23 121:396–408, 2019.

- 1 S. Ø. Ottesen, A. Tomasgard, and S.-E. Fleten. Multi market bidding strategies for demand  
2 side flexibility aggregators in electricity markets. *Energy*, 149:120–134, 2018.
- 3 M. A. Plazas, A. J. Conejo, and F. J. Prieto. Multimarket optimal bidding for a power  
4 producer. *IEEE Transactions on Power Systems*, 20(4):2041–2050, 2005.
- 5 R. Rahmaniani, T. G. Crainic, M. Gendreau, and W. Rei. The Benders decomposition  
6 algorithm: A literature review. *European Journal of Operational Research*, 259(3):801–  
7 817, 2017.
- 8 R. Raman and I. E. Grossmann. Relation between MILP modelling and logical inference for  
9 chemical process synthesis. *Computers & Chemical Engineering*, 15(2):73–84, 1991.
- 10 D. Ramin, S. Spinelli, and A. Brusaferrri. Demand-side management via optimal produc-  
11 tion scheduling in power-intensive industries: The case of metal casting process. *Applied*  
12 *Energy*, 225:622–636, 2018.
- 13 H. Saberi, T. Amraee, C. Zhang, and Z. Y. Dong. A heuristic Benders-decomposition-based  
14 algorithm for transient stability constrained optimal power flow. *Electric Power Systems*  
15 *Research*, 185:106380, 2020.
- 16 M. Sadat-Mohammadi, S. Asadi, M. Habibnezhad, and H. Jebelli. Robust scheduling of  
17 multi-chiller system with chilled-water storage under hourly electricity pricing. *Energy*  
18 *and Buildings*, 218:110058, 2020.
- 19 P. Schäfer, N. Hansmann, S. Ilieva, and A. Mitsos. Model-Based Bidding Strategies for  
20 Simultaneous Optimal Participation in Different Balancing Markets. In *Computer Aided*  
21 *Chemical Engineering*, volume 46, pages 1639–1644. Elsevier, 2019a.
- 22 P. Schäfer, H. G. Westerholt, A. M. Schweidtmann, S. Ilieva, and A. Mitsos. Model-based  
23 bidding strategies on the primary balancing market for energy-intense processes. *Comput-*  
24 *ers & Chemical Engineering*, 120:4–14, 2019b.

- 1 P. Schäfer, T. M. Daun, and A. Mitsos. Do investments in flexibility enhance sustainability?  
2 A simulative study considering the German electricity sector. *AIChE Journal*, 66(11):  
3 e17010, 2020.
- 4 G. Strbac. Demand side management: Benefits and challenges. *Energy Policy*, 36(12):4419  
5 – 4426, 2008.
- 6 M. Tawarmalani and N. V. Sahinidis. A polyhedral branch-and-cut approach to global  
7 optimization. *Mathematical programming*, 103(2):225–249, 2005.
- 8 A. Thaeer Hammid, O. I. Awad, M. H. Sulaiman, S. S. Gunasekaran, S. A. Mostafa,  
9 N. Manoj Kumar, B. A. Khalaf, Y. A. Al-Jawhar, and R. A. Abdulhasan. A review  
10 of optimization algorithms in solving hydro generation scheduling problems. *Energies*, 13  
11 (11):2787, 2020.
- 12 D. Todd, M. Caufield, B. Helms, A. P. Generating, I. M. Starke, B. Kirby, and J. Kueck.  
13 Providing reliability services through demand response: A preliminary evaluation of the  
14 demand response capabilities of alcoa inc. *ORNL/TM*, 233, 2008.
- 15 C. Tsay, A. Kumar, J. Flores-Cerrillo, and M. Baldea. Optimal demand response scheduling  
16 of an industrial air separation unit using data-driven dynamic models. *Computers &  
17 Chemical Engineering*, 126:22–34, 2019.
- 18 A. Tsoukalas and A. Mitsos. Multivariate McCormick relaxations. *Journal of Global Opti-  
19 mization*, 59(2-3):633–662, 2014.
- 20 Q. Zhang and I. E. Grossmann. Enterprise-wide optimization for industrial demand side  
21 management: Fundamentals, advances, and perspectives. *Chemical Engineering Research  
22 and Design*, 116:114–131, 2016.
- 23 Q. Zhang, A. Sundaramoorthy, I. E. Grossmann, and J. M. Pinto. A discrete-time schedul-

- 1 ing model for continuous power-intensive process networks with various power contracts.  
2 *Computers & Chemical Engineering*, 84:382–393, 2016.
- 3 K. Zhou, M. R. Kılınç, X. Chen, and N. V. Sahinidis. An efficient strategy for the activation  
4 of MIP relaxations in a multicore global MINLP solver. *Journal of Global Optimization*,  
5 70(3):497–516, 2018.

Table 1: Optimal Results for 1 to 3 maximum allowed bids  $B$ 

$B$	week		explicit Enumeration	general-purpose MINLP
1	1	optimal expected cost $P_1^{PRL}$ and $A_1$	237 k€ 7 MW, 3623 €/MW	237 k€ 6 MW, 3597 €/MW
	2	optimal expected cost $P_1^{PRL}$ and $A_1$	516 k€ 10 MW, 3005 €/MW	516 k€ 10 MW, 3005 €/MW
	3	optimal expected cost $P_1^{PRL}$ and $A_1$	454 k€ 10 MW, 2665 €/MW	454 k€ 10 MW, 2665 €/MW
	4	optimal expected cost $P_1^{PRL}$ and $A_1$	427 k€ 6 MW, 2420 €/MW	427 k€ 6 MW, 2420 €/MW
2	1	optimal expected cost $P_1^{PRL}$ and $A_1$ $P_2^{PRL}$ and $A_2$	237 k€ 5 MW, 3574 €/MW 3 MW, 3891 €/MW	237 k€ 5 MW, 3574 €/MW 4 MW, 3965 €/MW
	2	optimal expected cost $P_1^{PRL}$ and $A_1$ $P_2^{PRL}$ and $A_2$	516 k€ 6 MW, 2968 €/MW 4 MW, 3094 €/MW	516 k€ 6 MW, 2968 €/MW 4 MW, 3094 €/MW
	3	optimal expected cost $P_1^{PRL}$ and $A_1$ $P_2^{PRL}$ and $A_2$	454 k€ 7 MW, 2631 €/MW 3 MW, 2824 €/MW	454 k€ 8 MW, 2641 €/MW 2 MW, 2866 €/MW
	4	optimal expected cost $P_1^{PRL}$ and $A_1$ $P_2^{PRL}$ and $A_2$	427 k€ 5 MW, 2403 €/MW 2 MW, 2627 €/MW	427 k€ 6 MW, 2420 €/MW 1 MW, 2692 €/MW
3	1	optimal expected cost $P_1^{PRL}$ and $A_1$ $P_2^{PRL}$ and $A_2$ $P_3^{PRL}$ and $A_3$	236 k€ 4 MW, 3554 €/MW 3 MW, 3773 €/MW 2 MW, 4140 €/MW	237 k€ 4 MW, 3554 €/MW 3 MW, 3773 €/MW 3 MW, 4240 €/MW
	2	optimal expected cost $P_1^{PRL}$ and $A_1$ $P_2^{PRL}$ and $A_2$ $P_3^{PRL}$ and $A_3$	516 k€ 5 MW, 2960 €/MW 3 MW, 3042 €/MW 2 MW, 3142 €/MW	516 k€ 0 MW, 2976 €/MW 7 MW, 2976 €/MW 3 MW, 3116 €/MW
	3	optimal expected cost $P_1^{PRL}$ and $A_1$ $P_2^{PRL}$ and $A_2$ $P_3^{PRL}$ and $A_3$	454 k€ 5 MW, 2613 €/MW 3 MW, 2713 €/MW 2 MW, 2866 €/MW	454 k€ 7 MW, 2631 €/MW 0 MW, 2631 €/MW 3 MW, 2824 €/MW
	4	optimal expected cost $P_1^{PRL}$ and $A_1$ $P_2^{PRL}$ and $A_2$ $P_3^{PRL}$ and $A_3$	427 k€ 4 MW, 2388 €/MW 2 MW, 2529 €/MW 2 MW, 2770 €/MW	427 k€ 6 MW, 2420 €/MW 0 MW, 2420 €/MW 1 MW, 2692 €/MW

Table 2: Runtimes of Explicit Enumeration and Benders Decomposition

$B$	week	solution time expl. Enum. [in s]	solution time MINLP [in s]	time until BARON identifies optimal MINLP-solution [in s]
1	1	11	2.8	0.19
	2	10	1.3	0.14*
	3	10	2.1	0.25
	4	10	1.9	0.14
2	1	94	25	0.19
	2	86	19	0.20*
	3	79	13	0.20*
	4	80	15	0.22*
3	1	898	3076	0.34
	2	719	206	0.31*
	3	673	701	0.28*
	4	503	794	0.42*

The star (\*) marks cases in which BARON already identifies the optimal solution during preprocessing.