

Search for long-lived, massive particles in events with displaced vertices and multiple jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector



The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: A search for long-lived particles decaying into hadrons is presented. The analysis uses 139 fb^{-1} of pp collision data collected at $\sqrt{s} = 13$ TeV by the ATLAS detector at the LHC using events that contain multiple energetic jets and a displaced vertex. The search employs dedicated reconstruction techniques that significantly increase the sensitivity to long-lived particles decaying in the ATLAS inner detector. Background estimates for Standard Model processes and instrumental effects are extracted from data. The observed event yields are compatible with those expected from background processes. The results are used to set limits at 95% confidence level on model-independent cross sections for processes beyond the Standard Model, and on scenarios with pair-production of supersymmetric particles with long-lived electroweakinos that decay via a small R -parity-violating coupling. The pair-production of electroweakinos with masses below 1.5 TeV is excluded for mean proper lifetimes in the range from 0.03 ns to 1 ns. When produced in the decay of $m(\tilde{g}) = 2.4$ TeV gluinos, electroweakinos with $m(\tilde{\chi}_1^0) = 1.5$ TeV are excluded with lifetimes in the range of 0.02 ns to 4 ns.

KEYWORDS: Beyond Standard Model, Hadron-Hadron Scattering , Supersymmetry

ARXIV EPRINT: [2301.13866](https://arxiv.org/abs/2301.13866)

Contents

1	Introduction	1
2	ATLAS detector	3
3	Data and simulated event samples	4
4	Event reconstruction	5
5	Event selection	7
6	Backgrounds	10
6.1	Inclusive background estimation	11
6.2	Validation of background model	13
6.3	Alternative background estimate	13
7	Uncertainties	18
7.1	Uncertainties in the inclusive background estimation	18
7.2	Uncertainties in an alternative background estimate	19
7.3	Uncertainties on expected signal yield	20
8	Results	21
9	Conclusion	24
	The ATLAS collaboration	30

1 Introduction

The interest in searches for long-lived particles (LLPs) has recently grown and they have become an important part of the hunt for new physics at the Large Hadron Collider (LHC). LLPs appear in a variety of models trying to address fundamental puzzles of the Standard Model (SM) of particle physics and yield a large palette of signatures at colliders that inspires a diverse and ambitious search programme at the LHC [1, 2].

There are various mechanisms by which particles can obtain significant lifetimes ($\gtrsim 10$ ps) in beyond the Standard Model (BSM) theories. The decays of such particles can be suppressed in so-called Hidden Valley models where large barrier potentials reduce the rate of kinematically allowed decays [3]. Decays happening via a highly virtual intermediate state, or in highly compressed mass spectra can also result in long lifetimes [4, 5]. Finally, long-lived particles also appear in models with small couplings, such as those often found in




Figure 1. Diagrams showing production of a (a) chargino-neutralino pair ($\tilde{\chi}_1^\pm \tilde{\chi}_1^0$) and (b) a gluino pair ($\tilde{g}\tilde{g}$), in which each gluino decays into a pair of quarks and a long-lived neutralino ($\tilde{\chi}_1^0$). The $\tilde{\chi}_1^\pm$ and $\tilde{\chi}_1^0$ decay into three quarks via the R-parity-violating coupling λ'' . For sufficiently small values of λ'' , the lifetime of the $\tilde{\chi}_1^\pm$ and $\tilde{\chi}_1^0$ becomes long enough to cause decays which are significantly displaced from their production points.

R -parity-violating supersymmetry (SUSY) [6], as happens for the simplified models used as a benchmark for the search presented here.

SUSY [7–12] models have the potential to achieve gauge-coupling unification, provide an explanation for dark matter, and alleviate the naturalness problem [13–16]. In the minimal supersymmetric extension to the SM (MSSM) [17, 18], R -parity-violating (RPV) couplings that violate baryon-number and lepton-number conservation naturally occur at tree level. The RPV terms of the MSSM superpotential are given by

$$\mathcal{W}_{\text{RPV}} = \mu_i \ell_i h_u + \lambda_{ijk} \ell_i \ell_j \bar{e}_k + \lambda'_{ijk} \ell_i q_j \bar{d}_k + \lambda''_{ijk} \bar{u}_i \bar{d}_j \bar{d}_k,$$

where μ_i , λ_{ijk} , λ'_{ijk} , and λ''_{ijk} are the RPV couplings, ℓ and e represent the lepton and charged-lepton supermultiplets, h_u represents the up-type Higgs supermultiplets, and q , u , and d represent the quark, up-type quark, and down-type quark supermultiplets [6]. The symbols i , j , and k are generation indices.

The search presented in this paper targets small values of the λ'' couplings, assuming all other RPV couplings to be exactly zero. Several low- and intermediate-energy experimental observations constrain the value of the RPV couplings to be small [19, 20]. This naturally leads to suppression of the decay processes and can give rise to long-lived SUSY particles. A nonzero λ'' coupling allows the electroweakinos, supersymmetric states that arise from the mixing of the superpartners of the $U(1)_Y$, $SU(2)_L$ and Higgs fields, to decay into three quarks. Two different signal scenarios are used as benchmarks in this analysis. The Electroweak (EWK) RPV scenario, shown in figure 1(a), considers the associated production of the lightest charged and neutral electroweakinos, that is, $\tilde{\chi}_1^\pm \tilde{\chi}_1^0$, $\tilde{\chi}_1^+ \tilde{\chi}_1^-$, $\tilde{\chi}_2^0 \tilde{\chi}_1^0$ and $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$, assuming pure-higgsino states. In the Strong RPV scenario, shown in figure 1(b), pairs of gluinos $\tilde{g}$, the superpartners of the SM gluons, are produced. Each $\tilde{g}$ promptly decays with a 100% branching ratio to a SM quark-antiquark pair and a neutralino $\tilde{\chi}_1^0$, the lightest neutral electroweakino. The electroweakinos in both models decay with a 100% branching ratio via the λ'' couplings to light-flavour quarks.

This paper presents the first search for the RPV models described above in events with a massive, multi-track displaced vertex and multiple energetic jets using proton-proton collisions collected by the ATLAS experiment at a centre-of-mass energy of $\sqrt{s} = 13$ TeV. Dedicated track and vertex reconstruction algorithms are employed to maximize the reconstruction and selection efficiency of displaced vertices originating from LLP decays which occur inside of the tracking volume but at a discernible distance from the interaction point of the incoming beams. The analysis does not require that the jets are linked to the displaced vertex in order to retain sensitivity to various BSM decay topologies. Signal region (SR) criteria are designed to select on the order of one background event in the available data sample, while maximizing the expected signal yield. The predictions of the background yields from several sources are entirely derived from data, with individual contributions estimated from dedicated control regions (CRs).

Similar searches were performed previously by the ATLAS, CMS, and LHCb collaborations at $\sqrt{s} = 7, 8$ and 13 TeV [21–27]. In this analysis, novel techniques to estimate background processes that can produce a displaced vertex signal were developed, and sensitivity to RPV SUSY models predicting production of long-lived electroweakinos with the ATLAS experiment is demonstrated for the first time.

2 ATLAS detector

The ATLAS detector [28, 29] at the LHC is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and a near 4π coverage in solid angle.¹ It consists of an inner tracking detector (ID) surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic (EM) and hadron calorimeters, and a muon spectrometer (MS). The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip (SCT), and transition radiation tracking (TRT) detectors. The pixel detector has four barrel layers and three disks in each of the forward and backward regions. The barrel layers surround the beam pipe at radii of 33.3 mm, 50.5 mm, 88.5 mm, and 122.5 mm, covering $|\eta| < 1.9$. The pixel detector spans the radius range from 3 cm to 12 cm, the SCT spans 30 cm to 52 cm, and the TRT spans 56 cm to 108 cm.

Lead/liquid-argon (LAr) sampling calorimeters provide EM energy measurements with high granularity. A steel/scintillator-tile hadron calorimeter covers the central pseudorapidity range $|\eta| < 1.7$. The endcap and forward regions are instrumented with LAr calorimeters for both the EM and hadronic energy measurements up to $|\eta| = 4.9$. The MS surrounds the calorimeters and is based on three large air-core toroidal superconducting magnets with eight coils each. The field integral of the toroids ranges between 2 Tm and 6 Tm across most of the detector. The MS includes a system of precision tracking chambers

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

and fast detector chambers for triggering. A two-level trigger system is used to select events [30]. The first-level trigger is implemented in hardware and uses a subset of the detector information to reduce the accepted rate to at most 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions. An extensive software suite [31] is used for real and simulated data reconstruction and analysis, for operation, and in the trigger and data acquisition systems of the experiment.

3 Data and simulated event samples

Proton-proton collision data recorded by the ATLAS detector between 2015 and 2018 are used for this analysis. In this period, the LHC delivered colliding beams with an average number of pp interactions per bunch crossing of 33.7. After applying beam, detector, and data-quality criteria [32] the total integrated luminosity of the data is 139 fb^{-1} . The uncertainty in the combined 2015–2018 integrated luminosity is 1.7%, obtained using the LUCID-2 detector for the primary luminosity measurements [33, 34].

The data were recorded using a combination of triggers requiring multiple energetic jets with transverse momentum p_T thresholds that depend on the jet multiplicity. These ranged from four jets with $p_T > 100 \text{ GeV}$ to seven jets with $p_T > 45 \text{ GeV}$.

Monte Carlo (MC) simulated event samples are used to aid the estimate of background from SM processes and to model the targeted signal models. The matrix element (ME) calculation for the SUSY production processes was performed to leading-order precision with MADGRAPH5_AMC@NLO 2.6.2 [35] interfaced to PYTHIA 8.212 [36] for parton showering (PS) and hadronization. All other SUSY-particle contributions are assumed to be decoupled. The ME calculation was performed at tree level and included the emission of up to two additional partons for all signal samples. The parton distribution function (PDF) set used for the generation of the signal samples was NNPDF2.3LO [37] with the A14 [38] set of tuned underlying-event and shower parameters. The ME-PS matching was performed with the CKKW-L prescription [39, 40], with a matching scale set to one quarter of the produced SUSY particle mass. The electroweakino production cross sections were computed at next-to-leading-order (NLO) plus next-to-leading-log (NLL) precision [41–45] in a limit of mass-degenerate higgsinos $\tilde{\chi}_2^0$, $\tilde{\chi}_1^\pm$, and $\tilde{\chi}_1^0$. The nominal cross-section and the uncertainty were taken from an envelope of cross-section predictions using different PDF sets and factorization and renormalization scales, as described in ref. [46]. Signal cross-sections for the gluino pair production were calculated to approximate Next-to-Next-to-Leading-Order (NNLO) in the strong coupling constant, adding the resummation of soft gluon emission at Next-to-Next-to-Leading-Log (NNLL) accuracy (approximate NNLO + NNLL) [47–54]. The nominal cross-section and its uncertainty were derived using the PDF4LHC15_mc PDF set, following the recommendations of ref. [55]. In the electroweakino case, the cross-sections ranged from $300 \pm 10 \text{ fb}$ at $\tilde{\chi}_1^0$ mass of 300 GeV to $21.5 \pm 3.7 \text{ ab}$ at 1700 GeV, assuming pure-higgsino states. In the gluino case, they ranged from $8.9 \pm 1.4 \text{ fb}$ at a $\tilde{g}$ mass of 1.6 TeV to $46 \pm 14 \text{ ab}$ at 2.6 TeV.

Samples of multijet events were generated using PYTHIA 8.230 with leading-order matrix elements for dijet production which were matched to the parton shower. The NNPDF2.3LO PDF set was used in the ME generation, the parton shower, and the simulation of the multi-parton interactions. The A14 set of tuned parameters was used. These samples are used for an independent closure test of the data-driven background estimates.

To simulate the effects of additional pp collisions in the same and nearby bunch crossings (pile-up), additional interactions were generated using the soft QCD processes provided by PYTHIA 8.186 with the A3 tune [56] and the MSTW2008LO PDF set [57], and overlaid onto each simulated hard-scatter event. The MC samples were reweighted so that the pile-up distribution matches the one observed in the data. The MC samples were processed through an ATLAS detector simulation [58] based on GEANT4 [59]. All MC samples were reconstructed in the same manner as the data.

4 Event reconstruction

The signal processes targeted by this search include massive particles with mean proper lifetimes τ up to $O(10)$ ns. Several charged decay products will originate from locations in the detector with a substantial displacement from the primary proton-proton interaction and require dedicated techniques to be efficiently reconstructed.

The standard ATLAS track reconstruction algorithm is optimized for charged particles originating from the interaction region, or from decays of short-lived particles such as b -hadrons. Constraints are set on the transverse and longitudinal impact parameters of track candidates relative to the interaction region ($|d_0| < 10$ mm and $|z_0| < 250$ mm, respectively), and their hit multiplicities in order to reduce the computational complexity. These selections result in inefficiencies in the reconstruction of tracks with large impact parameters, corresponding to charged particles produced in the LLP decays. To reconstruct these tracks, a dedicated track reconstruction, called *large-radius tracking* (LRT) [60], is performed. This reconstruction step takes as input the hits left over from the standard tracking procedure and applies looser requirements, in particular on the transverse and longitudinal impact parameters ($|d_0| < 300$ mm and $|z_0| < 1500$ mm). Tracks from the standard processing and the LRT processing are treated collectively in all subsequent steps of reconstruction.

Collision vertices (CV) are reconstructed [61] with at least two associated tracks that are consistent with originating from the beam collision region in the x - y plane. For each reconstructed vertex the quantity Σp_T^2 , defined as the sum of squared transverse momenta of associated tracks, is computed. The primary vertex (PV) in the event is the vertex with the highest Σp_T^2 .

A dedicated secondary-vertex reconstruction algorithm for LLP decays is employed to reconstruct displaced vertices (DVs) [62]. As input to this vertex reconstruction, only tracks with transverse momentum $p_T > 1$ GeV and which satisfy several additional requirements on the number and distribution of the associated hits in the tracking detectors are considered. The vertexing starts by forming two-track seed vertices, where at least one track in each two-track seed vertex must have $|d_0| > 2$ mm. Tracks used to seed vertex formation are




Figure 2. In (a), the DV reconstruction efficiencies with and without the special LRT processing are shown for a combined sample of simulated Strong RPV and EWK RPV events with $m(\tilde{g}) = 1.8 - 2.2$ TeV, $m(\tilde{\chi}_1^0) = 200 - 1650$ GeV and $\tau(\tilde{\chi}_1^0) = 1.0$ ns. The efficiency is defined as the probability for a true neutralino decay with at least two charged decay products with $p_T > 1$ GeV and $|\eta| < 5$ to be matched with a reconstructed DV. In (b), the impact of attached tracks on the total SR selection efficiency of the same combined sample is shown. The total SR selection efficiency is defined in section 5.

called *selected tracks*. The two-track seed vertices are then iteratively merged to form n -track vertices. Ambiguities due to tracks being compatible with more than one vertex are resolved by comparing their χ^2 values in the vertex fits, or by merging the vertices if the distance between their estimated positions is not significant enough. As a final step, additional tracks are attached to the reconstructed vertices in order to recover inefficiencies from the vertex seeding selection. These tracks are referred to as *attached tracks* and have looser hit selection requirements than selected tracks. The resulting DV reconstruction efficiency, defined as the probability for a true neutralino decay to be matched with a reconstructed DV as a function of the radial position R , and the total vertex selection efficiency are shown in figure 2, highlighting the improvements due to LRT and attached tracks. The efficiency degrades rapidly beyond 300 mm due to a requirement on the minimum number of hits ($N_{\text{hits}} \geq 7$) applied in the LRT algorithm. The drop in efficiency at small radii ($R \lesssim 5$ mm) is a result of the $|d_0|$ requirement on the two-track seed vertices. The drops in efficiency at larger radii in figure 2(b) occur due to the baseline DV selection, defined in section 5, which vetoes DVs reconstructed in regions of detector material. Larger neutralino masses lead to more high- p_T particles being produced in the decay, which increase the reconstruction efficiency of the DV.

While electrons and muons are not used in the event selection in this search, they are used in a procedure to remove overlapping objects and define the final collection of jets. Muon candidates are reconstructed in the region $|\eta| < 2.7$ from MS tracks matching ID tracks. Candidate muons are required to have $p_T > 10$ GeV and satisfy the *medium* identification requirements defined in ref. [63], based on the number of hits in the different ID and MS subsystems, and on the ratio of the charge and momentum (q/p) measured in the ID and MS divided by the sum in quadrature of their corresponding uncertainties.

Electron candidates are reconstructed from isolated electromagnetic calorimeter energy deposits matched to ID tracks and are required to have $|\eta| < 2.47$, a transverse momentum $p_T > 10$ GeV, and to satisfy the *LooseAndBLayer* requirement defined in ref. [64], which is based on a likelihood using measurements of shower shapes in the calorimeter and track properties in the ID as input variables. Electrons which share an ID track with a muon are discarded.

Jets are reconstructed from three-dimensional energy clusters in the calorimeters [65] using the anti- k_t jet clustering algorithm [66, 67] with a radius parameter $R = 0.4$. Only jet candidates with $p_T > 20$ GeV and $|\eta| < 2.8$ are considered. Jets are calibrated using MC simulation with corrections obtained from in situ techniques [68]. Events are discarded if they contain any jet with $p_T > 20$ GeV not satisfying basic quality selection criteria designed to reject detector noise and non-collision backgrounds by imposing the *BadLoose* cleaning selection, described in ref. [69], without the cuts on the fraction of jet energy deposited within the electromagnetic calorimeter and the jet charged-fraction. Jets within an angular distance $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.2$ of an electron candidate are discarded.

A second collection of jets is reconstructed to aid in estimating the SM background by exploiting the track density in an event. These jets, referred to as track-jets, are constructed with an anti- k_t algorithm with $R = 0.4$ using all tracks with $p_T > 1$ GeV and $|d_0| < 2$ mm. In contrast to the jet reconstruction algorithm from calorimeter energy deposits, the track jet reconstruction is not sensitive to displaced LLP decays, due to the selection on the tracks $|d_0|$. In order to take into account the effects arising from the presence of pile-up interactions, track-jets are reconstructed for each collision vertex in the event. Before track jet-finding, each track is matched with only one reconstructed collision vertex to minimize the probability of clustering together tracks which originate from different interactions into a single jet. The matching proceeds as follows: first, tracks are assigned with a collision vertex if their longitudinal impact parameter significance satisfies $|z_0/\sigma_{z_0}| < 3$ relative to that vertex. Second, any remaining unassociated tracks are assigned to a collision vertex if their longitudinal impact parameter satisfies $|z_0| < 0.5$ mm relative to that vertex. If a track is found to be compatible with multiple collision vertices, then the vertex with the highest Σp_T^2 is chosen. Track-jet finding is then done for each collision vertex. Track-jets are retained for further analysis if their p_T satisfies $p_T > 20$ GeV.

5 Event selection

The LRT reconstruction algorithm used in this search is computationally expensive and so it was not run on all events recorded with the ATLAS detector. Instead, a selection referred to as a *filter* is applied to the events satisfying the trigger conditions described in section 3. The events passing the filter requirements compose a special data stream that is processed with the LRT algorithm. This analysis uses two filters which apply a selection on uncalibrated jets: the *Trackless jet* and the *High- p_T jet* filters. The Trackless jet filter targets the electroweakino pair production signals and the High- p_T jet filter targets the gluino pair production signals. The Trackless jet filter selects events with a high multiplicity of jets (> 3) satisfying p_T thresholds ranging from 45 to 100 GeV. Furthermore, events




Figure 3. The positions in the (a) $x-y$ plane and (b) $r-z$ plane of reconstructed displaced vertices that are vetoed by the material map in the analyzed data sample. The right figure is restricted to positive z values for presentation. The innermost area corresponds to the beampipe. This is surrounded by four pixel detector layers. The octagonal shape and outermost structures are due to support structures separating the pixel and SCT detectors.

are required to have at least one Trackless jet with $p_T > 70$ GeV and $|\eta| < 2.5$, or at least two Trackless jets with $p_T > 50$ GeV and $|\eta| < 2.5$. A jet is considered trackless if the sum of the transverse momenta of all standard (non-LRT) tracks associated with the jet is less than 5 GeV. The High- p_T jet filter selects events with a high multiplicity of jets (> 3) satisfying p_T thresholds ranging from 75 to 220 GeV. There is no requirement on the presence of Trackless jets in the High- p_T jet filter.

An offline jet p_T selection is applied after jet calibration. The specific choices are made for the p_T thresholds to ensure a full efficiency of the offline event selection relative to the trigger and filter requirements. These thresholds depend on the jet multiplicity and range from 55 to 137 GeV for the events passing the Trackless jet filter and from 90 to 250 GeV for the events passing the High- p_T jet filter.

Candidate events are required to have at least one reconstructed collision vertex and satisfy the High- p_T jet or Trackless jet selection requirements.

DVs passing the baseline selection must be reconstructed with a high goodness-of-fit, $\chi^2/n_{\text{DoF}} < 5$, to reject vertices resulting from misreconstruction. The reconstructed vertex must be within a fiducial region, which has an outermost boundary defined as $R_{\text{DV}} = \sqrt{x_{\text{DV}}^2 + y_{\text{DV}}^2} < 300$ mm and $|z_{\text{DV}}| < 300$ mm, where x_{DV} , y_{DV} , and z_{DV} are the cartesian coordinates of the DV. In addition, the DV must be at least 4 mm away from any collision vertex in the transverse plane, both to avoid confusing the DV with one of those vertices and also to reduce the heavy-flavour background which could otherwise enter the signal region. To reduce background from hadronic interactions, DVs must satisfy a *material map* veto, which rejects DVs which have a reconstructed position consistent with the position of detector material. The material map, shown in figure 3, is constructed using the known positions of detector elements and from the positions of low-mass vertices reconstructed in data. The material map veto removes 48% of the fiducial volume.

	Region	$4 < R_{\text{DV}} < 25 \text{ mm}$	$25 < R_{\text{DV}} < 145 \text{ mm}$	$R_{\text{DV}} > 145 \text{ mm}$
Attached tracks	Track p_{T} [GeV]	> 2	$> 3^\dagger$	> 4
	Track d_0 -significance	> 10	> 15	–
	$\Delta\phi_{\text{PV-DV}}$ Upstream veto	$< \pi/2$ No hits allowed with $R < R_{\text{DV}}$		
Selected tracks	Track p_{T} [GeV]	> 2	$> 2^\dagger$	> 2
	Track d_0 -significance	> 10	–	> 10
	Upstream veto	No hits allowed with $R < R_{\text{DV}}$		

† this requirement is tightened to $p_{\text{T}} > 4 \text{ GeV}$ for tracks with $\Delta\phi_{\text{PV-DV}} < 0.2$

Table 1. Summary of the track cleaning selections used for signal DV candidates. The track d_0 -significance is given by $|d_0|/\sigma(d_0)$.

DVs passing the full selection must have at least five tracks, two of which must be selected tracks and a reconstructed invariant mass m_{DV} greater than 10 GeV. These requirements are designed to reduce the expected number of background events to around one. The m_{DV} is calculated from the four-momenta of the tracks, assuming each track was produced by a charged pion. Only tracks satisfying specific quality selections, summarized in table 1, are used in the calculation of the DV track multiplicity and mass. The selection criteria are designed to reject background DVs in the signal regions, while maintaining a high efficiency for signal vertices. As the background composition changes in different parts of the detector, these selections depend on R_{DV} , with different criteria before and after the beampipe ($R = 25 \text{ mm}$) and the last pixel layer ($R = 145 \text{ mm}$). Further requirements, aimed at rejecting wrong track-to-vertex associations, are applied on the azimuthal difference $\Delta\phi_{\text{PV-DV}}$ between the track direction and the vector connecting the primary vertex to the displaced vertex.

This analysis uses two mutually exclusive signal regions, as defined in table 2. The High- p_{T} jet SR selects events that satisfy the High- p_{T} jet selection. The Trackless jet SR selects events which fail to satisfy the High- p_{T} jet selection but do satisfy the Trackless jet selection. Both SRs require at least one DV passing the full selection.

The total efficiency of the high- p_{T} jet SR for selecting generated events in the EWK RPV model ranges from 20% to 70% for $m(\tilde{\chi}_1^0) = 500 \text{ GeV}$ to $m(\tilde{\chi}_1^0) = 1.7 \text{ TeV}$ and $\tau(\tilde{\chi}_1^0) = 0.1 \text{ ns}$. For the Strong RPV model, the total efficiency of the high- p_{T} jet SR ranges from 50% to 80% for $m(\tilde{\chi}_1^0) = 200 \text{ GeV}$ to $m(\tilde{\chi}_1^0) = 1250 \text{ GeV}$ with $m(\tilde{g}) = 2.6 \text{ TeV}$ and $\tau(\tilde{\chi}_1^0) = 0.1 \text{ ns}$. The total efficiency of the Trackless jet SR ranges from 7% to 40% for the EWK RPV model with $m(\tilde{\chi}_1^0) = 300 \text{ GeV}$ to $m(\tilde{\chi}_1^0) = 700 \text{ GeV}$ and $\tau(\tilde{\chi}_1^0) = 0.1 \text{ ns}$, and does not have significant sensitivity to the Strong RPV model. Selection efficiency of both of the signal regions decreases for samples with neutralinos with shorter or longer lifetimes, due largely to the fiducial volume acceptance.

Signal Region	High- p_T jet SR	Trackless jet SR
Jet selection	$n_{\text{jet}}^{250} \geq 4$ or $n_{\text{jet}}^{195} \geq 5$ or $n_{\text{jet}}^{116} \geq 6$ or $n_{\text{jet}}^{90} \geq 7$	Fail High- p_T jet selection, $n_{\text{jet}}^{137} \geq 4$ or $n_{\text{jet}}^{101} \geq 5$ or $n_{\text{jet}}^{83} \geq 6$ or $n_{\text{jet}}^{55} \geq 7$, $n_{\text{Trackless jet}}^{70} \geq 1$ or $n_{\text{Trackless jet}}^{50} \geq 2$
DV preselection	$R_{\text{DV}} < 300$ mm, $ z_{\text{DV}} < 300$ mm, $\min(\vec{R}_{\text{DV}} - \vec{R}_{\text{CV}}) > 4$ mm, $\chi^2/n_{\text{DoF}} < 5$, $n_{\text{Selected tracks}}^{\text{DV}} \geq 2$, satisfy material map veto	
$n_{\text{Tracks}}^{\text{DV}}$	≥ 5	
m_{DV}	> 10 GeV	

Table 2. Summary of the signal region selections. The x in the $n_{\text{jet}/\text{Trackless jet}}^x$ notation refers to the jet p_T threshold in GeV. All jets are required to have $|\eta| < 2.5$. The selection on $|\vec{R}_{\text{DV}} - \vec{R}_{\text{CV}}|$ considers all CVs in the event.

6 Backgrounds

There are no high-mass SM particles which produce displaced decays which satisfy the selections required in this search. Searches for displaced, multi-track vertices benefit from a small background which is caused predominantly by low-mass vertices being merged together and misclassified as a high-mass vertex. The backgrounds arise from instrumental and algorithmic effects and can be described by three main sources: hadronic interactions, accidental crossings, and merged vertices.

Hadronic interactions arise from particles interacting with the nuclei of detector material while traveling through the detector. If multiple charged particles are produced in this interaction, then they may be reconstructed as a displaced vertex. Due to the kinematics of this process, the charged particles resulting from the interaction are typically collimated, giving rise to relatively low-mass displaced vertices. Rare interactions occurring in less collimated decay products may result in a high-mass displaced vertex. The bulk of these DVs are localized in the material-dense regions of the detector and are removed by the material map veto. The residual background is due to hadronic interactions in the less dense regions of the detector or those that evade the material map veto due to the resolution of the vertex position or due to inefficiencies in the material map. This background class also includes vertices created by regular long-lived SM particles decaying in their natural decay mode. As the mass of long-lived particles in the SM are light ($\lesssim 5$ GeV), these decays typically result in low-mass reconstructed vertices.

Low-mass displaced vertices that are crossed by an unrelated track are referred to as accidental crossings. A low-mass DV may be misclassified as a high-mass DV with higher track multiplicity if an unrelated track passes sufficiently close to the vertex to be attached to it during reconstruction. These tracks frequently form a large angle with the other tracks in the low-mass SM vertices they cross, resulting in a large increase in the invariant mass of the vertex.

The last category, merged vertices, considers the cases when two or more low-mass displaced vertices occur in the vicinity of each other. In these cases, the vertexing algorithm may mistakenly include them in the same vertex. This may increase the mass of the displaced vertex to the signal region. Vertices from decays of long-lived SM particles, hadronic interactions, or accidental crossings may be merged by the vertexing algorithm, resulting in a high-mass DV that satisfies the signal region selection.

Backgrounds are estimated by using an inclusive data-driven technique that predicts the rate of DVs from all three sources above. This method is described in section 6.1 and validated in section 6.2. Additionally, an alternative estimate is presented in section 6.3 that is used to predict the three different sources of backgrounds separately and produce estimates for their distribution in the reconstructed mass of the DV. This method is used as additional validation and its results are compatible with the inclusive method. Furthermore, the alternative estimate is used to evaluate a systematic uncertainty on the inclusive method as described in section 7.

6.1 Inclusive background estimation

The background estimation used in this analysis relies on the assumption that in a multijet final state, DV production is correlated with the presence of jets. All three sources of background DVs are correlated with track density, and the track density is correlated with the presence of jets in the event. Track-jets are chosen to maximize this correlation.

The method relies on the measurement of the probability that a SR-like DV is produced in proximity of a track jet in a statistically independent event selection from the SR. The probability is measured in a control region of data and is split into two parts. The first part, p_{DV} , is parameterized as a function of track jet properties and the second part, an extrapolation factor f , is defined inclusively. The extrapolation factor takes into account differences in the DV mass and track multiplicity requirements in the CR and in the SR. The p_{DV} is used to assign a weight to track-jets in events passing the SR jet selections. The sum of the weighted track-jets, multiplied by the extrapolation factor f , is taken as the total number of events with a background DV expected in the SR.

To study the correlation between DVs and track-jets in data, a control region is designed which contains track-jets but which also limits the contamination from signal models of interest. The CR is populated with data events collected using a single photon trigger, requiring a photon with transverse energy $E_T > 140$ GeV. This trigger is selected because it does not alter the flavour composition of jets in the CR relative to those in the signal region. Events in the CR must fail to satisfy the jet selection requirements of both signal regions. Finally, events in the CR must have at least three track-jets with $p_T > 20$ GeV. There is negligible signal contamination in this CR from the two simplified models considered in this search.

The jet-DV probability is parameterized as a function of both the track jet p_T and track jet track multiplicity $N_{\text{trk}}^{\text{jet}}$ to take into account residual differences between the CR and the SRs. The fraction of events in the CR which contain a preselected DV with $m_{\text{DV}} > 3$ GeV and $n_{\text{Tracks}}^{\text{DV}} > 2$ as a function of track jet multiplicity is shown in figure 4(a). Events with more track-jets are found to be more likely to contain a DV. The proximity of a DV and




Figure 4. In (a), the fraction of events in the CR with a reconstructed DV satisfying $m_{\text{DV}} > 3 \text{ GeV}$ and $n_{\text{Tracks}}^{\text{DV}} > 2$ is shown. In (b), the average distance of DVs with $m_{\text{DV}} > 2 \text{ GeV}$ to the closest track jet in the event is shown, as a function of n_{Tracks} .

a track jet is calculated with $\Delta R_{\text{DV,jet}} = \sqrt{\Delta\eta^2 + \Delta\phi^2}$ where $\Delta\eta$ and $\Delta\phi$ are measured between the PV-DV direction and the jet axis. The average $\Delta R_{\text{DV,jet}}$ as a function of the DV track multiplicity is shown in figure 4(b). DVs with a higher track multiplicity tend to be produced in closer proximity to track-jets, which is a sign that DVs which are more SR-like ($n_{\text{Tracks}}^{\text{DV}} \geq 5$) have a stronger correlation to track jet activity.

The SR-like DVs in the CR are matched to the closest track jet in the event using $\Delta R_{\text{DV,jet}}$. Each DV is matched to only one track jet in each event, and the DV position is not required to be within the jet. More than 70% of DVs are within the $\Delta R = 0.4$ cone of the nearest track jet. The $\Delta R_{\text{DV,jet}}$ distribution does not depend strongly on m_{DV} , but shifts to lower values as $n_{\text{Tracks}}^{\text{DV}}$ increases.

The jet-DV probability is computed as the ratio of the number of track-jets with a matched DV over the total number of track-jets in the CR. All DVs in the CR satisfying $n_{\text{Tracks}}^{\text{DV}} > 3$ and $m_{\text{DV}} > 5 \text{ GeV}$ are considered for the determination of p_{DV} . The DV mass and track multiplicity requirements in the CR are looser than the SR-DV requirements so that there is adequate statistical precision in the CR to calculate the jet-DV probability. The jet-DV probability is found to range between 6×10^{-7} and 2×10^{-6} , with a mild dependence on the track jet p_{T} and $N_{\text{trk}}^{\text{jet}}$.

In events passing the High- p_{T} (Trackless) jet selections, each track-jet is assigned a weight which is equal to the corresponding p_{DV} , in order to estimate the number of background DVs expected in the High- p_{T} (Trackless) jet SR. The weighted sum is then multiplied by an additional extrapolation factor f which considers the difference between the DV mass and track multiplicity requirements used to calculate the jet-DV probability and in the SR selection. The extrapolation f is calculated by taking the ratio of the number of events with a reconstructed DV satisfying $n_{\text{Tracks}}^{\text{DV}} > 4$ and $m_{\text{DV}} > 10 \text{ GeV}$ relative to the number of events with a reconstructed DV satisfying $n_{\text{Tracks}}^{\text{DV}} > 3$ and $m_{\text{DV}} > 5 \text{ GeV}$ in the CR. The extrapolation f was determined to be 0.038 ± 0.022 , where the uncertainty is propagated from the statistical variation of the number of events in the CR.

The method predicts respectively $0.46^{+0.27}_{-0.30}$ background events in the High- p_T jet SR and $0.83^{+0.51}_{-0.53}$ background events in the Trackless jet SR.

6.2 Validation of background model

Several statistically independent validation regions are defined and used to test the predictions of the background estimation method. Validation regions are defined in the SR sidebands by selecting events which pass the full signal region selection, except they contain at least one DV with $m_{DV} < 10$ GeV or $n_{Tracks}^{DV} < 5$. A second set of validation regions is defined with events which pass all SR selections, but contain a high-mass DV that fails to meet the criteria of the material veto. For each validation region, a separate jet-DV probability is calculated from events in the CR. There are few events in the CR which satisfy the same DV selection criteria as the SR sideband validation regions with $n_{Tracks}^{DV} = 4$, $m_{DV} > 10$ GeV and with $n_{Tracks}^{DV} \geq 5$, $5 < m_{DV} < 10$ GeV. Therefore, the m_{DV} or n_{Tracks}^{DV} requirements are loosened in order to calculate the jet-DV probability in a similar manner as the procedure performed for the estimate of background in the SR. The agreement between the background estimate and observed event counts in each of the validation regions is shown in figure 5.

Within uncertainties, good agreement is found between the background model and data in all of the SR sideband validation regions, as well as the inside material VRs for the Trackless jet selection. For events satisfying the High- p_T jet selection criteria inside of the material validation regions, there is a significant underestimation of the background in the $n_{Tracks}^{DV} = 4$, $10 < m_{DV} < 25$ GeV and $n_{Tracks}^{DV} \geq 5$, $10 < m_{DV} < 15$ GeV regions. These regions are significantly populated by hadronic interactions, which are expected to have a minimal contribution to the background in the signal region. The difference between the observed yields and the expectation from the background prediction in the $n_{Tracks}^{DV} \geq 5$, $10 < m_{DV} < 15$ GeV region is used to define a symmetric uncertainty for this background component, as shown in figure 5(a) and detailed in section 7.

6.3 Alternative background estimate

Further validation of the estimate is performed with an alternative approach that aims to estimate each source of background independently. Data-driven techniques are used to build mass templates which describe the shape of m_{DV} from each specific background source, which are then normalized and combined into a complete background estimate. Though not used directly in the interpretation of the search results, the alternative background estimate serves as an important validation of the background composition and the robustness of the inclusive background estimate.

Mass templates of merged vertices with varying track multiplicities are built by randomly merging pairs of DVs taken from different events in data. Only DVs with a distance significance of $S < 10$ are merged, where S is defined as the distance between vertices divided by its uncertainty. The mass templates are normalized by comparing the significance of the distance between pairs of DVs in the same event and in distinct events, as shown in figure 6. The distribution of the distance significance taken from distinct events is normalized to match the distance significance distribution of DV pairs from the same




Figure 5. Background estimates relative to expectations for (a) the High- p_T jet selection and (b) the Trackless jet selection showing validation regions with varying $n_{\text{Tracks}}^{\text{DV}}$ and m_{DV} requirements. Validation regions labeled *Outside (Inside) material* contain events with a displaced vertex which is accepted (rejected) by the material map veto requirement. The error band dashed with a positive slope includes all systematic uncertainties. The size of the non-closure uncertainty is shown by the band dashed with a negative slope, which is not propagated to the other validation regions in this figure.

event in the $S > 10$ region, where merging cannot occur. The deficit of DV pairs in the same event relative to DV pairs taken from distinct events in the $S < 10$ region is set as the overall normalization of the merged vertex mass template. In the assumption that the merging probability is small, this normalization procedure ensures that the difference of these two distributions is equal to the number of merged vertices expected [70]. To increase the number of available events for the determination of the normalization factor, only the cleaning requirements on track d_0 -significance and the track p_T for tracks with $\Delta\phi_{\text{PV-DV}} < 0.2$ are applied. All other requirements are removed, as the quantities used in the selection criteria were found to have no correlation with the merging rate. The mass templates are built with the same loosened DV-track cleaning requirements, and the full DV-track cleaning is applied to the mass templates after they are normalized.

This background estimation method is sensitive to the presence of correlated DVs in the same event. Pairs of DVs are correlated if they originate from the same cascade hadronic interaction, for example. DVs which are correlated tend to be reconstructed close together with a small $\Delta\phi$, leading to an excess of DV pairs from the same event with a small distance significance between them. To evaluate the impact that correlated DVs have on this estimate, two sets of merged vertex mass templates for each track multiplicity of DVs are produced. The first set of templates is produced without a $\Delta\phi > 0.2$ selection, while the second set of templates is produced with the $\Delta\phi > 0.2$ selection. The nominal merged vertex background estimate is derived from the bin-by-bin average of the two sets of templates.

The contribution from high-mass DVs with an accidental-crossing track is estimated as follows. Templates for $(n+1)$ -track vertices are constructed by adding an accidental-crossing




Figure 6. Squared significance of the distance between pairs of preselected DVs with two and three tracks (denoted by $n_{\text{Tracks}}^{\text{DV}} = (2+3)\text{-trk}$) taken from the same event and from distinct events passing the Trackless jet selection. The mixed event distribution is normalized to match the same event distribution in the $S^2 > 100$ region.

track to n -track vertices from data. The accidental-crossing track is drawn randomly from a collection of tracks reconstructed in data which have been incorrectly attached to a DV. The tracks are identified using displaced $K_S^0 \rightarrow \pi^+\pi^-$ decays in data. To identify accidental-crossing tracks, 3-track DVs where two of the tracks can be combined to form a vertex consistent with the K_S^0 mass are identified. The third track in the vertex is added to the collection if it passes the DV-track cleaning. The track's p_T , η , and relative azimuthal angle to the direction of the PV-DV vector ($\Delta\phi$) are added to the collection. The $(n+1)$ -track DV mass distribution is built by recalculating the mass of n -track DVs in data after attaching one additional track to it.

The behaviour of the accidental-crossings background is expected to differ depending on the position of the DV in the fiducial volume. This is due to multiple factors, for example the vertexing reconstruction efficiency and the larger incident angles of tracks crossing DVs at large radii. Therefore this background estimate is evaluated separately in four radial detector regions,² divided approximately by material structures in the inner detector volume within the fiducial region.

The mass templates for the accidental-crossing background are normalized with a *crossing factor*, which is a measure of the probability that a DV is reconstructed with an unrelated track. The crossing factor is calculated by measuring the fraction of all $K_S^0 \rightarrow \pi^+\pi^-$ decays reconstructed in data which have an accidentally crossing track. The number of K_S^0 decays reconstructed without (with) an accidental crossing track is calculated using the mass spectrum of 2-track DVs (2-track combinations in 3-track DVs), shown in figure 7. The mass spectrum is fit to a Gaussian distribution peak and a linear background. The linear background is subtracted from the mass spectrum and the number of entries in the mass spectrum within 40 MeV of the K_S^0 mass gives the number of reconstructed

²The boundaries for these radial regions are at $R = 0, 38, 120$ and 300 mm.




Figure 7. The mass spectrum of preselected (a) 2-track DVs and (b) 2-track combinations of 3-track DVs (3C_2) in one radial region. The mass spectrum is fit to a Gaussian function centered on the K_S^0 mass and a linear background. The data in the K_S^0 mass spectrum after subtracting the fitted background is used to compute the K_S^0 crossing factors.

$K_S^0 \rightarrow \pi^+\pi^-$ decays. The level of non- K_S^0 background in the K_S^0 mass window is less than 10% in the 2-track DV mass spectra and ranges from 20–70% in the 3-track DV mass spectra, depending on the radial region.

In each radial region, two crossing factors are calculated. The first is dedicated to accidental crossings of selected tracks, which is required to estimate the contribution of n -track vertices with only one selected track that would otherwise fail to satisfy the DV selection criteria. The second considers all tracks and is used to estimate the contribution of n -track vertices with two or more selected tracks. In order to increase the number of reconstructed K_S^0 decays available for these calculations, the innermost two radial regions are merged and a single set of crossing factors are calculated for both regions. The crossing factors, shown in figure 8, range from 8.26×10^{-5} in the innermost radial region to 2.91×10^{-3} in the outermost radial region. The crossing factor increases at larger radii due to the decreasing vertex position resolution.

The component of background arising from hadronic interactions dominates in the low-mass region of the m_{DV} distribution. Therefore, to estimate this background in the signal region, the m_{DV} distribution is fit with an empirical function modelling the sharp increase below 2 GeV and follows an exponentially falling distribution in the high-mass region. The function is fitted to data in the $m_{DV} < 10$ GeV region and extrapolated to the SRs with $m_{DV} > 10$ GeV. Studies based on simulated events indicate that the contamination from background DVs originating from sources other than hadronic interactions in the $m_{DV} < 10$ GeV region is expected to be negligible. There is a secondary component of hadronic interactions present in the high- m_{DV} region with a shallower exponential tail caused by the presence of elastic hadronic interactions, where the mass of the DV is dominated by a single track with small $\Delta\phi_{PV-DV}$. The difference between these exponential distribution tails is measured in simulated multijet events and used to apply a correction to the hadronic interactions template derived from data.




Figure 8. Crossing factors computed in each radial region. The bars show the statistical uncertainties.




Figure 9. The combined background predictions in events passing the (a) High- p_T jet selection and (b) Trackless jet selection 4-track DV validation regions. The overflow is included in the rightmost bin.

The normalized background estimates for the individual components are added to form a total expected background. The expected and observed event counts in the $n_{\text{Tracks}}^{\text{DV}} = 4$ sideband validation regions are shown in figure 9. Good agreement is observed across the entire mass range.

The total expected background in the SR is calculated by integrating all ≥ 5 -track mass templates in the $m_{\text{DV}} > 10$ GeV region, shown for the High- p_T jet and Trackless jet SRs in table 3. The inclusive and component-based estimates are consistent within uncertainties, thereby providing a successful cross-check of the inclusive background estimation technique. The inclusive method is chosen as the main method because it gives a smaller uncertainty and it has a more robust validation technique.

Region	Merged vertices	Hadronic interactions	Accidental crossings	Combined	Inclusive
High- p_T jet SR	0.79 ± 0.66	0.006 ± 0.018	0.28 ± 0.21	1.08 ± 0.69	$0.46^{+0.27}_{-0.30}$
Trackless jet SR	1.5 ± 1.1	0.248 ± 0.077	0.32 ± 0.24	2.1 ± 1.1	$0.83^{+0.51}_{-0.53}$

Table 3. The separate background estimates in the signal regions. The systematic uncertainties shown for each estimate are described in section 7.2. The uncertainties on the combined background estimate are calculated assuming no correlation between the separate estimates. The rightmost column contains the background estimates from the inclusive method, described in section 6.1.

7 Uncertainties

In the following sections uncertainties derived for the inclusive background estimation, the alternative background estimate, and the expected signal yield are described.

7.1 Uncertainties in the inclusive background estimation

The systematic uncertainties associated with the background estimate are evaluated for each SR selection. Four sources of uncertainty are taken into account. First, the statistical uncertainty in the number of events with a SR-like DV in the CR is propagated to the final estimate. A toy method is used which performs 10,000 pseudo-experiments. In each pseudo-experiment, the number of events in the CR with a SR-like DV is varied bin-by-bin within its statistical uncertainty and used to calculate a new jet-DV probability distribution and extrapolation factor f . The standard deviation of the background estimate from all statistically varied toy experiments is taken as an uncertainty in the final background estimate.

The uncertainty in the residual dependence of the jet-DV probability on the amount of jet activity in the event is estimated by computing a new jet-DV probability which is parameterized as a function of the number of track-jets in the event. No statistically significant dependence of the jet-DV probability as a function of the jet activity in the event was found. However, to estimate any residual dependence below the statistical accuracy, a new jet-DV probability is computed which is parameterized as a linear function of the number of track-jets in the event. The fitted parameters in the linear function are varied within their uncertainties and the resulting jet-DV probability is used to estimate the background in the signal region. The largest variation in the background estimates is taken as an uncertainty.

A third uncertainty is applied to account for the non-closure of the estimate in some of the validation regions. This method underestimates the number of DVs reconstructed inside of material in events which satisfy the High- p_T jet selection criteria, as shown in figure 5(a). Studies of simulated background events and the alternative background estimate indicate that the validation region in which this non-closure is the largest (events containing a DV with $n_{\text{Tracks}}^{\text{DV}} \geq 5$ and $10 \text{ GeV} < m_{\text{DV}} < 15 \text{ GeV}$ reconstructed inside of material) are populated dominantly ($> 99\%$) with background DVs from hadronic interactions. The

Region	Uncertainty source			
	CR statistical	Non-linearity	VR non-closure	Pile-up
High- p_T jet SR	$\pm 58\%$	$+10\%$ -27%	$\pm 4\%$	$\pm 5.9\%$
Trackless jet SR	$\pm 58\%$	$+6.3\%$ -17%	–	$\pm 20\%$

Table 4. Systematic uncertainties associated with the background estimate. The “CR statistical” uncertainty is the propagation of the statistical variations of the CR to the estimate, while the “Non-linearity” uncertainty refers to the residual dependence of the jet-DV probability on the amount of jet activity in the event. The “VR non-closure” is calculated from the non-closure of the estimate inside of material validation regions. The “Pile-up” uncertainty is calculated by reweighting events in the CR to match the pileup distribution of events in each SR.

same methods indicate that the expected contribution of hadronic interactions in the High- p_T jet SR is very small ($< 1\%$), due largely to the material map veto and m_{DV} requirements. The ratio of observed to expected events in the validation region with the largest non-closure is assigned as an uncertainty in the hadronic interactions background component. To determine an uncertainty in the inclusive background in other regions, the uncertainty in the hadronic interactions background component is scaled by the expected contribution of hadronic interactions to the total background in each region. The expected contribution of hadronic interactions in each region is calculated using the alternative background estimate. This uncertainty covers the remaining discrepancies between observed and expected background in the validation regions shown in figure 5(a). The resulting uncertainty assigned to the inclusive background in the High- p_T jet SR is 4%.

Lastly an uncertainty is assigned to account for differences in the pile-up distributions between events in the CR and events which pass the jet selections of the SR. Events in the CR are reweighted so that their pile-up distribution matches that of events passing the SR jet selections and the background estimate is re-evaluated. The difference between the background estimate with and without pile-up-reweighting is used to define a correction factor, which is applied to both the nominal background estimate and its uncertainties. Furthermore the magnitude of this correction factor is applied as an additional uncertainty to the nominal background estimate.

These uncertainties are assumed to be uncorrelated, and added in quadrature to estimate the total systematic uncertainty. The final estimate of background in the signal regions with their associated uncertainties is listed in table 4.

7.2 Uncertainties in an alternative background estimate

The systematic uncertainties in the alternative background estimate described in section 6.3 are evaluated as follows: the uncertainty associated with the contribution from accidental crossings is evaluated by comparing the extracted crossing factors and mass templates with those extracted from $\Lambda \rightarrow p\pi$ decays, and altering the jet selection when deriving the crossing factors. The largest difference between the resulting background estimate is

taken as an uncertainty. The resulting uncertainty in the predicted accidental crossing contribution is 25% in both of the signal regions.

The estimate of the hadronic interaction background relies on the assumption that the related DV mass spectrum follows an exponential shape. In order to determine the uncertainty in the estimate via the functional fit method, a multivariate Gaussian distribution of the fit parameters is created from the covariance matrix of the fit. Sets of parameters are randomly sampled from this distribution to create alternate curves. The uncertainty is determined as the standard deviation of the envelope of the alternate curves. This is added in quadrature with the uncertainty on the shape correction originating from statistical variations in the simulated multijet events. The uncertainty amounts to a 300% (30%) uncertainty on the predicted hadronic interaction yield in the High- p_T (Trackless) jet SR. The larger uncertainty on the estimate in the High- p_T jet SR is driven by the uncertainty in the fit parameters.

The uncertainty on the merging rate due to statistical fluctuations is propagated to the mass template and amounts to 40% (10%) for the High- p_T (Trackless) jet SR. Furthermore, the difference between two sets of templates with and without the $\Delta\phi$ selection and the nominal is taken as a systematic uncertainty. In the $m_{DV} > 10$ GeV region, this uncertainty is 7.4% (20%) for 4-trk DVs and 15% (28%) for ≥ 5 -trk DVs in events passing the Trackless (High- p_T) jet SR.

The uncertainties in each component are assumed to be uncorrelated and are added in quadrature to produce the final uncertainty in the total background estimate.

7.3 Uncertainties on expected signal yield

The uncertainty of the event yields predicted for signal scenarios is affected by several sources: uncertainties in tracking and vertex reconstruction, uncertainty in the ISR modelling in MC simulation, the jet energy scale and resolution, and uncertainty in the integrated luminosity of the data sample.

The uncertainty on the track reconstruction efficiency of standard tracking is determined to be approximately 1.7% [71]. In order to estimate the uncertainty on the track reconstruction efficiency of LRT, the radial distributions of secondary vertices from K_S^0 decays are compared in data and Pythia multijet simulation for each data-taking year, after normalizing the two distributions by the number of vertices at low radii, where tracking efficiencies are well understood. The mismodelling of the reconstruction efficiency in MC simulation at large track impact parameter and large vertex radius is estimated in this comparison. The observed difference is added in quadrature with the standard track reconstruction efficiency uncertainty and then applied as a conservative per-track efficiency uncertainty to the tracks associated with displaced vertices in the signal samples. The effect on final event counts with a fully selected DV is determined to be between 14% and 17%.

The effect on the signal efficiency due to variations of the amount of simulated pileup interactions is negligible. In order to estimate the size of the uncertainty due to the QCD radiation modelling, the factorization, renormalization, and merging scales were varied in MADGRAPH5_AMC@NLO, as well as in the parton showering tunes and radiation tunes. This effect corresponds to an uncertainty of about 20% in the signal selection efficiency for

Source of uncertainty	Relative impact signal yield [%]	
	Gluino pairs	Electroweakino pairs
Total	17 – 20	20 – 31
Tracking and vertex reconstruction	14 – 17	
ISR modelling in MC simulation	< 1	1 – 24
Jet energy scale and resolution	1	10
Integrated luminosity of data sample	1.7	

Table 5. Summary of the impact of systematic uncertainties in the predicted yield for the signal scenarios considered. These uncertainties apply to both SRs used in the search.

electroweakino pair production signals with $m(\tilde{\chi}_1^0) < 500$ GeV and the uncertainty decreases for higher $m(\tilde{\chi}_1^0)$. The uncertainty was found to be negligible for the gluino pair production signals. The differences between results from the nominal and varied predictions samples are used as the systematic uncertainties.

Uncertainties in the jet energy scale and resolution for jets originating from displaced decays were studied with the help of the simulated signal samples. They were found to impact the event counts of the EWK RPV signal model up to 10% and were negligible for the Strong RPV signal model.

The impact of the systematic uncertainties affecting the signal yield in the two signal regions is summarized in table 5.

8 Results

No events are observed in the Trackless jet SR, while a single event is observed in the High- p_T jet SR. The observed event yields are in good agreement with the background-only expectations. The single event observed in the High- p_T jet SR contains seven selected jets with p_T above 90.8 GeV, and one selected DV. The DV has five tracks, $m_{DV} = 32.6$ GeV, and net electric charge of $-1e$.

Figure 10 shows the two-dimensional distributions of m_{DV} and n_{Tracks}^{DV} in events passing the High- p_T and Trackless jet selections in data and signal MC.

The predicted backgrounds and observed yields in the two signal regions are used simultaneously to set exclusion limits on the BSM signal models of interest. The exclusion limits are set using the CL_s prescription [72]. The exclusion limit setting is implemented in `pyhf` 0.6.3 [73, 74]. It is done using a two-bin fit, where the two bins correspond to the High- p_T and Trackless jet signal region, respectively. The uncertainties in the background prediction in the two SRs are considered fully uncorrelated. The uncertainties in the signal yields are taken as fully correlated.

The expected and observed exclusion limits with 95% confidence level (CL) on the mass of a long-lived pure-higgsino electroweakino triplet as a function of τ are shown in figure 11. The expected and observed 95% CL exclusion limits on the mass and mean proper lifetime




Figure 10. Two-dimensional distribution of the invariant mass m_{DV} and the track multiplicity for preselected DVs in events which satisfy the (left) High- p_T and (right) Trackless jet selection requirements in data and signal MC. The shown numbers correspond to the observed vertex yields in data, while the colour-representation shows the expected signal yield of two benchmark models. The dashed line represents the boundary of the signal region requirements.

τ of a long-lived $\tilde{\chi}_1^0$ in gluino pair production events for a fixed $m(\tilde{g}) = 2400$ GeV are shown in figure 12. For a mean proper lifetime of 0.1 ns, masses below $m(\tilde{\chi}_1^0) \simeq 1.58$ TeV are excluded independently of the presence of a heavier gluino. The observed limit extends above $m(\tilde{\chi}_1^0) = 1.5$ TeV for a range of mean proper lifetimes between 0.03 ns and 1 ns. Stronger limits can be set when the $\tilde{\chi}_1^0$ is produced in the decay of a heavier $\tilde{g}$. For $\tilde{\chi}_1^0$ masses on the order of few hundred GeV and below, the sensitivity decreases because of the sizeable Lorentz boost and the limited fiducial volume.

In figure 13, the 95% CL upper limits on the production cross-section of electroweakino pairs in the EWK RPV model and gluino pairs in the Strong RPV model are shown as a function of $m(\tilde{\chi}_1^0)$. The limited variation as a function of $m(\tilde{\chi}_1^0)$ in the EWK RPV model is because the signal acceptance and efficiency are relatively invariant in $m(\tilde{\chi}_1^0)$ for the range considered here. For $\tau = 0.1$ ns, cross-section upper limits set are below 40 ab in the Strong RPV model and below 70 ab in the EWK RPV model.

Model-independent upper limits at 95% CL on the number of BSM events in the signal region are also derived, assuming no significant contamination from alternate signal models in the CRs used to derive the background predictions. Normalizing these limits by the integrated luminosity of the data sample, these numbers can be interpreted as upper limits on the visible BSM cross-section, denoted by σ_{vis} . This is defined as the product of signal acceptance, reconstruction efficiency, and production cross-section, and the results are given in table 6. Parameterized signal acceptances and efficiencies for the purpose of reinterpreting the results of this search are provided in a separate document [75].




Figure 11. Exclusion limits at 95% CL on the lifetime and mass of the $\tilde{\chi}_1^0$ in electroweakino pair production models. The dashed line and the shaded band are the expected limit and its $\pm 1\sigma$ uncertainty, respectively. The thick solid line is the observed limit for the central value of the signal cross-section. The expected and observed limits do not include the effect of the theoretical uncertainties in the signal cross-section. The dotted lines show the effect on the observed limit of varying the signal cross-section by $\pm 1\sigma$ of the theoretical uncertainty. The area below the solid line is the excluded parameter space.




Figure 12. Exclusion limits at 95% CL on the lifetime and mass of the $\tilde{\chi}_1^0$ in gluino pair production models for a fixed $m(\tilde{g}) = 2400$ GeV. The dashed line and the shaded band are the expected limit and its $\pm 1\sigma$ uncertainty, respectively. The thick solid line is the observed limit for the central value of the signal cross-section. The expected and observed limits do not include the effect of the theoretical uncertainties in the signal cross-section. The dotted lines show the effect on the observed limit of varying the signal cross-section by $\pm 1\sigma$ of the theoretical uncertainty. The area between the two solid lines is the excluded parameter space.




Figure 13. Exclusion limits at 95% CL on the production cross section of (a) electroweakino pairs in the EWK RPV model and (b) gluino pairs in the Strong RPV model as a function of $m(\tilde{\chi}_1^0)$ are shown for several values of $\tau(\tilde{\chi}_1^0)$. The theoretical prediction of the signal production cross section and its uncertainty are shown in gray.

Signal Region	Observed	Expected	S_{obs}^{95}	S_{exp}^{95}	$\langle\sigma_{\text{vis}}\rangle_{\text{obs}}^{95}$ [fb]
High- p_T jet SR	1	$0.46^{+0.27}_{-0.30}$	3.8	$3.1^{+1.0}_{-0.1}$	0.027
Trackless jet SR	0	$0.83^{+0.51}_{-0.53}$	3.0	$3.4^{+1.3}_{-0.3}$	0.022

Table 6. The observed data, expected background, observed (S_{obs}^{95}) and expected (S_{exp}^{95}) limits on the number of signal events, and 95% CL upper limits on the visible cross section $\langle\sigma_{\text{vis}}\rangle_{\text{obs}}^{95}$.

9 Conclusion

A search for physics beyond the Standard Model giving rise to long-lived particle decays into hadrons is reported using the ATLAS experiment at the LHC using an accumulated data collection of 139 fb $^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions. Event selections are developed to efficiently reject backgrounds. The yields expected from background in the two orthogonal signal regions used in the analysis are extracted from data. The data agree with the yields expected from the background-only hypothesis, with zero and one event passing the trackless and High- p_T jet SR requirements, respectively.

The results are interpreted in supersymmetric models with electroweakinos decaying via small values of the R -parity-violating couplings λ'' into quarks, giving the electroweakinos lifetimes τ in the ps to ns range. At 95% confidence level, $m(\tilde{\chi}_1^0)$ values up to 1.58 TeV for $\tau = 0.1$ ns are excluded, independently of the presence of a heavier gluino. Upper limits on the visible cross-section for processes with the sought signature were also derived to be 0.03 fb and 0.02 fb for the High- p_T jet and Trackless jet SRs, respectively.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRf and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir IDEX and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (U.K.) and BNL (U.S.A.), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [76].

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY 4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited. SCOAP³ supports the goals of the International Year of Basic Sciences for Sustainable Development.

References

- [1] L. Lee, C. Ohm, A. Soffer and T.-T. Yu, *Collider searches for long-lived particles beyond the standard model*, *Prog. Part. Nucl. Phys.* **106** (2019) 210 [Erratum *ibid.* **122** (2022) 103912] [[arXiv:1810.12602](https://arxiv.org/abs/1810.12602)] [[INSPIRE](#)].
- [2] J. Alimena et al., *Searching for long-lived particles beyond the Standard Model at the Large Hadron Collider*, *J. Phys. G* **47** (2020) 090501 [[arXiv:1903.04497](https://arxiv.org/abs/1903.04497)] [[INSPIRE](#)].
- [3] M.J. Strassler and K.M. Zurek, *Echoes of a hidden valley at hadron colliders*, *Phys. Lett. B* **651** (2007) 374 [[hep-ph/0604261](https://arxiv.org/abs/hep-ph/0604261)] [[INSPIRE](#)].

- [4] N. Arkani-Hamed and S. Dimopoulos, *Supersymmetric unification without low energy supersymmetry and signatures for fine-tuning at the LHC*, *JHEP* **06** (2005) 073 [[hep-th/0405159](#)] [[INSPIRE](#)].
- [5] G.F. Giudice and A. Romanino, *Split supersymmetry*, *Nucl. Phys. B* **699** (2004) 65 [[hep-ph/0406088](#)] [[INSPIRE](#)].
- [6] R. Barbier et al., *R-parity-violating supersymmetry*, *Phys. Rept.* **420** (2005) 1 [[hep-ph/0406039](#)] [[INSPIRE](#)].
- [7] Y.A. Golfand and E.P. Likhtman, *Extension of the Algebra of Poincare Group Generators and Violation of P Invariance*, *JETP Lett.* **13** (1971) 323 [[INSPIRE](#)].
- [8] D.V. Volkov and V.P. Akulov, *Is the Neutrino a Goldstone Particle?*, *Phys. Lett. B* **46** (1973) 109 [[INSPIRE](#)].
- [9] J. Wess and B. Zumino, *Supergauge transformations in four dimensions*, *Nucl. Phys. B* **70** (1974) 39 [[INSPIRE](#)].
- [10] J. Wess and B. Zumino, *Supergauge invariant extension of quantum electrodynamics*, *Nucl. Phys. B* **78** (1974) 1 [[INSPIRE](#)].
- [11] S. Ferrara and B. Zumino, *Supergauge invariant Yang-Mills theories*, *Nucl. Phys. B* **79** (1974) 413 [[INSPIRE](#)].
- [12] A. Salam and J.A. Strathdee, *Super-symmetry and non-Abelian gauges*, *Phys. Lett. B* **51** (1974) 353 [[INSPIRE](#)].
- [13] N. Sakai, *Naturalness in supersymmetric GUTS*, *Z. Phys. C* **11** (1981) 153 [[INSPIRE](#)].
- [14] S. Dimopoulos, S. Raby and F. Wilczek, *Supersymmetry and the scale of unification*, *Phys. Rev. D* **24** (1981) 1681 [[INSPIRE](#)].
- [15] L.E. Ibáñez and G.G. Ross, *Low-energy predictions in supersymmetric grand unified theories*, *Phys. Lett. B* **105** (1981) 439 [[INSPIRE](#)].
- [16] S. Dimopoulos and H. Georgi, *Softly Broken Supersymmetry and SU(5)*, *Nucl. Phys. B* **193** (1981) 150 [[INSPIRE](#)].
- [17] P. Fayet, *Supersymmetry and weak, electromagnetic and strong interactions*, *Phys. Lett. B* **64** (1976) 159 [[INSPIRE](#)].
- [18] P. Fayet, *Spontaneously broken supersymmetric theories of weak, electromagnetic and strong interactions*, *Phys. Lett. B* **69** (1977) 489 [[INSPIRE](#)].
- [19] J.L. Goity and M. Sher, *Bounds on $\delta b = 1$ couplings in the supersymmetric standard model*, *Phys. Lett. B* **346** (1995) 69 [Erratum *ibid.* **385** (1996) 500] [[hep-ph/9412208](#)] [[INSPIRE](#)].
- [20] F. Zwirner, *Observable $\delta b = 2$ transitions without nucleon decay in a minimal supersymmetric extension of the standard model*, *Phys. Lett. B* **132** (1983) 103 [[INSPIRE](#)].
- [21] ATLAS collaboration, *Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS*, *Phys. Lett. B* **707** (2012) 478 [[arXiv:1109.2242](#)] [[INSPIRE](#)].
- [22] ATLAS collaboration, *Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *Phys. Lett. B* **721** (2013) 32 [[arXiv:1210.0435](#)] [[INSPIRE](#)].
- [23] ATLAS collaboration, *Search for massive, long-lived particles using multitrack displaced vertices or displaced lepton pairs in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector*, *Phys. Rev. D* **92** (2015) 072004 [[arXiv:1504.05162](#)] [[INSPIRE](#)].

- [24] ATLAS collaboration, *Search for long-lived, massive particles in events with a displaced vertex and a muon with large impact parameter in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **102** (2020) 032006 [[arXiv:2003.11956](#)] [[INSPIRE](#)].
- [25] CMS collaboration, *Search for long-lived particles decaying to jets with displaced vertices in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **104** (2021) 052011 [[arXiv:2104.13474](#)] [[INSPIRE](#)].
- [26] CMS collaboration, *Search for long-lived particles with displaced vertices in multijet events in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **98** (2018) 092011 [[arXiv:1808.03078](#)] [[INSPIRE](#)].
- [27] LHCb collaboration, *Updated search for long-lived particles decaying to jet pairs*, *Eur. Phys. J. C* **77** (2017) 812 [[arXiv:1705.07332](#)] [[INSPIRE](#)].
- [28] ATLAS collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, 2008 *JINST* **3** S08003 [[INSPIRE](#)].
- [29] ATLAS IBL collaboration, *Production and integration of the ATLAS Insertable B-Layer*, 2018 *JINST* **13** T05008 [[arXiv:1803.00844](#)] [[INSPIRE](#)].
- [30] ATLAS collaboration, *Performance of the ATLAS trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317 [[arXiv:1611.09661](#)] [[INSPIRE](#)].
- [31] ATLAS collaboration, *The ATLAS Collaboration Software and Firmware*, [ATL-SOFT-PUB-2021-001](#), CERN, Geneva (2021).
- [32] ATLAS collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, 2020 *JINST* **15** P04003 [[arXiv:1911.04632](#)] [[INSPIRE](#)].
- [33] ATLAS collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, [ATLAS-CONF-2019-021](#), CERN, Geneva (2019).
- [34] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, 2018 *JINST* **13** P07017 [[INSPIRE](#)].
- [35] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079 [[arXiv:1405.0301](#)] [[INSPIRE](#)].
- [36] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159 [[arXiv:1410.3012](#)] [[INSPIRE](#)].
- [37] R.D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244 [[arXiv:1207.1303](#)] [[INSPIRE](#)].
- [38] ATLAS collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, [ATL-PHYS-PUB-2014-021](#), CERN, Geneva (2014).
- [39] L. Lönnblad, *Correcting the Colour-Dipole Cascade Model with Fixed Order Matrix Elements*, *JHEP* **05** (2002) 046 [[hep-ph/0112284](#)] [[INSPIRE](#)].
- [40] L. Lönnblad and S. Prestel, *Matching tree-level matrix elements with interleaved showers*, *JHEP* **03** (2012) 019 [[arXiv:1109.4829](#)] [[INSPIRE](#)].
- [41] W. Beenakker et al., *Production of Charginos, Neutralinos, and Stopped at Hadron Colliders*, *Phys. Rev. Lett.* **83** (1999) 3780 [Erratum *ibid.* **100** (2008) 029901] [[hep-ph/9906298](#)] [[INSPIRE](#)].

- [42] J. Debove, B. Fuks and M. Klasen, *Threshold resummation for gaugino pair production at hadron colliders*, *Nucl. Phys. B* **842** (2011) 51 [[arXiv:1005.2909](#)] [[INSPIRE](#)].
- [43] B. Fuks, M. Klasen, D.R. Lamprea and M. Rothering, *Gaugino production in proton-proton collisions at a center-of-mass energy of 8 TeV*, *JHEP* **10** (2012) 081 [[arXiv:1207.2159](#)] [[INSPIRE](#)].
- [44] B. Fuks, M. Klasen, D.R. Lamprea and M. Rothering, *Precision predictions for electroweak superpartner production at hadron colliders with RESUMMINO*, *Eur. Phys. J. C* **73** (2013) 2480 [[arXiv:1304.0790](#)] [[INSPIRE](#)].
- [45] J. Fiaschi and M. Klasen, *Neutralino-chargino pair production at NLO+NLL with resummation-improved parton density functions for LHC Run II*, *Phys. Rev. D* **98** (2018) 055014 [[arXiv:1805.11322](#)] [[INSPIRE](#)].
- [46] C. Borschensky et al., *Squark and gluino production cross sections in pp collisions at $\sqrt{s} = 13, 14, 33$ and 100 TeV*, *Eur. Phys. J. C* **74** (2014) 3174 [[arXiv:1407.5066](#)] [[INSPIRE](#)].
- [47] W. Beenakker et al., *NNLL-fast: predictions for coloured supersymmetric particle production at the LHC with threshold and Coulomb resummation*, *JHEP* **12** (2016) 133 [[arXiv:1607.07741](#)] [[INSPIRE](#)].
- [48] W. Beenakker et al., *NNLL resummation for squark and gluino production at the LHC*, *JHEP* **12** (2014) 023 [[arXiv:1404.3134](#)] [[INSPIRE](#)].
- [49] W. Beenakker et al., *Towards NNLL resummation: hard matching coefficients for squark and gluino hadroproduction*, *JHEP* **10** (2013) 120 [[arXiv:1304.6354](#)] [[INSPIRE](#)].
- [50] W. Beenakker et al., *NNLL resummation for squark-antisquark pair production at the LHC*, *JHEP* **01** (2012) 076 [[arXiv:1110.2446](#)] [[INSPIRE](#)].
- [51] W. Beenakker et al., *Soft-gluon resummation for squark and gluino hadroproduction*, *JHEP* **12** (2009) 041 [[arXiv:0909.4418](#)] [[INSPIRE](#)].
- [52] A. Kulesza and L. Motyka, *Soft gluon resummation for the production of gluino-gluino and squark-antisquark pairs at the LHC*, *Phys. Rev. D* **80** (2009) 095004 [[arXiv:0905.4749](#)] [[INSPIRE](#)].
- [53] A. Kulesza and L. Motyka, *Threshold Resummation for Squark-Antisquark and Gluino-Pair Production at the LHC*, *Phys. Rev. Lett.* **102** (2009) 111802 [[arXiv:0807.2405](#)] [[INSPIRE](#)].
- [54] W. Beenakker, R. Höpker, M. Spira and P.M. Zerwas, *Squark and gluino production at hadron colliders*, *Nucl. Phys. B* **492** (1997) 51 [[hep-ph/9610490](#)] [[INSPIRE](#)].
- [55] J. Butterworth et al., *PDF4LHC recommendations for LHC Run II*, *J. Phys. G* **43** (2016) 023001 [[arXiv:1510.03865](#)] [[INSPIRE](#)].
- [56] ATLAS collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie-Landshoff diffractive model*, [ATL-PHYS-PUB-2016-017](#), CERN, Geneva (2016).
- [57] A.D. Martin, W.J. Stirling, R.S. Thorne and G. Watt, *Parton distributions for the LHC*, *Eur. Phys. J. C* **63** (2009) 189 [[arXiv:0901.0002](#)] [[INSPIRE](#)].
- [58] ATLAS collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823 [[arXiv:1005.4568](#)] [[INSPIRE](#)].
- [59] GEANT4 collaboration, *GEANT4 — a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250 [[INSPIRE](#)].

- [60] ATLAS collaboration, *Performance of the reconstruction of large impact parameter tracks in the inner detector of ATLAS*, [ATL-PHYS-PUB-2017-014](#), CERN, Geneva (2017).
- [61] ATLAS collaboration, *Vertex Reconstruction Performance of the ATLAS Detector at $\sqrt{s} = 13$ TeV*, [ATL-PHYS-PUB-2015-026](#), CERN, Geneva (2015).
- [62] ATLAS collaboration, *Performance of vertex reconstruction algorithms for detection of new long-lived particle decays within the ATLAS inner detector*, [ATL-PHYS-PUB-2019-013](#), CERN, Geneva (2019).
- [63] ATLAS collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578 [[arXiv:2012.00578](#)] [[INSPIRE](#)].
- [64] ATLAS collaboration, *Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **79** (2019) 639 [[arXiv:1902.04655](#)] [[INSPIRE](#)].
- [65] ATLAS collaboration, *Properties of jets and inputs to jet reconstruction and calibration with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV*, [ATL-PHYS-PUB-2015-036](#), CERN, Geneva (2015).
- [66] M. Cacciari, G.P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063 [[arXiv:0802.1189](#)] [[INSPIRE](#)].
- [67] M. Cacciari, G.P. Salam and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896 [[arXiv:1111.6097](#)] [[INSPIRE](#)].
- [68] ATLAS collaboration, *Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **96** (2017) 072002 [[arXiv:1703.09665](#)] [[INSPIRE](#)].
- [69] ATLAS collaboration, *Selection of jets produced in 13 TeV proton-proton collisions with the ATLAS detector*, [ATLAS-CONF-2015-029](#), CERN, Geneva (2015).
- [70] ATLAS collaboration, *Charged-particle distributions in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC*, *Phys. Lett. B* **758** (2016) 67 [[arXiv:1602.01633](#)] [[INSPIRE](#)].
- [71] ATLAS collaboration, *Early Inner Detector Tracking Performance in the 2015 Data at $\sqrt{s} = 13$ TeV*, [ATL-PHYS-PUB-2015-051](#), CERN, Geneva (2015).
- [72] A.L. Read, *Presentation of search results: the CL_s technique*, *J. Phys. G* **28** (2002) 2693 [[INSPIRE](#)].
- [73] L. Heinrich, M. Feickert, G. Stark and K. Cranmer, *pyhf: pure-python implementation of histfactory statistical models*, *J. Open Source Softw.* **6** (2021) 2823 [[arXiv:2211.15838](#)] [[INSPIRE](#)].
- [74] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554 [Erratum *ibid.* **73** (2013) 2501] [[arXiv:1007.1727](#)] [[INSPIRE](#)].
- [75] ATLAS collaboration, *Search for long-lived, massive particles in events with displaced vertices and multiple jets in pp collisions at $\sqrt{s} = 13$ TeV with the atlas detector*, <https://www.hepdata.net/record/ins2628398> [[DOI:10.17182/HEPDATA.137762](#)].
- [76] ATLAS collaboration, *ATLAS Computing Acknowledgements*, [ATL-SOFT-PUB-2021-003](#), CERN, Geneva (2021).

The ATLAS collaboration

G. Aad [101](#), B. Abbott [119](#), D.C. Abbott [102](#), K. Abeling [55](#), S.H. Abidi [29](#),
A. Aboulhorma [35e](#), H. Abramowicz [150](#), H. Abreu [149](#), Y. Abulaiti [116](#),
A.C. Abusleme Hoffman [136a](#), B.S. Acharya [68a,68b,q](#), B. Achkar [55](#), C. Adam Bourdarios [4](#),
L. Adamczyk [84a](#), L. Adamek [154](#), S.V. Addepalli [26](#), J. Adelman [114](#), A. Adiguzel [21c](#),
S. Adorni [56](#), T. Adye [133](#), A.A. Affolder [135](#), Y. Afik [36](#), M.N. Agaras [13](#),
J. Agarwala [72a,72b](#), A. Aggarwal [99](#), C. Agheorghiesei [27c](#), J.A. Aguilar-Saavedra [129f](#),
A. Ahmad [36](#), F. Ahmadov [38,z](#), W.S. Ahmed [103](#), S. Ahuja [94](#), X. Ai [48](#), G. Aielli [75a,75b](#),
I. Aizenberg [168](#), M. Akbiyik [99](#), T.P.A. Åkesson [97](#), A.V. Akimov [37](#), K. Al Khoury [41](#),
G.L. Alberghi [23b](#), J. Albert [164](#), P. Albicocco [53](#), S. Alderweireldt [52](#), M. Aleksa [36](#),
I.N. Aleksandrov [38](#), C. Alexa [27b](#), T. Alexopoulos [10](#), A. Alfonsi [113](#), F. Alfonsi [23b](#),
M. Alhroob [119](#), B. Ali [131](#), S. Ali [147](#), M. Aliev [37](#), G. Alimonti [70a](#), W. Alkakhri [55](#),
C. Allaire [66](#), B.M.M. Allbrooke [145](#), P.P. Allport [20](#), A. Aloisio [71a,71b](#), F. Alonso [89](#),
C. Alpigiani [137](#), E. Alunno Camelia [75a,75b](#), M. Alvarez Estevez [98](#), M.G. Alviggi [71a,71b](#),
M. Aly [100](#), Y. Amaral Coutinho [81b](#), A. Ambler [103](#), C. Amelung [36](#), M. Ameri [1](#),
C.G. Ames [108](#), D. Amidei [105](#), S.P. Amor Dos Santos [129a](#), S. Amoroso [48](#), K.R. Amos [162](#),
V. Ananiev [124](#), C. Anastopoulos [138](#), T. Andeen [11](#), J.K. Anders [36](#), S.Y. Andrean [47a,47b](#),
A. Andreazza [70a,70b](#), S. Angelidakis [9](#), A. Angerami [41,ab](#), A.V. Anisenkov [37](#), A. Annovi [73a](#),
C. Antel [56](#), M.T. Anthony [138](#), E. Antipov [120](#), M. Antonelli [53](#), D.J.A. Antrim [17a](#),
F. Anulli [74a](#), M. Aoki [82](#), T. Aoki [152](#), J.A. Aparisi Pozo [162](#), M.A. Aparo [145](#),
L. Aperio Bella [48](#), C. Appelt [18](#), N. Aranzabal [36](#), V. Araujo Ferraz [81a](#), C. Arcangeletti [53](#),
A.T.H. Arce [51](#), E. Arena [91](#), J-F. Arguin [107](#), S. Argyropoulos [54](#), J.-H. Arling [48](#),
A.J. Armbruster [36](#), O. Arnaez [154](#), H. Arnold [113](#), Z.P. Arrubarrena Tame [108](#),
G. Artoni [74a,74b](#), H. Asada [110](#), K. Asai [117](#), S. Asai [152](#), N.A. Asbah [61](#), J. Assahsah [35d](#),
K. Assamagan [29](#), R. Astalos [28a](#), R.J. Atkin [33a](#), M. Atkinson [161](#), N.B. Atlay [18](#), H. Atmani [62b](#),
P.A. Atmasiddha [105](#), K. Augsten [131](#), S. Auricchio [71a,71b](#), A.D. Auriol [20](#), V.A. Austrup [170](#),
G. Avner [149](#), G. Avolio [36](#), K. Axiotis [56](#), M.K. Ayoub [14c](#), G. Azuelos [107,ae](#), D. Babal [28a](#),
H. Bachacou [134](#), K. Bachas [151,s](#), A. Bachiu [34](#), F. Backman [47a,47b](#), A. Badea [61](#),
P. Bagnaia [74a,74b](#), M. Bahmani [18](#), A.J. Bailey [162](#), V.R. Bailey [161](#), J.T. Baines [133](#),
C. Bakalis [10](#), O.K. Baker [171](#), P.J. Bakker [113](#), E. Bakos [15](#), D. Bakshi Gupta [8](#),
S. Balaji [146](#), R. Balasubramanian [113](#), E.M. Baldin [37](#), P. Balek [132](#), E. Ballabene [70a,70b](#),
F. Balli [134](#), L.M. Baltes [63a](#), W.K. Balunas [32](#), J. Balz [99](#), E. Banas [85](#),
M. Bandieramonte [128](#), A. Bandyopadhyay [24](#), S. Bansal [24](#), L. Barak [150](#), E.L. Barberio [104](#),
D. Barberis [57b,57a](#), M. Barbero [101](#), G. Barbour [95](#), K.N. Barends [33a](#), T. Barillari [109](#),
M-S. Barisits [36](#), T. Barklow [142](#), R.M. Barnett [17a](#), P. Baron [121](#), D.A. Baron Moreno [100](#),
A. Baroncelli [62a](#), G. Barone [29](#), A.J. Barr [125](#), L. Barranco Navarro [47a,47b](#), F. Barreiro [98](#),
J. Barreiro Guimarães da Costa [14a](#), U. Barron [150](#), M.G. Barros Teixeira [129a](#), S. Barsov [37](#),
F. Bartels [63a](#), R. Bartoldus [142](#), A.E. Barton [90](#), P.artos [28a](#), A. Basalaev [48](#),
A. Basan [99](#), M. Baselga [49](#), I. Bashta [76a,76b](#), A. Bassalat [66,b](#), M.J. Basso [154](#),
C.R. Basson [100](#), R.L. Bates [59](#), S. Batlamous [35e](#), J.R. Batley [32](#), B. Batool [140](#),
M. Battaglia [135](#), D. Battulga [18](#), M. Baucé [74a,74b](#), P. Bauer [24](#), A. Bayirli [21a](#),
J.B. Beacham [51](#), T. Beau [126](#), P.H. Beauchemin [157](#), F. Becherer [54](#), P. Bechtel [24](#),

H.P. Beck ^{19,r}, K. Becker ¹⁶⁶, A.J. Beddall ^{21d}, V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁴,
L.J. Beemster ¹⁵, T.A. Beermann ³⁶, M. Begalli ^{81d,81d}, M. Begel ²⁹, A. Behera ¹⁴⁴,
J.K. Behr ⁴⁸, C. Beirao Da Cruz E Silva ³⁶, J.F. Beirer ^{55,36}, F. Beisiegel ²⁴, M. Belfkir ¹⁵⁸,
G. Bella ¹⁵⁰, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷,
K. Belotskiy ³⁷, N.L. Belyaev ³⁷, D. Benchekroun ^{35a}, F. Bendebba ^{35a}, Y. Benhammou ¹⁵⁰,
D.P. Benjamin ²⁹, M. Benoit ²⁹, J.R. Bensinger ²⁶, S. Bentvelsen ¹¹³, L. Beresford ³⁶,
M. Beretta ⁵³, D. Berge ¹⁸, E. Bergeaas Kuutmann ¹⁶⁰, N. Berger ⁴, B. Bergmann ¹³¹,
J. Beringer ^{17a}, S. Berlendis ⁷, G. Bernardi ⁵, C. Bernius ¹⁴², F.U. Bernlochner ²⁴,
T. Berry ⁹⁴, P. Berta ¹³², A. Berthold ⁵⁰, I.A. Bertram ⁹⁰, S. Bethke ¹⁰⁹, A. Betti ^{74a,74b},
A.J. Bevan ⁹³, M. Bhamjee ^{33c}, S. Bhatta ¹⁴⁴, D.S. Bhattacharya ¹⁶⁵, P. Bhattarai ²⁶,
V.S. Bhopatkar ¹²⁰, R. Bi ^{29,ah}, R.M. Bianchi ¹²⁸, O. Biebel ¹⁰⁸, R. Bielski ¹²²,
M. Biglietti ^{76a}, T.R.V. Billoud ¹³¹, M. Bindi ⁵⁵, A. Bingul ^{21b}, C. Bini ^{74a,74b},
S. Biondi ^{23b,23a}, A. Biondini ⁹¹, C.J. Birch-sykes ¹⁰⁰, G.A. Bird ^{20,133}, M. Birman ¹⁶⁸,
T. Bisanz ³⁶, E. Bisceglie ^{43b,43a}, D. Biswas ^{169,m}, A. Bitadze ¹⁰⁰, K. Bjørke ¹²⁴,
I. Bloch ⁴⁸, C. Blocker ²⁶, A. Blue ⁵⁹, U. Blumenschein ⁹³, J. Blumenthal ⁹⁹,
G.J. Bobbink ¹¹³, V.S. Bobrovnikov ³⁷, M. Boehler ⁵⁴, D. Bogavac ³⁶, A.G. Bogdanchikov ³⁷,
C. Bohm ^{47a}, V. Boisvert ⁹⁴, P. Bokan ⁴⁸, T. Bold ^{84a}, M. Bomben ⁵, M. Bona ⁹³,
M. Boonekamp ¹³⁴, C.D. Booth ⁹⁴, A.G. Borbély ⁵⁹, H.M. Borecka-Bielska ¹⁰⁷,
L.S. Borgna ⁹⁵, G. Borissov ⁹⁰, D. Bortoletto ¹²⁵, D. Boscherini ^{23b}, M. Bosman ¹³,
J.D. Bossio Sola ³⁶, K. Bouaouda ^{35a}, N. Bouchhar ¹⁶², J. Boudreau ¹²⁸,
E.V. Bouhova-Thacker ⁹⁰, D. Boumediene ⁴⁰, R. Bouquet ⁵, A. Boveia ¹¹⁸, J. Boyd ³⁶,
D. Boye ²⁹, I.R. Boyko ³⁸, J. Bracinik ²⁰, N. Brahimi ^{62d}, G. Brandt ¹⁷⁰, O. Brandt ³²,
F. Braren ⁴⁸, B. Brau ¹⁰², J.E. Brau ¹²², K. Brendlinger ⁴⁸, R. Brenner ¹⁶⁸, L. Brenner ¹¹³,
R. Brenner ¹⁶⁰, S. Bressler ¹⁶⁸, B. Brickwedde ⁹⁹, D. Britton ⁵⁹, D. Britzger ¹⁰⁹,
I. Brock ²⁴, G. Brooijmans ⁴¹, W.K. Brooks ^{136f}, E. Brost ²⁹, T.L. Bruckler ¹²⁵,
P.A. Bruckman de Renstrom ⁸⁵, B. Brüers ⁴⁸, D. Bruncko ^{28b,*}, A. Bruni ^{23b}, G. Bruni ^{23b},
M. Bruschi ^{23b}, N. Bruscino ^{74a,74b}, L. Bryngemark ¹⁴², T. Buanes ¹⁶, Q. Buat ¹³⁷,
P. Buchholz ¹⁴⁰, A.G. Buckley ⁵⁹, I.A. Budagov ^{38,*}, M.K. Bugge ¹²⁴, O. Bulekov ³⁷,
B.A. Bullard ⁶¹, S. Burdin ⁹¹, C.D. Burgard ⁴⁸, A.M. Burger ⁴⁰, B. Burghgrave ⁸,
J.T.P. Burr ³², C.D. Burton ¹¹, J.C. Burzynski ¹⁴¹, E.L. Busch ⁴¹, V. Büscher ⁹⁹,
P.J. Bussey ⁵⁹, J.M. Butler ²⁵, C.M. Buttar ⁵⁹, J.M. Butterworth ⁹⁵, W. Buttinger ¹³³,
C.J. Buxo Vazquez ¹⁰⁶, A.R. Buzykaev ³⁷, G. Cabras ^{23b}, S. Cabrera Urbán ¹⁶², D. Caforio ⁵⁸,
H. Cai ¹²⁸, Y. Cai ^{14a,14d}, V.M.M. Cairo ³⁶, O. Cakir ^{3a}, N. Calace ³⁶, P. Calafiura ^{17a},
G. Calderini ¹²⁶, P. Calfayan ⁶⁷, G. Callea ⁵⁹, L.P. Caloba ^{81b}, D. Calvet ⁴⁰, S. Calvet ⁴⁰,
T.P. Calvet ¹⁰¹, M. Calvetti ^{73a,73b}, R. Camacho Toro ¹²⁶, S. Camarda ³⁶,
D. Camarero Munoz ²⁶, P. Camarri ^{75a,75b}, M.T. Camerlingo ^{76a,76b}, D. Cameron ¹²⁴,
C. Camincher ¹⁶⁴, M. Campanelli ⁹⁵, A. Camplani ⁴², V. Canale ^{71a,71b}, A. Canesse ¹⁰³,
M. Cano Bret ⁷⁹, J. Cantero ¹⁶², Y. Cao ¹⁶¹, F. Capocasa ²⁶, M. Capua ^{43b,43a},
A. Carbone ^{70a,70b}, R. Cardarelli ^{75a}, J.C.J. Cardenas ⁸, F. Cardillo ¹⁶², T. Carli ³⁶,
G. Carlino ^{71a}, J.I. Carlotto ¹³, B.T. Carlson ^{128,t}, E.M. Carlson ^{164,155a},
L. Carminati ^{70a,70b}, M. Carnesale ^{74a,74b}, R.M.D. Carney ¹⁴², S. Caron ¹¹², E. Carquin ^{136f},
S. Carrá ^{70a,70b}, G. Carratta ^{23b,23a}, F. Carrio Argos ^{33g}, J.W.S. Carter ¹⁵⁴, T.M. Carter ⁵²,
M.P. Casado ^{13,j}, A.F. Casha ¹⁵⁴, E.G. Castiglia ¹⁷¹, F.L. Castillo ^{63a}, L. Castillo Garcia ¹³,

V. Castillo Gimenez [ID](#)¹⁶², N.F. Castro [ID](#)^{129a,129e}, A. Catinaccio [ID](#)³⁶, J.R. Catmore [ID](#)¹²⁴,
V. Cavaliere [ID](#)²⁹, N. Cavalli [ID](#)^{23b,23a}, V. Cavinini [ID](#)^{73a,73b}, E. Celebi [ID](#)^{21a}, F. Celli [ID](#)¹²⁵,
M.S. Centonze [ID](#)^{69a,69b}, K. Cerny [ID](#)¹²¹, A.S. Cerqueira [ID](#)^{81a}, A. Cerri [ID](#)¹⁴⁵, L. Cerrito [ID](#)^{75a,75b},
F. Cerutti [ID](#)^{17a}, A. Cervelli [ID](#)^{23b}, S.A. Cetin [ID](#)^{21d}, Z. Chadi [ID](#)^{35a}, D. Chakraborty [ID](#)¹¹⁴,
M. Chala [ID](#)^{129f}, J. Chan [ID](#)¹⁶⁹, W.Y. Chan [ID](#)¹⁵², J.D. Chapman [ID](#)³², B. Chargeishvili [ID](#)^{148b},
D.G. Charlton [ID](#)²⁰, T.P. Charman [ID](#)⁹³, M. Chatterjee [ID](#)¹⁹, S. Chekanov [ID](#)⁶, S.V. Chekulaev [ID](#)^{155a},
G.A. Chelkov [ID](#)^{38,a}, A. Chen [ID](#)¹⁰⁵, B. Chen [ID](#)¹⁵⁰, B. Chen [ID](#)¹⁶⁴, H. Chen [ID](#)^{14c}, H. Chen [ID](#)²⁹,
J. Chen [ID](#)^{62c}, J. Chen [ID](#)²⁶, S. Chen [ID](#)¹⁵², S.J. Chen [ID](#)^{14c}, X. Chen [ID](#)^{62c}, X. Chen [ID](#)^{14b,ad},
Y. Chen [ID](#)^{62a}, C.L. Cheng [ID](#)¹⁶⁹, H.C. Cheng [ID](#)^{64a}, S. Cheong [ID](#)¹⁴², A. Cheplakov [ID](#)³⁸,
E. Cheremushkina [ID](#)⁴⁸, E. Cherepanova [ID](#)¹¹³, R. Cherkaoui El Moursli [ID](#)^{35e}, E. Cheu [ID](#)⁷,
K. Cheung [ID](#)⁶⁵, L. Chevalier [ID](#)¹³⁴, V. Chiarella [ID](#)⁵³, G. Chiarelli [ID](#)^{73a}, N. Chiedde [ID](#)¹⁰¹,
G. Chiodini [ID](#)^{69a}, A.S. Chisholm [ID](#)²⁰, A. Chitan [ID](#)^{27b}, M. Chitishvili [ID](#)¹⁶², Y.H. Chiu [ID](#)¹⁶⁴,
M.V. Chizhov [ID](#)³⁸, K. Choi [ID](#)¹¹, A.R. Chomont [ID](#)^{74a,74b}, Y. Chou [ID](#)¹⁰², E.Y.S. Chow [ID](#)¹¹³,
T. Chowdhury [ID](#)^{33g}, L.D. Christopher [ID](#)^{33g}, K.L. Chu [ID](#)^{64a}, M.C. Chu [ID](#)^{64a}, X. Chu [ID](#)^{14a,14d},
J. Chudoba [ID](#)¹³⁰, J.J. Chwastowski [ID](#)⁸⁵, D. Cieri [ID](#)¹⁰⁹, K.M. Ciesla [ID](#)^{84a}, V. Cindro [ID](#)⁹²,
A. Ciocio [ID](#)^{17a}, F. Ciotto [ID](#)^{71a,71b}, Z.H. Citron [ID](#)^{168,n}, M. Citterio [ID](#)^{70a}, D.A. Ciubotaru [ID](#)^{27b},
B.M. Ciungu [ID](#)¹⁵⁴, A. Clark [ID](#)⁵⁶, P.J. Clark [ID](#)⁵², J.M. Clavijo Columbie [ID](#)⁴⁸, S.E. Clawson [ID](#)¹⁰⁰,
C. Clement [ID](#)^{47a,47b}, J. Clercx [ID](#)⁴⁸, L. Clissa [ID](#)^{23b,23a}, Y. Coadou [ID](#)¹⁰¹, M. Cobal [ID](#)^{68a,68c},
A. Coccaro [ID](#)^{57b}, R.F. Coelho Barrue [ID](#)^{129a}, R. Coelho Lopes De Sa [ID](#)¹⁰², S. Coelli [ID](#)^{70a},
H. Cohen [ID](#)¹⁵⁰, A.E.C. Coimbra [ID](#)^{70a,70b}, B. Cole [ID](#)⁴¹, J. Collot [ID](#)⁶⁰, P. Conde Muno [ID](#)^{129a,129g},
M.P. Connell [ID](#)^{33c}, S.H. Connell [ID](#)^{33c}, I.A. Connelly [ID](#)⁵⁹, E.I. Conroy [ID](#)¹²⁵, F. Conventi [ID](#)^{71a,af},
H.G. Cooke [ID](#)²⁰, A.M. Cooper-Sarkar [ID](#)¹²⁵, F. Cormier [ID](#)¹⁶³, L.D. Corpe [ID](#)³⁶, M. Corradi [ID](#)^{74a,74b},
E.E. Corrigan [ID](#)⁹⁷, F. Corriveau [ID](#)^{103,x}, A. Cortes-Gonzalez [ID](#)¹⁸, M.J. Costa [ID](#)¹⁶², F. Costanza [ID](#)⁴,
D. Costanzo [ID](#)¹³⁸, B.M. Cote [ID](#)¹¹⁸, G. Cowan [ID](#)⁹⁴, J.W. Cowley [ID](#)³², K. Cranmer [ID](#)¹¹⁶,
S. Cr p -Renaudin [ID](#)⁶⁰, F. Crescioli [ID](#)¹²⁶, M. Cristinziani [ID](#)¹⁴⁰, M. Cristoforetti [ID](#)^{77a,77b,d},
V. Croft [ID](#)¹⁵⁷, G. Crosetti [ID](#)^{43b,43a}, A. Cueto [ID](#)³⁶, T. Cuhadar Donszelmann [ID](#)¹⁵⁹, H. Cui [ID](#)^{14a,14d},
Z. Cui [ID](#)⁷, A.R. Cukierman [ID](#)¹⁴², W.R. Cunningham [ID](#)⁵⁹, F. Curcio [ID](#)^{43b,43a}, P. Czodrowski [ID](#)³⁶,
M.M. Czurylo [ID](#)^{63b}, M.J. Da Cunha Sargedas De Sousa [ID](#)^{62a}, J.V. Da Fonseca Pinto [ID](#)^{81b},
C. Da Via [ID](#)¹⁰⁰, W. Dabrowski [ID](#)^{84a}, T. Dado [ID](#)⁴⁹, S. Dahbi [ID](#)^{33g}, T. Dai [ID](#)¹⁰⁵, C. Dallapiccola [ID](#)¹⁰²,
M. Dam [ID](#)⁴², G. D’amen [ID](#)²⁹, V. D’Amico [ID](#)¹⁰⁸, J. Damp [ID](#)⁹⁹, J.R. Dandoy [ID](#)¹²⁷, M.F. Daneri [ID](#)³⁰,
M. Danninger [ID](#)¹⁴¹, V. Dao [ID](#)³⁶, G. Darbo [ID](#)^{57b}, S. Darmora [ID](#)⁶, S.J. Das [ID](#)²⁹, S. D’Auria [ID](#)^{70a,70b},
C. David [ID](#)^{155b}, T. Davidek [ID](#)¹³², D.R. Davis [ID](#)⁵¹, B. Davis-Purcell [ID](#)³⁴, I. Dawson [ID](#)⁹³, K. De [ID](#)⁸,
R. De Asmundis [ID](#)^{71a}, M. De Beurs [ID](#)¹¹³, N. De Biase [ID](#)⁴⁸, S. De Castro [ID](#)^{23b,23a}, N. De Groot [ID](#)¹¹²,
P. de Jong [ID](#)¹¹³, H. De la Torre [ID](#)¹⁰⁶, A. De Maria [ID](#)^{14c}, A. De Salvo [ID](#)^{74a}, U. De Sanctis [ID](#)^{75a,75b},
A. De Santo [ID](#)¹⁴⁵, J.B. De Vivie De Regie [ID](#)⁶⁰, D.V. Dedovich [ID](#)³⁸, J. Degens [ID](#)¹¹³, A.M. Deiana [ID](#)⁴⁴,
F. Del Corso [ID](#)^{23b,23a}, J. Del Peso [ID](#)⁹⁸, F. Del Rio [ID](#)^{63a}, F. Deliot [ID](#)¹³⁴, C.M. Delitzsch [ID](#)⁴⁹,
M. Della Pietra [ID](#)^{71a,71b}, D. Della Volpe [ID](#)⁵⁶, A. Dell’Acqua [ID](#)³⁶, L. Dell’Asta [ID](#)^{70a,70b},
M. Delmastro [ID](#)⁴, P.A. Delsart [ID](#)⁶⁰, S. Demers [ID](#)¹⁷¹, M. Demichev [ID](#)³⁸, S.P. Denisov [ID](#)³⁷,
L. D’Eramo [ID](#)¹¹⁴, D. Derendarz [ID](#)⁸⁵, F. Derue [ID](#)¹²⁶, P. Dervan [ID](#)⁹¹, K. Desch [ID](#)²⁴, K. Dette [ID](#)¹⁵⁴,
C. Deutsch [ID](#)²⁴, P.O. Deviveiros [ID](#)³⁶, F.A. Di Bello [ID](#)^{57b,57a}, A. Di Ciaccio [ID](#)^{75a,75b},
L. Di Ciaccio [ID](#)⁴, A. Di Domenico [ID](#)^{74a,74b}, C. Di Donato [ID](#)^{71a,71b}, A. Di Girolamo [ID](#)³⁶,
G. Di Gregorio [ID](#)⁵, A. Di Luca [ID](#)^{77a,77b}, B. Di Micco [ID](#)^{76a,76b}, R. Di Nardo [ID](#)^{76a,76b},
K.F. Di Petrillo [ID](#)³⁹, C. Diaconu [ID](#)¹⁰¹, F.A. Dias [ID](#)¹¹³, T. Dias Do Vale [ID](#)¹⁴¹, M.A. Diaz [ID](#)^{136a,136b},

F.G. Diaz Capriles ²⁴, M. Didenko ¹⁶², E.B. Diehl ¹⁰⁵, L. Diehl ⁵⁴, S. Díez Cornell ⁴⁸,
C. Díez Pardos ¹⁴⁰, C. Dimitriadis ^{24,160}, A. Dimitrievska ^{17a}, W. Ding ^{14b}, J. Dingfelder ²⁴,
I.-M. Dinu ^{27b}, S.J. Dittmeier ^{63b}, F. Dittus ³⁶, F. Djama ¹⁰¹, T. Djobava ^{148b},
J.I. Djuvsland ¹⁶, C. Doglioni ^{100,97}, J. Dolejsi ¹³², Z. Dolezal ¹³², M. Donadelli ^{81c},
B. Dong ^{62c}, J. Donini ⁴⁰, A. D’Onofrio ^{14c}, M. D’Onofrio ⁹¹, J. Dopke ¹³³, A. Doria ^{71a},
M.T. Dova ⁸⁹, A.T. Doyle ⁵⁹, M.A. Draguet ¹²⁵, E. Drechsler ¹⁴¹, E. Dreyer ¹⁶⁸,
I. Drivas-koulouris ¹⁰, A.S. Drobac ¹⁵⁷, M. Drozdova ⁵⁶, D. Du ^{62a}, T.A. du Pree ¹¹³,
F. Dubinin ³⁷, M. Dubovsky ^{28a}, E. Duchovni ¹⁶⁸, G. Duckeck ¹⁰⁸, O.A. Ducu ^{27b},
D. Duda ¹⁰⁹, A. Dudarev ³⁶, M. D’uffizi ¹⁰⁰, L. Duflot ⁶⁶, M. Dührssen ³⁶, C. Dülken ¹⁷⁰,
A.E. Dumitriu ^{27b}, M. Dunford ^{63a}, S. Dungs ⁴⁹, K. Dunne ^{47a,47b}, A. Duperrin ¹⁰¹,
H. Duran Yildiz ^{3a}, M. Düren ⁵⁸, A. Durglishvili ^{148b}, B.L. Dwyer ¹¹⁴, G.I. Dyckes ^{17a},
M. Dyndal ^{84a}, S. Dysch ¹⁰⁰, B.S. Dziedzic ⁸⁵, Z.O. Earnshaw ¹⁴⁵, B. Eckerova ^{28a},
M.G. Eggleston ⁵¹, E. Egidio Purcino De Souza ^{81b}, L.F. Ehrke ⁵⁶, G. Eigen ¹⁶,
K. Einsweiler ^{17a}, T. Ekelof ¹⁶⁰, P.A. Ekman ⁹⁷, Y. El Ghazali ^{35b}, H. El Jarrari ^{35e,147},
A. El Moussaouy ^{35a}, V. Ellajosyula ¹⁶⁰, M. Ellert ¹⁶⁰, F. Ellinghaus ¹⁷⁰, A.A. Elliot ⁹³,
N. Ellis ³⁶, J. Elmsheuser ²⁹, M. Elsing ³⁶, D. Emelianov ¹³³, A. Emerman ⁴¹,
Y. Enari ¹⁵², I. Ene ^{17a}, S. Epari ¹³, J. Erdmann ^{49,ac}, A. Ereditato ¹⁹, P.A. Erland ⁸⁵,
M. Errenst ¹⁷⁰, M. Escalier ⁶⁶, C. Escobar ¹⁶², E. Etzion ¹⁵⁰, G. Evans ^{129a}, H. Evans ⁶⁷,
M.O. Evans ¹⁴⁵, A. Ezhilov ³⁷, S. Ezzarqtouni ^{35a}, F. Fabbri ⁵⁹, L. Fabbri ^{23b,23a},
G. Facini ⁹⁵, V. Fadeyev ¹³⁵, R.M. Fakhruddinov ³⁷, S. Falciano ^{74a}, P.J. Falke ²⁴,
S. Falke ³⁶, J. Faltova ¹³², Y. Fan ^{14a}, Y. Fang ^{14a,14d}, G. Fanourakis ⁴⁶, M. Fanti ^{70a,70b},
M. Faraj ^{68a,68b}, Z. Farazpay ⁹⁶, A. Farbin ⁸, A. Farilla ^{76a}, T. Farooque ¹⁰⁶,
S.M. Farrington ⁵², F. Fassi ^{35e}, D. Fassouliotis ⁹, M. Fauci Giannelli ^{75a,75b},
W.J. Fawcett ³², L. Fayard ⁶⁶, P. Federicova ¹³⁰, O.L. Fedin ^{37,a}, G. Fedotov ³⁷,
M. Feickert ¹⁶⁹, L. Feligioni ¹⁰¹, A. Fell ¹³⁸, D.E. Fellers ¹²², C. Feng ^{62b}, M. Feng ^{14b},
Z. Feng ¹¹³, M.J. Fenton ¹⁵⁹, A.B. Fenyuk ³⁷, L. Ferencz ⁴⁸, J. Ferrando ⁴⁸, A. Ferrari ¹⁶⁰,
P. Ferrari ^{113,112}, R. Ferrari ^{72a}, D. Ferrere ⁵⁶, C. Ferretti ¹⁰⁵, F. Fiedler ⁹⁹, A. Filipčič ⁹²,
E.K. Filmer ¹, F. Filthaut ¹¹², M.C.N. Fiolhais ^{129a,129c,c}, L. Fiorini ¹⁶², F. Fischer ¹⁴⁰,
W.C. Fisher ¹⁰⁶, T. Fitschen ¹⁰⁰, I. Fleck ¹⁴⁰, P. Fleischmann ¹⁰⁵, T. Flick ¹⁷⁰,
L. Flores ¹²⁷, M. Flores ^{33d}, L.R. Flores Castillo ^{64a}, F.M. Follega ^{77a,77b}, N. Fomin ¹⁶,
J.H. Foo ¹⁵⁴, B.C. Forland ⁶⁷, A. Formica ¹³⁴, A.C. Forti ¹⁰⁰, E. Fortin ¹⁰¹, A.W. Fortman ⁶¹,
M.G. Foti ^{17a}, L. Fountas ⁹, D. Fournier ⁶⁶, H. Fox ⁹⁰, P. Francavilla ^{73a,73b},
S. Francescato ⁶¹, S. Franchellucci ⁵⁶, M. Franchini ^{23b,23a}, S. Franchino ^{63a}, D. Francis ³⁶,
L. Franco ¹¹², L. Franconi ¹⁹, M. Franklin ⁶¹, G. Frattari ²⁶, A.C. Freegard ⁹³,
P.M. Freeman ²⁰, W.S. Freund ^{81b}, N. Fritzsche ⁵⁰, A. Froch ⁵⁴, D. Froidevaux ³⁶,
J.A. Frost ¹²⁵, Y. Fu ^{62a}, M. Fujimoto ¹¹⁷, E. Fullana Torregrosa ^{162,*}, J. Fuster ¹⁶²,
A. Gabrielli ^{23b,23a}, A. Gabrielli ¹⁵⁴, P. Gadow ⁴⁸, G. Gagliardi ^{57b,57a}, L.G. Gagnon ^{17a},
G.E. Gallardo ¹²⁵, E.J. Gallas ¹²⁵, B.J. Gallop ¹³³, R. Gamboa Goni ⁹³, K.K. Gan ¹¹⁸,
S. Ganguly ¹⁵², J. Gao ^{62a}, Y. Gao ⁵², F.M. Garay Walls ^{136a,136b}, B. Garcia ^{29,ah},
C. García ¹⁶², J.E. García Navarro ¹⁶², J.A. García Pascual ^{14a}, M. Garcia-Sciveres ^{17a},
R.W. Gardner ³⁹, D. Garg ⁷⁹, R.B. Garg ¹⁴², S. Gargiulo ⁵⁴, C.A. Garner ¹⁵⁴, V. Garonne ²⁹,
S.J. Gasiorowski ¹³⁷, P. Gaspar ^{81b}, G. Gaudio ^{72a}, V. Gautam ¹³, P. Gauzzi ^{74a,74b},
I.L. Gavrilenko ³⁷, A. Gavrilyuk ³⁷, C. Gay ¹⁶³, G. Gaycken ⁴⁸, E.N. Gazis ¹⁰,

A.A. Geanta [ID](#)^{27b,27e}, C.M. Gee [ID](#)¹³⁵, J. Geisen [ID](#)⁹⁷, M. Geisen [ID](#)⁹⁹, C. Gemme [ID](#)^{57b},
M.H. Genest [ID](#)⁶⁰, S. Gentile [ID](#)^{74a,74b}, S. George [ID](#)⁹⁴, W.F. George [ID](#)²⁰, T. Geralis [ID](#)⁴⁶,
L.O. Gerlach⁵⁵, P. Gessinger-Befurt [ID](#)³⁶, M. Ghasemi Bostanabad [ID](#)¹⁶⁴, M. Ghneimat [ID](#)¹⁴⁰,
K. Ghorbanian [ID](#)⁹³, A. Ghosal [ID](#)¹⁴⁰, A. Ghosh [ID](#)¹⁵⁹, A. Ghosh [ID](#)⁷, B. Giacobbe [ID](#)^{23b},
S. Giagu [ID](#)^{74a,74b}, N. Giangiacomi [ID](#)¹⁵⁴, P. Giannetti [ID](#)^{73a}, A. Giannini [ID](#)^{62a}, S.M. Gibson [ID](#)⁹⁴,
M. Gignac [ID](#)¹³⁵, D.T. Gil [ID](#)^{84b}, A.K. Gilbert [ID](#)^{84a}, B.J. Gilbert [ID](#)⁴¹, D. Gillberg [ID](#)³⁴, G. Gilles [ID](#)¹¹³,
N.E.K. Gillwald [ID](#)⁴⁸, L. Ginabat [ID](#)¹²⁶, D.M. Gingrich [ID](#)^{2,ae}, M.P. Giordani [ID](#)^{68a,68c},
P.F. Giraud [ID](#)¹³⁴, G. Giugliarelli [ID](#)^{68a,68c}, D. Giugni [ID](#)^{70a}, F. Giuli [ID](#)³⁶, I. Gkialas [ID](#)^{9,k},
L.K. Gladilin [ID](#)³⁷, C. Glasman [ID](#)⁹⁸, G.R. Gledhill [ID](#)¹²², M. Glisic¹²², I. Gnesi [ID](#)^{43b,g}, Y. Go [ID](#)^{29,ah},
M. Goblirsch-Kolb [ID](#)²⁶, B. Gocke [ID](#)⁴⁹, D. Godin¹⁰⁷, S. Goldfarb [ID](#)¹⁰⁴, T. Golling [ID](#)⁵⁶,
M.G.D. Gololo^{33g}, D. Golubkov [ID](#)³⁷, J.P. Gombas [ID](#)¹⁰⁶, A. Gomes [ID](#)^{129a,129b},
G. Gomes Da Silva [ID](#)¹⁴⁰, A.J. Gomez Delegido [ID](#)¹⁶², R. Goncalves Gama [ID](#)⁵⁵, R. Gonalo [ID](#)^{129a,129c},
G. Gonella [ID](#)¹²², L. Gonella [ID](#)²⁰, A. Gongadze [ID](#)³⁸, F. Gonnella [ID](#)²⁰, J.L. Gonski [ID](#)⁴¹,
R.Y. Gonzlez Andana [ID](#)⁵², S. Gonzlez de la Hoz [ID](#)¹⁶², S. Gonzalez Fernandez [ID](#)¹³,
R. Gonzalez Lopez [ID](#)⁹¹, C. Gonzalez Renteria [ID](#)^{17a}, R. Gonzalez Suarez [ID](#)¹⁶⁰,
S. Gonzalez-Sevilla [ID](#)⁵⁶, G.R. Gonzalvo Rodriguez [ID](#)¹⁶², L. Goossens [ID](#)³⁶, N.A. Gorasia [ID](#)²⁰,
P.A. Gorbounov [ID](#)³⁷, B. Gorini [ID](#)³⁶, E. Gorini [ID](#)^{69a,69b}, A. Gorišek [ID](#)⁹², A.T. Goshaw [ID](#)⁵¹,
M.I. Gostkin [ID](#)³⁸, C.A. Gottardo [ID](#)³⁶, M. Goughri [ID](#)^{35b}, V. Goumarre [ID](#)⁴⁸, A.G. Goussiou [ID](#)¹³⁷,
N. Govender [ID](#)^{33c}, C. Goy [ID](#)⁴, I. Grabowska-Bold [ID](#)^{84a}, K. Graham [ID](#)³⁴, E. Gramstad [ID](#)¹²⁴,
S. Grancagnolo [ID](#)¹⁸, M. Grandi [ID](#)¹⁴⁵, V. Gratchev^{37,*}, P.M. Gravila [ID](#)^{27f}, F.G. Gravili [ID](#)^{69a,69b},
H.M. Gray [ID](#)^{17a}, M. Greco [ID](#)^{69a,69b}, C. Grefe [ID](#)²⁴, I.M. Gregor [ID](#)⁴⁸, P. Grenier [ID](#)¹⁴², C. Grieco [ID](#)¹³,
A.A. Grillo [ID](#)¹³⁵, K. Grimm [ID](#)^{31,o}, S. Grinstein [ID](#)^{13,v}, J.-F. Grivaz [ID](#)⁶⁶, E. Gross [ID](#)¹⁶⁸,
J. Grosse-Knetter [ID](#)⁵⁵, C. Grud¹⁰⁵, A. Grummer [ID](#)¹¹¹, J.C. Grundy [ID](#)¹²⁵, L. Guan [ID](#)¹⁰⁵,
W. Guan [ID](#)¹⁶⁹, C. Gubbels [ID](#)¹⁶³, J.G.R. Guerrero Rojas [ID](#)¹⁶², G. Guerrieri [ID](#)^{68a,68b},
F. Guescini [ID](#)¹⁰⁹, R. Gugel [ID](#)⁹⁹, J.A.M. Guhit [ID](#)¹⁰⁵, A. Guida [ID](#)⁴⁸, T. Guillemin [ID](#)⁴,
E. Guilloton [ID](#)^{166,133}, S. Guindon [ID](#)³⁶, F. Guo [ID](#)^{14a,14d}, J. Guo [ID](#)^{62c}, L. Guo [ID](#)⁶⁶, Y. Guo [ID](#)¹⁰⁵,
R. Gupta [ID](#)⁴⁸, S. Gurbuz [ID](#)²⁴, S.S. Gurdasani [ID](#)⁵⁴, G. Gustavino [ID](#)³⁶, M. Guth [ID](#)⁵⁶,
P. Gutierrez [ID](#)¹¹⁹, L.F. Gutierrez Zagazeta [ID](#)¹²⁷, C. Gutschow [ID](#)⁹⁵, C. Guyot [ID](#)¹³⁴,
C. Gwenlan [ID](#)¹²⁵, C.B. Gwilliam [ID](#)⁹¹, E.S. Haaland [ID](#)¹²⁴, A. Haas [ID](#)¹¹⁶, M. Habedank [ID](#)⁴⁸,
C. Haber [ID](#)^{17a}, H.K. Hadavand [ID](#)⁸, A. Hadeef [ID](#)⁹⁹, S. Hadzic [ID](#)¹⁰⁹, E.H. Haines [ID](#)⁹⁵, M. Haleem [ID](#)¹⁶⁵,
J. Haley [ID](#)¹²⁰, J.J. Hall [ID](#)¹³⁸, G.D. Hallewell [ID](#)¹⁰¹, L. Halser [ID](#)¹⁹, K. Hamano [ID](#)¹⁶⁴,
H. Hamdaoui [ID](#)^{35e}, M. Hamer [ID](#)²⁴, G.N. Hamity [ID](#)⁵², J. Han [ID](#)^{62b}, K. Han [ID](#)^{62a}, L. Han [ID](#)^{14c},
L. Han [ID](#)^{62a}, S. Han [ID](#)^{17a}, Y.F. Han [ID](#)¹⁵⁴, K. Hanagaki [ID](#)⁸², M. Hance [ID](#)¹³⁵, D.A. Hangal [ID](#)^{41,ab},
H. Hanif [ID](#)¹⁴¹, M.D. Hank [ID](#)³⁹, R. Hankache [ID](#)¹⁰⁰, J.B. Hansen [ID](#)⁴², J.D. Hansen [ID](#)⁴²,
P.H. Hansen [ID](#)⁴², K. Hara [ID](#)¹⁵⁶, D. Harada [ID](#)⁵⁶, T. Harenberg [ID](#)¹⁷⁰, S. Harkusha [ID](#)³⁷,
Y.T. Harris [ID](#)¹²⁵, N.M. Harrison [ID](#)¹¹⁸, P.F. Harrison¹⁶⁶, N.M. Hartman [ID](#)¹⁴², N.M. Hartmann [ID](#)¹⁰⁸,
Y. Hasegawa [ID](#)¹³⁹, A. Hasib [ID](#)⁵², S. Haug [ID](#)¹⁹, R. Hauser [ID](#)¹⁰⁶, M. Havranek [ID](#)¹³¹,
C.M. Hawkes [ID](#)²⁰, R.J. Hawkins [ID](#)³⁶, S. Hayashida [ID](#)¹¹⁰, D. Hayden [ID](#)¹⁰⁶, C. Hayes [ID](#)¹⁰⁵,
R.L. Hayes [ID](#)¹⁶³, C.P. Hays [ID](#)¹²⁵, J.M. Hays [ID](#)⁹³, H.S. Hayward [ID](#)⁹¹, F. He [ID](#)^{62a}, Y. He [ID](#)¹⁵³,
Y. He [ID](#)¹²⁶, M.P. Heath [ID](#)⁵², V. Hedberg [ID](#)⁹⁷, A.L. Heggelund [ID](#)¹²⁴, N.D. Hehir [ID](#)⁹³,
C. Heidegger [ID](#)⁵⁴, K.K. Heidegger [ID](#)⁵⁴, W.D. Heidorn [ID](#)⁸⁰, J. Heilman [ID](#)³⁴, S. Heim [ID](#)⁴⁸,
T. Heim [ID](#)^{17a}, J.G. Heinlein [ID](#)¹²⁷, J.J. Heinrich [ID](#)¹²², L. Heinrich [ID](#)¹⁰⁹, J. Hejbal [ID](#)¹³⁰,
L. Helary [ID](#)⁴⁸, A. Held [ID](#)¹⁶⁹, S. Hellesund [ID](#)¹²⁴, C.M. Helling [ID](#)¹⁶³, S. Hellman [ID](#)^{47a,47b},

C. Helsens^{[136](#)}, R.C.W. Henderson^{[90](#)}, L. Henkelmann^{[132](#)}, A.M. Henriques Correia^{[36](#)}, H. Herde^{[97](#)}, Y. Hernández Jiménez^{[144](#)}, L.M. Herrmann^{[24](#)}, M.G. Herrmann^{[108](#)}, T. Herrmann^{[50](#)}, G. Herten^{[54](#)}, R. Hertenberger^{[108](#)}, L. Hervas^{[36](#)}, N.P. Hessey^{[155a](#)}, H. Hibi^{[83](#)}, E. Higón-Rodríguez^{[162](#)}, S.J. Hillier^{[20](#)}, I. Hinchliffe^{[17a](#)}, F. Hinterkeuser^{[24](#)}, M. Hirose^{[123](#)}, S. Hirose^{[156](#)}, D. Hirschbuehl^{[170](#)}, T.G. Hitchings^{[100](#)}, B. Hiti^{[92](#)}, J. Hobbs^{[144](#)}, R. Hobincu^{[27e](#)}, N. Hod^{[168](#)}, M.C. Hodgkinson^{[138](#)}, B.H. Hodgkinson^{[32](#)}, A. Hoecker^{[36](#)}, J. Hofer^{[48](#)}, D. Hohn^{[54](#)}, T. Holm^{[24](#)}, M. Holzbock^{[109](#)}, L.B.A.H. Hommels^{[32](#)}, B.P. Honan^{[100](#)}, J. Hong^{[62c](#)}, T.M. Hong^{[128](#)}, J.C. Honig^{[54](#)}, A. Hönle^{[109](#)}, B.H. Hooberman^{[161](#)}, W.H. Hopkins^{[6](#)}, Y. Horii^{[110](#)}, S. Hou^{[147](#)}, A.S. Howard^{[92](#)}, J. Howarth^{[59](#)}, J. Hoya^{[6](#)}, M. Hrabovsky^{[121](#)}, A. Hrynevich^{[48](#)}, T. Hryn'ova^{[4](#)}, P.J. Hsu^{[65](#)}, S.-C. Hsu^{[137](#)}, Q. Hu^{[41](#)}, Y.F. Hu^{[14a,14d,ag](#)}, D.P. Huang^{[95](#)}, S. Huang^{[64b](#)}, X. Huang^{[14c](#)}, Y. Huang^{[62a](#)}, Y. Huang^{[14a](#)}, Z. Huang^{[100](#)}, Z. Hubacek^{[131](#)}, M. Huebner^{[24](#)}, F. Huegging^{[24](#)}, T.B. Huffman^{[125](#)}, M. Huhtinen^{[36](#)}, S.K. Huiberts^{[16](#)}, R. Hulsken^{[103](#)}, N. Huseynov^{[12,a](#)}, J. Huston^{[106](#)}, J. Huth^{[61](#)}, R. Hyneman^{[142](#)}, S. Hyrych^{[28a](#)}, G. Iacobucci^{[56](#)}, G. Iakovidis^{[29](#)}, I. Ibragimov^{[140](#)}, L. Iconomidou-Fayard^{[66](#)}, P. Iengo^{[71a,71b](#)}, R. Iguchi^{[152](#)}, T. Iizawa^{[56](#)}, Y. Ikegami^{[82](#)}, A. Ilg^{[19](#)}, N. Ilic^{[154](#)}, H. Imam^{[35a](#)}, T. Ingebrechtsen Carlson^{[47a,47b](#)}, G. Introzzi^{[72a,72b](#)}, M. Iodice^{[76a](#)}, V. Ippolito^{[74a,74b](#)}, M. Ishino^{[152](#)}, W. Islam^{[169](#)}, C. Issever^{[18,48](#)}, S. Istin^{[21a,aj](#)}, H. Ito^{[167](#)}, J.M. Iturbe Ponce^{[64a](#)}, R. Iuppa^{[77a,77b](#)}, A. Ivina^{[168](#)}, J.M. Izen^{[45](#)}, V. Izzo^{[71a](#)}, P. Jacka^{[130,131](#)}, P. Jackson^{[1](#)}, R.M. Jacobs^{[48](#)}, B.P. Jaeger^{[141](#)}, C.S. Jagfeld^{[108](#)}, G. Jäkel^{[170](#)}, K. Jakobs^{[54](#)}, T. Jakoubek^{[168](#)}, J. Jamieson^{[59](#)}, K.W. Janas^{[84a](#)}, G. Jarlskog^{[97](#)}, A.E. Jaspan^{[91](#)}, M. Javurkova^{[102](#)}, F. Jeanneau^{[134](#)}, L. Jeanty^{[122](#)}, J. Jejelava^{[148a,aa](#)}, P. Jenni^{[54,h](#)}, C.E. Jessiman^{[34](#)}, S. Jézéquel^{[4](#)}, J. Jia^{[144](#)}, X. Jia^{[61](#)}, X. Jia^{[14a,14d](#)}, Z. Jia^{[14c](#)}, Y. Jiang^{[62a](#)}, S. Jiggins^{[52](#)}, J. Jimenez Pena^{[109](#)}, S. Jin^{[14c](#)}, A. Jinaru^{[27b](#)}, O. Jinnouchi^{[153](#)}, P. Johansson^{[138](#)}, K.A. Johns^{[7](#)}, D.M. Jones^{[32](#)}, E. Jones^{[166](#)}, P. Jones^{[32](#)}, R.W.L. Jones^{[90](#)}, T.J. Jones^{[91](#)}, R. Joshi^{[118](#)}, J. Jovicevic^{[15](#)}, X. Ju^{[17a](#)}, J.J. Junggeburth^{[36](#)}, A. Juste Rozas^{[13,v](#)}, S. Kabana^{[136e](#)}, A. Kaczmarska^{[85](#)}, M. Kado^{[74a,74b](#)}, H. Kagan^{[118](#)}, M. Kagan^{[142](#)}, A. Kahn^{[41](#)}, A. Kahn^{[127](#)}, C. Kahra^{[99](#)}, T. Kaji^{[167](#)}, E. Kajomovitz^{[149](#)}, N. Kakati^{[168](#)}, C.W. Kalderon^{[29](#)}, A. Kamenshchikov^{[154](#)}, S. Kanayama^{[153](#)}, N.J. Kang^{[135](#)}, Y. Kano^{[110](#)}, D. Kar^{[33g](#)}, K. Karava^{[125](#)}, M.J. Kareem^{[155b](#)}, E. Karentzos^{[54](#)}, I. Karkanias^{[151,f](#)}, S.N. Karpov^{[38](#)}, Z.M. Karpova^{[38](#)}, V. Kartvelishvili^{[90](#)}, A.N. Karyukhin^{[37](#)}, E. Kasimi^{[151,f](#)}, C. Kato^{[62d](#)}, J. Katzy^{[48](#)}, S. Kaur^{[34](#)}, K. Kawade^{[139](#)}, K. Kawagoe^{[88](#)}, T. Kawamoto^{[134](#)}, G. Kawamura^{[55](#)}, E.F. Kay^{[164](#)}, F.I. Kaya^{[157](#)}, S. Kazakos^{[13](#)}, V.F. Kazanin^{[37](#)}, Y. Ke^{[144](#)}, J.M. Keaveney^{[33a](#)}, R. Keeler^{[164](#)}, G.V. Kehris^{[61](#)}, J.S. Keller^{[34](#)}, A.S. Kelly^{[95](#)}, D. Kelsey^{[145](#)}, J.J. Kempster^{[20](#)}, K.E. Kennedy^{[41](#)}, P.D. Kennedy^{[99](#)}, O. Kepka^{[130](#)}, B.P. Kerridge^{[166](#)}, S. Kersten^{[170](#)}, B.P. Kerševan^{[92](#)}, S. Keshri^{[66](#)}, L. Keszeghova^{[28a](#)}, S. Ketabchi Haghighat^{[154](#)}, M. Khandoga^{[126](#)}, A. Khanov^{[120](#)}, A.G. Kharlamov^{[37](#)}, T. Kharlamova^{[37](#)}, E.E. Khoda^{[137](#)}, T.J. Khoo^{[18](#)}, G. Khorauli^{[165](#)}, J. Khubua^{[148b](#)}, Y.A.R. Khwaira^{[66](#)}, M. Kiehn^{[36](#)}, A. Kilgallon^{[122](#)}, D.W. Kim^{[47a,47b](#)}, E. Kim^{[153](#)}, Y.K. Kim^{[39](#)}, N. Kimura^{[95](#)}, A. Kirchhoff^{[55](#)}, D. Kirchmeier^{[50](#)}, C. Kirfel^{[24](#)}, J. Kirk^{[133](#)}, A.E. Kiryunin^{[109](#)}, T. Kishimoto^{[152](#)}, D.P. Kisliuk^{[154](#)}, C. Kitsaki^{[10](#)}, O. Kivernyk^{[24](#)}, M. Klassen^{[63a](#)}, C. Klein^{[34](#)}, L. Klein^{[165](#)}, M.H. Klein^{[105](#)}, M. Klein^{[91](#)}, S.B. Klein^{[56](#)}, U. Klein^{[91](#)}, P. Klimek^{[36](#)}, A. Klimentov^{[29](#)}, F. Klimpel^{[109](#)}, T. Klingl^{[24](#)}, T. Klioutchnikova^{[36](#)}, F.F. Klitzner^{[108](#)},

P. Kluit ¹¹³, S. Kluth ¹⁰⁹, E. Kneringer ⁷⁸, T.M. Knight ¹⁵⁴, A. Knue ⁵⁴, D. Kobayashi ⁸⁸, R. Kobayashi ⁸⁶, M. Kocian ¹⁴², P. Kodyš ¹³², D.M. Koeck ¹⁴⁵, P.T. Koenig ²⁴, T. Koffas ³⁴, M. Kolb ¹³⁴, I. Koletsou ⁴, T. Komarek ¹²¹, K. Köneke ⁵⁴, A.X.Y. Kong ¹, T. Kono ¹¹⁷, N. Konstantinidis ⁹⁵, B. Konya ⁹⁷, R. Kopeliansky ⁶⁷, S. Koperny ^{84a}, K. Korcyl ⁸⁵, K. Kordas ^{151,f}, G. Koren ¹⁵⁰, A. Korn ⁹⁵, S. Korn ⁵⁵, I. Korolkov ¹³, N. Korotkova ³⁷, B. Kortman ¹¹³, O. Kortner ¹⁰⁹, S. Kortner ¹⁰⁹, W.H. Kostecka ¹¹⁴, V.V. Kostyukhin ¹⁴⁰, A. Kotskechagia ¹³⁴, A. Kotwal ⁵¹, A. Koulouris ³⁶, A. Kourkumeli-Charalampidi ^{72a,72b}, C. Kourkumelis ⁹, E. Kourlitis ⁶, O. Kovanda ¹⁴⁵, R. Kowalewski ¹⁶⁴, W. Kozanecki ¹³⁴, A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷, G. Kramberger ⁹², P. Kramer ⁹⁹, M.W. Krasny ¹²⁶, A. Krasznahorkay ³⁶, J.A. Kremer ⁹⁹, T. Kresse ⁵⁰, J. Kretzschmar ⁹¹, K. Kreul ¹⁸, P. Krieger ¹⁵⁴, F. Krieter ¹⁰⁸, S. Krishnamurthy ¹⁰², A. Krishnan ^{63b}, M. Krivos ¹³², K. Krizka ^{17a}, K. Kroeninger ⁴⁹, H. Kroha ¹⁰⁹, J. Kroll ¹³⁰, J. Kroll ¹²⁷, K.S. Krowpman ¹⁰⁶, U. Kruchonak ³⁸, H. Krüger ²⁴, N. Krumnack ⁸⁰, M.C. Kruse ⁵¹, J.A. Krzysiak ⁸⁵, O. Kuchinskaia ³⁷, S. Kuday ^{3a}, D. Kuechler ⁴⁸, J.T. Kuechler ⁴⁸, S. Kuehn ³⁶, T. Kuhl ⁴⁸, V. Kukhtin ³⁸, Y. Kulchitsky ^{37,a}, S. Kuleshov ^{136d,136b}, M. Kumar ^{33g}, N. Kumari ¹⁰¹, A. Kupco ¹³⁰, T. Kupfer ⁴⁹, A. Kupich ³⁷, O. Kuprash ⁵⁴, H. Kurashige ⁸³, L.L. Kurchaninov ^{155a}, Y.A. Kurochkin ³⁷, A. Kurova ³⁷, M. Kuze ¹⁵³, A.K. Kvam ¹⁰², J. Kvita ¹²¹, T. Kwan ¹⁰³, K.W. Kwok ^{64a}, N.G. Kyriacou ¹⁰⁵, L.A.O. Laatu ¹⁰¹, C. Lacasta ¹⁶², F. Lacava ^{74a,74b}, H. Lacker ¹⁸, D. Lacour ¹²⁶, N.N. Lad ⁹⁵, E. Ladygin ³⁸, B. Laforge ¹²⁶, T. Lagouri ^{136e}, S. Lai ⁵⁵, I.K. Lakomic ^{84a}, N. Lalloue ⁶⁰, J.E. Lambert ¹¹⁹, S. Lammers ⁶⁷, W. Lampl ⁷, C. Lampoudis ^{151,f}, A.N. Lancaster ¹¹⁴, E. Lançon ²⁹, U. Landgraf ⁵⁴, M.P.J. Landon ⁹³, V.S. Lang ⁵⁴, R.J. Langenberg ¹⁰², A.J. Lankford ¹⁵⁹, F. Lanni ³⁶, K. Lantzsche ²⁴, A. Lanza ^{72a}, A. Lapertosa ^{57b,57a}, J.F. Laporte ¹³⁴, T. Lari ^{70a}, F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶, V. Latonova ¹³⁰, T.S. Lau ^{64a}, A. Laudrain ⁹⁹, A. Laurier ³⁴, S.D. Lawlor ⁹⁴, Z. Lawrence ¹⁰⁰, M. Lazzaroni ^{70a,70b}, B. Le ¹⁰⁰, B. Leban ⁹², A. Lebedev ⁸⁰, M. LeBlanc ³⁶, T. LeCompte ⁶, F. Ledroit-Guillon ⁶⁰, A.C.A. Lee ⁹⁵, G.R. Lee ¹⁶, L. Lee ⁶¹, S.C. Lee ¹⁴⁷, S. Lee ^{47a,47b}, T.F. Lee ⁹¹, L.L. Leeuw ^{33c}, H.P. Lefebvre ⁹⁴, M. Lefebvre ¹⁶⁴, C. Leggett ^{17a}, K. Lehmann ¹⁴¹, G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶, W.A. Leight ¹⁰², A. Leisos ^{151,u}, M.A.L. Leite ^{81c}, C.E. Leitgeb ⁴⁸, R. Leitner ¹³², K.J.C. Leney ⁴⁴, T. Lenz ²⁴, S. Leone ^{73a}, C. Leonidopoulos ⁵², A. Leopold ¹⁴³, C. Leroy ¹⁰⁷, R. Les ¹⁰⁶, C.G. Lester ³², M. Levchenko ³⁷, J. Levêque ⁴, D. Levin ¹⁰⁵, L.J. Levinson ¹⁶⁸, M.P. Lewicki ⁸⁵, D.J. Lewis ⁴, A. Li ⁵, B. Li ^{14b}, B. Li ^{62b}, C. Li ^{62a}, C-Q. Li ^{62c}, H. Li ^{62a}, H. Li ^{62b}, H. Li ^{14c}, H. Li ^{62b}, J. Li ^{62c}, K. Li ¹³⁷, L. Li ^{62c}, M. Li ^{14a,14d}, Q.Y. Li ^{62a}, S. Li ^{14a,14d}, S. Li ^{62d,62c,e}, T. Li ^{62b}, X. Li ¹⁰³, Z. Li ^{62b}, Z. Li ¹²⁵, Z. Li ¹⁰³, Z. Li ⁹¹, Z. Li ^{14a,14d}, Z. Liang ^{14a}, M. Liberatore ⁴⁸, B. Liberti ^{75a}, K. Lie ^{64c}, J. Lieber Marin ^{81b}, K. Lin ¹⁰⁶, R.A. Linck ⁶⁷, R.E. Lindley ⁷, J.H. Lindon ², A. Linss ⁴⁸, E. Lipeles ¹²⁷, A. Lipniacka ¹⁶, A. Lister ¹⁶³, J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴¹, D. Liu ^{62d,62c}, J.B. Liu ^{62a}, J.K.K. Liu ³², K. Liu ^{62d,62c}, M. Liu ^{62a}, M.Y. Liu ^{62a}, P. Liu ^{14a}, Q. Liu ^{62d,137,62c}, X. Liu ^{62a}, Y. Liu ⁴⁸, Y. Liu ^{14c,14d}, Y.L. Liu ¹⁰⁵, Y.W. Liu ^{62a}, M. Livan ^{72a,72b}, J. Llorente Merino ¹⁴¹, S.L. Lloyd ⁹³, E.M. Lobodzinska ⁴⁸, P. Loch ⁷, S. Loffredo ^{75a,75b}, T. Lohse ¹⁸, K. Lohwasser ¹³⁸, M. Lokajicek ¹³⁰, J.D. Long ¹⁶¹, I. Longarini ^{74a,74b}, L. Longo ^{69a,69b}, R. Longo ¹⁶¹, I. Lopez Paz ³⁶, A. Lopez Solis ⁴⁸,

J. Lorenz ¹⁰⁸, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁸, A. Lösle ⁵⁴, X. Lou ^{47a,47b},
X. Lou ^{14a,14d}, A. Lounis ⁶⁶, J. Love ⁶, P.A. Love ⁹⁰, J.J. Lozano Bahilo ¹⁶², G. Lu ^{14a,14d},
M. Lu ⁷⁹, S. Lu ¹²⁷, Y.J. Lu ⁶⁵, H.J. Lubatti ¹³⁷, C. Luci ^{74a,74b}, F.L. Lucio Alves ^{14c},
A. Lucotte ⁶⁰, F. Luehring ⁶⁷, I. Luise ¹⁴⁴, O. Lukianchuk ⁶⁶, O. Lundberg ¹⁴³,
B. Lund-Jensen ¹⁴³, N.A. Luongo ¹²², M.S. Lutz ¹⁵⁰, D. Lynn ²⁹, H. Lyons ⁹¹, R. Lysak ¹³⁰,
E. Lytken ⁹⁷, F. Lyu ^{14a}, V. Lyubushkin ³⁸, T. Lyubushkina ³⁸, H. Ma ²⁹, L.L. Ma ^{62b},
Y. Ma ⁹⁵, D.M. Mac Donell ¹⁶⁴, G. Maccarrone ⁵³, J.C. MacDonald ¹³⁸, R. Madar ⁴⁰,
W.F. Mader ⁵⁰, J. Maeda ⁸³, T. Maeno ²⁹, M. Maerker ⁵⁰, V. Magerl ⁵⁴, H. Maguire ¹³⁸,
D.J. Mahon ⁴¹, C. Maidantchik ^{81b}, A. Maio ^{129a,129b,129d}, K. Maj ^{84a}, O. Majersky ^{28a},
S. Majewski ¹²², N. Makovec ⁶⁶, V. Maksimovic ¹⁵, B. Malaescu ¹²⁶, Pa. Malecki ⁸⁵,
V.P. Maleev ³⁷, F. Malek ⁶⁰, D. Malito ^{43b,43a}, U. Mallik ⁷⁹, C. Malone ³², S. Maltezos ¹⁰,
S. Malyukov ³⁸, J. Mamuzic ¹³, G. Mancini ⁵³, G. Manco ^{72a,72b}, J.P. Mandalia ⁹³,
I. Mandić ⁹², L. Manhaes de Andrade Filho ^{81a}, I.M. Maniatis ^{151,f}, M. Manisha ¹³⁴,
J. Manjarres Ramos ⁵⁰, D.C. Mankad ¹⁶⁸, A. Mann ¹⁰⁸, B. Mansoulie ¹³⁴, S. Manzoni ³⁶,
A. Marantis ¹⁵¹, G. Marchiori ⁵, M. Marcisovsky ¹³⁰, L. Marcoccia ^{75a,75b}, C. Marcon ^{70a,70b},
M. Marinescu ²⁰, M. Marjanovic ¹¹⁹, E.J. Marshall ⁹⁰, Z. Marshall ^{17a}, S. Marti-Garcia ¹⁶²,
T.A. Martin ¹⁶⁶, V.J. Martin ⁵², B. Martin dit Latour ¹⁶, L. Martinelli ^{74a,74b},
M. Martinez ^{13,v}, P. Martinez Agullo ¹⁶², V.I. Martinez Outschoorn ¹⁰², P. Martinez Suarez ¹³,
S. Martin-Haugh ¹³³, V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁵, A. Marzin ³⁶, S.R. Maschek ¹⁰⁹,
L. Masetti ⁹⁹, T. Mashimo ¹⁵², J. Masik ¹⁰⁰, A.L. Maslennikov ³⁷, L. Massa ^{23b},
P. Massarotti ^{71a,71b}, P. Mastrandrea ^{73a,73b}, A. Mastroberardino ^{43b,43a}, T. Masubuchi ¹⁵²,
T. Mathisen ¹⁶⁰, N. Matsuzawa ¹⁵², J. Maurer ^{27b}, B. Maček ⁹², D.A. Maximov ³⁷,
R. Mazini ¹⁴⁷, I. Maznas ^{151,f}, M. Mazza ¹⁰⁶, S.M. Mazza ¹³⁵, C. Mc Ginn ^{29,ah},
J.P. Mc Gowan ¹⁰³, S.P. Mc Kee ¹⁰⁵, W.P. McCormack ^{17a}, E.F. McDonald ¹⁰⁴,
A.E. McDougall ¹¹³, J.A. Mcfayden ¹⁴⁵, G. Mchedlidze ^{148b}, R.P. McKenzie ^{33g},
T.C. McLachlan ⁴⁸, D.J. McLaughlin ⁹⁵, K.D. McLean ¹⁶⁴, S.J. McMahon ¹³³,
P.C. McNamara ¹⁰⁴, C.M. Mcpartland ⁹¹, R.A. McPherson ^{164,x}, T. Megy ⁴⁰,
S. Mehlhase ¹⁰⁸, A. Mehta ⁹¹, B. Meirose ⁴⁵, D. Melini ¹⁴⁹, B.R. Mellado Garcia ^{33g},
A.H. Melo ⁵⁵, F. Meloni ⁴⁸, E.D. Mendes Gouveia ^{129a}, A.M. Mendes Jacques Da Costa ²⁰,
H.Y. Meng ¹⁵⁴, L. Meng ⁹⁰, S. Menke ¹⁰⁹, M. Mentink ³⁶, E. Meoni ^{43b,43a},
C. Merlassino ¹²⁵, L. Merola ^{71a,71b}, C. Meroni ^{70a}, G. Merz ¹⁰⁵, O. Meshkov ³⁷,
J.K.R. Meshreki ¹⁴⁰, J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁷, J-P. Meyer ¹³⁴,
M. Michetti ¹⁸, R.P. Middleton ¹³³, L. Mijović ⁵², G. Mikenberg ¹⁶⁸, M. Mikestikova ¹³⁰,
M. Mikuš ⁹², H. Mildner ¹³⁸, A. Milic ³⁶, C.D. Milke ⁴⁴, D.W. Miller ³⁹, L.S. Miller ³⁴,
A. Milov ¹⁶⁸, D.A. Milstead ^{47a,47b}, T. Min ^{14c}, A.A. Minaenko ³⁷, I.A. Minashvili ^{148b},
L. Mince ⁵⁹, A.I. Mincer ¹¹⁶, B. Mindur ^{84a}, M. Mineev ³⁸, Y. Mino ⁸⁶, L.M. Mir ¹³,
M. Miralles Lopez ¹⁶², M. Mironova ¹²⁵, M.C. Missio ¹¹², T. Mitani ¹⁶⁷, A. Mitra ¹⁶⁶,
V.A. Mitsou ¹⁶², O. Miu ¹⁵⁴, P.S. Miyagawa ⁹³, Y. Miyazaki ⁸⁸, A. Mizukami ⁸²,
J.U. Mjörnmark ⁹⁷, T. Mkrtchyan ^{63a}, T. Mlinarevic ⁹⁵, M. Mlynarikova ³⁶, T. Moa ^{47a,47b},
S. Mobius ⁵⁵, K. Mochizuki ¹⁰⁷, P. Moder ⁴⁸, P. Mogg ¹⁰⁸, A.F. Mohammed ^{14a,14d},
S. Mohapatra ⁴¹, G. Mokgatitswane ^{33g}, B. Mondal ¹⁴⁰, S. Mondal ¹³¹, K. Mönig ⁴⁸,
E. Monnier ¹⁰¹, L. Monsonis Romero ¹⁶², J. Montejo Berlingen ³⁶, M. Montella ¹¹⁸,
F. Monticelli ⁸⁹, N. Morange ⁶⁶, A.L. Moreira De Carvalho ^{129a}, M. Moreno Llácer ¹⁶²,

C. Moreno Martinez ^{[156](#)}, P. Morettini ^{[157b](#)}, S. Morgenstern ^{[166](#)}, M. Morii ^{[61](#)}, M. Morinaga ^{[152](#)}, A.K. Morley ^{[36](#)}, F. Morodei ^{[74a,74b](#)}, L. Morvaj ^{[36](#)}, P. Moschovakos ^{[36](#)}, B. Moser ^{[36](#)}, M. Mosidze ^{[148b](#)}, T. Moskalets ^{[54](#)}, P. Moskvitina ^{[112](#)}, J. Moss ^{[31,p](#)}, E.J.W. Moyses ^{[102](#)}, O. Mtintsilana ^{[33g](#)}, S. Muanza ^{[101](#)}, J. Mueller ^{[128](#)}, D. Muenstermann ^{[90](#)}, R. Müller ^{[19](#)}, G.A. Mullier ^{[160](#)}, J.J. Mullin ^{[127](#)}, D.P. Mungo ^{[154](#)}, J.L. Munoz Martinez ^{[13](#)}, D. Munoz Perez ^{[162](#)}, F.J. Munoz Sanchez ^{[100](#)}, M. Murin ^{[100](#)}, W.J. Murray ^{[166,133](#)}, A. Murrone ^{[70a,70b](#)}, J.M. Muse ^{[119](#)}, M. Muškinja ^{[17a](#)}, C. Mwewa ^{[29](#)}, A.G. Myagkov ^{[37,a](#)}, A.J. Myers ^{[8](#)}, A.A. Myers ^{[128](#)}, G. Myers ^{[67](#)}, M. Myska ^{[131](#)}, B.P. Nachman ^{[17a](#)}, O. Nackenhorst ^{[49](#)}, A. Nag ^{[50](#)}, K. Nagai ^{[125](#)}, K. Nagano ^{[82](#)}, J.L. Nagle ^{[29,ah](#)}, E. Nagy ^{[101](#)}, A.M. Nairz ^{[36](#)}, Y. Nakahama ^{[82](#)}, K. Nakamura ^{[82](#)}, H. Nanjo ^{[123](#)}, R. Narayan ^{[44](#)}, E.A. Narayanan ^{[111](#)}, I. Naryshkin ^{[37](#)}, M. Naseri ^{[34](#)}, C. Nass ^{[24](#)}, G. Navarro ^{[22a](#)}, J. Navarro-Gonzalez ^{[162](#)}, R. Nayak ^{[150](#)}, A. Nayaz ^{[18](#)}, P.Y. Nechaeva ^{[37](#)}, F. Nechansky ^{[48](#)}, L. Nedic ^{[125](#)}, T.J. Neep ^{[20](#)}, A. Negri ^{[72a,72b](#)}, M. Negrini ^{[23b](#)}, C. Nellist ^{[112](#)}, C. Nelson ^{[103](#)}, K. Nelson ^{[105](#)}, S. Nemecek ^{[130](#)}, M. Nessi ^{[36,i](#)}, M.S. Neubauer ^{[161](#)}, F. Neuhaus ^{[99](#)}, J. Neundorff ^{[48](#)}, R. Newhouse ^{[163](#)}, P.R. Newman ^{[20](#)}, C.W. Ng ^{[128](#)}, Y.S. Ng ^{[18](#)}, Y.W.Y. Ng ^{[48](#)}, B. Ngair ^{[35e](#)}, H.D.N. Nguyen ^{[107](#)}, R.B. Nickerson ^{[125](#)}, R. Nicolaidou ^{[134](#)}, J. Nielsen ^{[135](#)}, M. Niemeyer ^{[55](#)}, N. Nikiforou ^{[36](#)}, V. Nikolaenko ^{[37,a](#)}, I. Nikolic-Audit ^{[126](#)}, K. Nikolopoulos ^{[20](#)}, P. Nilsson ^{[29](#)}, H.R. Nindhito ^{[56](#)}, A. Nisati ^{[74a](#)}, N. Nishu ^{[2](#)}, R. Nisius ^{[109](#)}, J-E. Nitschke ^{[50](#)}, E.K. Nkadimeng ^{[33g](#)}, S.J. Noacco Rosende ^{[89](#)}, T. Nobe ^{[152](#)}, D.L. Noel ^{[32](#)}, Y. Noguchi ^{[86](#)}, T. Nommensen ^{[146](#)}, M.A. Nomura ^{[29](#)}, M.B. Norfolk ^{[138](#)}, R.R.B. Norisam ^{[95](#)}, B.J. Norman ^{[34](#)}, J. Novak ^{[92](#)}, T. Novak ^{[48](#)}, O. Novgorodova ^{[50](#)}, L. Novotny ^{[131](#)}, R. Novotny ^{[111](#)}, L. Nozka ^{[121](#)}, K. Ntekas ^{[159](#)}, N.M.J. Nunes De Moura Junior ^{[81b](#)}, E. Nurse ^{[95](#)}, F.G. Oakham ^{[34,ae](#)}, J. Ocariz ^{[126](#)}, A. Ochi ^{[83](#)}, I. Ochoa ^{[129a](#)}, S. Oerdek ^{[160](#)}, A. Ogrodnik ^{[84a](#)}, A. Oh ^{[100](#)}, C.C. Ohm ^{[143](#)}, H. Oide ^{[82](#)}, R. Oishi ^{[152](#)}, M.L. Ojeda ^{[48](#)}, Y. Okazaki ^{[86](#)}, M.W. O’Keefe ^{[91](#)}, Y. Okumura ^{[152](#)}, A. Olariu ^{[27b](#)}, L.F. Oleiro Seabra ^{[129a](#)}, S.A. Olivares Pino ^{[136e](#)}, D. Oliveira Damazio ^{[29](#)}, D. Oliveira Goncalves ^{[81a](#)}, J.L. Oliver ^{[159](#)}, M.J.R. Olsson ^{[159](#)}, A. Olszewski ^{[85](#)}, J. Olszowska ^{[85,*](#)}, Ö.O. Öncel ^{[54](#)}, D.C. O’Neil ^{[141](#)}, A.P. O’Neill ^{[19](#)}, A. Onofre ^{[129a,129e](#)}, P.U.E. Onyisi ^{[11](#)}, M.J. Oreglia ^{[39](#)}, G.E. Orellana ^{[89](#)}, D. Orestano ^{[76a,76b](#)}, N. Orlando ^{[13](#)}, R.S. Orr ^{[154](#)}, V. O’Shea ^{[59](#)}, R. Ospanov ^{[62a](#)}, G. Otero y Garzon ^{[30](#)}, H. Otono ^{[88](#)}, P.S. Ott ^{[63a](#)}, G.J. Ottino ^{[17a](#)}, M. Ouchrif ^{[35d](#)}, J. Ouellette ^{[29,ah](#)}, F. Ould-Saada ^{[124](#)}, M. Owen ^{[59](#)}, R.E. Owen ^{[133](#)}, K.Y. Oyulmaz ^{[21a](#)}, V.E. Ozcan ^{[21a](#)}, N. Ozturk ^{[8](#)}, S. Ozturk ^{[21d](#)}, J. Pacalt ^{[121](#)}, H.A. Pacey ^{[32](#)}, K. Pachal ^{[51](#)}, A. Pacheco Pages ^{[13](#)}, C. Padilla Aranda ^{[13](#)}, G. Padovano ^{[74a,74b](#)}, S. Pagan Griso ^{[17a](#)}, G. Palacino ^{[67](#)}, A. Palazzo ^{[69a,69b](#)}, S. Palestini ^{[36](#)}, M. Palka ^{[84b](#)}, J. Pan ^{[171](#)}, T. Pan ^{[64a](#)}, D.K. Panchal ^{[11](#)}, C.E. Pandini ^{[113](#)}, J.G. Panduro Vazquez ^{[94](#)}, H. Pang ^{[14b](#)}, P. Pani ^{[48](#)}, G. Panizzo ^{[68a,68c](#)}, L. Paolozzi ^{[56](#)}, C. Papadatos ^{[107](#)}, S. Parajuli ^{[44](#)}, A. Paramonov ^{[6](#)}, C. Paraskevopoulos ^{[10](#)}, D. Paredes Hernandez ^{[64b](#)}, T.H. Park ^{[154](#)}, M.A. Parker ^{[32](#)}, F. Parodi ^{[57b,57a](#)}, E.W. Parrish ^{[114](#)}, V.A. Parrish ^{[52](#)}, J.A. Parsons ^{[41](#)}, U. Parzefall ^{[54](#)}, B. Pascual Dias ^{[107](#)}, L. Pascual Dominguez ^{[150](#)}, V.R. Pascuzzi ^{[17a](#)}, F. Pasquali ^{[113](#)}, E. Pasqualucci ^{[74a](#)}, S. Passaggio ^{[57b](#)}, F. Pastore ^{[94](#)}, P. Pasuwan ^{[47a,47b](#)}, P. Patel ^{[85](#)}, J.R. Pater ^{[100](#)}, T. Pauly ^{[36](#)}, J. Pearkes ^{[142](#)}, M. Pedersen ^{[124](#)}, R. Pedro ^{[129a](#)}, S.V. Peleganchuk ^{[37](#)}, O. Penc ^{[36](#)}, E.A. Pender ^{[52](#)}, C. Peng ^{[64b](#)}, H. Peng ^{[62a](#)}, K.E. Penski ^{[108](#)}, M. Penzin ^{[37](#)}, B.S. Peralva ^{[81d,81d](#)}, A.P. Pereira Peixoto ^{[60](#)}, L. Pereira Sanchez ^{[47a,47b](#)},

D.V. Perepelitsa ^{29,ah}, E. Perez Codina ^{155a}, M. Perganti ¹⁰, L. Perini ^{70a,70b,*},
H. Pernegger ³⁶, S. Perrella ³⁶, A. Perrevoort ¹¹², O. Perrin ⁴⁰, K. Peters ⁴⁸,
R.F.Y. Peters ¹⁰⁰, B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ¹⁰¹, V. Petousis ¹³¹,
C. Petridou ^{151,f}, A. Petrukhin ¹⁴⁰, M. Pettee ^{17a}, N.E. Pettersson ³⁶, A. Petukhov ³⁷,
K. Petukhova ¹³², A. Peyaud ¹³⁴, R. Pezoa ^{136f}, L. Pezzotti ³⁶, G. Pezzullo ¹⁷¹,
T.M. Pham ¹⁶⁹, T. Pham ¹⁰⁴, P.W. Phillips ¹³³, M.W. Phipps ¹⁶¹, G. Piacquadio ¹⁴⁴,
E. Pianori ^{17a}, F. Piazza ^{70a,70b}, R. Piegaia ³⁰, D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰⁰,
M. Pinamonti ^{68a,68c}, J.L. Pinfold ², B.C. Pinheiro Pereira ^{129a}, C. Pitman Donaldson ⁹⁵,
D.A. Pizzi ³⁴, L. Pizzimento ^{75a,75b}, A. Pizzini ¹¹³, M.-A. Pleier ²⁹, V. Plesanovs ⁵⁴,
V. Pleskot ¹³², E. Plotnikova ³⁸, G. Poddar ⁴, R. Poettgen ⁹⁷, L. Poggioli ¹²⁶,
I. Pogrebnyak ¹⁰⁶, D. Pohl ²⁴, I. Pokharel ⁵⁵, S. Polacek ¹³², G. Polesello ^{72a},
A. Poley ^{141,155a}, R. Polifka ¹³¹, A. Polini ^{23b}, C.S. Pollard ¹²⁵, Z.B. Pollock ¹¹⁸,
V. Polychronakos ²⁹, E. Pompa Pacchi ^{74a,74b}, D. Ponomarenko ³⁷, L. Pontecorvo ³⁶,
S. Popa ^{27a}, G.A. Popeneciu ^{27d}, D.M. Portillo Quintero ^{155a}, S. Pospisil ¹³¹,
P. Postolache ^{27c}, K. Potamianos ¹²⁵, I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹,
T. Poulsen ⁴⁸, J. Poveda ¹⁶², M.E. Pozo Astigarraga ³⁶, A. Prades Ibanez ¹⁶²,
M.M. Prapa ⁴⁶, J. Pretel ⁵⁴, D. Price ¹⁰⁰, M. Primavera ^{69a}, M.A. Principe Martin ⁹⁸,
R. Privara ¹²¹, M.L. Proffitt ¹³⁷, N. Proklova ¹²⁷, K. Prokofiev ^{64c}, G. Proto ^{75a,75b},
S. Protopopescu ²⁹, J. Proudfoot ⁶, M. Przybycien ^{84a}, J.E. Puddefoot ¹³⁸, D. Pudzha ³⁷,
P. Puzo ⁶⁶, D. Pyatiizbyantseva ³⁷, J. Qian ¹⁰⁵, D. Qichen ¹⁰⁰, Y. Qin ¹⁰⁰, T. Qiu ⁹³,
A. Quadt ⁵⁵, M. Queitsch-Maitland ¹⁰⁰, G. Quetant ⁵⁶, G. Rabanal Bolanos ⁶¹,
D. Rafanoharana ⁵⁴, F. Ragusa ^{70a,70b}, J.L. Rainbolt ³⁹, J.A. Raine ⁵⁶, S. Rajagopalan ²⁹,
E. Ramakoti ³⁷, K. Ran ^{48,14d}, N.P. Rapheeha ^{33g}, V. Raskina ¹²⁶, D.F. Rassloff ^{63a},
S. Rave ⁹⁹, B. Ravina ⁵⁵, I. Ravinovich ¹⁶⁸, M. Raymond ³⁶, A.L. Read ¹²⁴,
N.P. Radioff ¹³⁸, D.M. Rebuzzi ^{72a,72b}, G. Redlinger ²⁹, K. Reeves ⁴⁵, J.A. Reidelsturz ¹⁷⁰,
D. Reikher ¹⁵⁰, A. Reiss ⁹⁹, A. Rej ¹⁴⁰, C. Rembser ³⁶, A. Renardi ⁴⁸, M. Renda ^{27b},
M.B. Rendel ¹⁰⁹, F. Renner ⁴⁸, A.G. Rennie ⁵⁹, S. Resconi ^{70a}, M. Ressegotti ^{57b,57a},
E.D. Resseguie ^{17a}, S. Rettie ³⁶, J.G. Reyes Rivera ¹⁰⁶, B. Reynolds ¹¹⁸, E. Reynolds ^{17a},
M. Rezaei Estabragh ¹⁷⁰, O.L. Rezanova ³⁷, P. Reznicek ¹³², E. Ricci ^{77a,77b}, R. Richter ¹⁰⁹,
S. Richter ^{47a,47b}, E. Richter-Was ^{84b}, M. Ridel ¹²⁶, P. Rieck ¹¹⁶, P. Riedler ³⁶,
M. Rijssenbeek ¹⁴⁴, A. Rimoldi ^{72a,72b}, M. Rimoldi ⁴⁸, L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹,
M.P. Rinnagel ¹⁰⁸, G. Ripellino ¹⁴³, I. Riu ¹³, P. Rivadeneira ⁴⁸, J.C. Rivera Vergara ¹⁶⁴,
F. Rizatdinova ¹²⁰, E. Rizvi ⁹³, C. Rizzi ⁵⁶, B.A. Roberts ¹⁶⁶, B.R. Roberts ^{17a},
S.H. Robertson ^{103,x}, M. Robin ⁴⁸, D. Robinson ³², C.M. Robles Gajardo ^{136f},
M. Robles Manzano ⁹⁹, A. Robson ⁵⁹, A. Rocchi ^{75a,75b}, C. Roda ^{73a,73b},
S. Rodriguez Bosca ^{63a}, Y. Rodriguez Garcia ^{22a}, A. Rodriguez Rodriguez ⁵⁴,
A.M. Rodríguez Vera ^{155b}, S. Roe ³⁶, J.T. Roemer ¹⁵⁹, A.R. Roepe-Gier ¹¹⁹, J. Roggel ¹⁷⁰,
O. Røhne ¹²⁴, R.A. Rojas ¹⁶⁴, B. Roland ⁵⁴, C.P.A. Roland ⁶⁷, J. Roloff ²⁹,
A. Romaniouk ³⁷, E. Romano ^{72a,72b}, M. Romano ^{23b}, A.C. Romero Hernandez ¹⁶¹,
N. Rompotis ⁹¹, L. Roos ¹²⁶, S. Rosati ^{74a}, B.J. Rosser ³⁹, E. Rossi ⁴, E. Rossi ^{71a,71b},
L.P. Rossi ^{57b}, L. Rossini ⁴⁸, R. Rosten ¹¹⁸, M. Rotaru ^{27b}, B. Rottler ⁵⁴, D. Rousseau ⁶⁶,
D. Rouso ³², G. Rovelli ^{72a,72b}, A. Roy ¹⁶¹, A. Rozanov ¹⁰¹, Y. Rozen ¹⁴⁹, X. Ruan ^{33g},
A. Rubio Jimenez ¹⁶², A.J. Ruby ⁹¹, V.H. Ruelas Rivera ¹⁸, T.A. Ruggeri ¹, F. Rühr ⁵⁴,

A. Ruiz-Martinez [ID](#)¹⁶², A. Rummeler [ID](#)³⁶, Z. Rurikova [ID](#)⁵⁴, N.A. Rusakovich [ID](#)³⁸, H.L. Russell [ID](#)¹⁶⁴,
 J.P. Rutherford [ID](#)⁷, K. Rybacki⁹⁰, M. Rybar [ID](#)¹³², E.B. Rye [ID](#)¹²⁴, A. Ryzhov [ID](#)³⁷,
 J.A. Sabater Iglesias [ID](#)⁵⁶, P. Sabatini [ID](#)¹⁶², L. Sabetta [ID](#)^{74a,74b}, H.F.W. Sadrozinski [ID](#)¹³⁵,
 F. Safai Tehrani [ID](#)^{74a}, B. Safarzadeh Samani [ID](#)¹⁴⁵, M. Safdari [ID](#)¹⁴², S. Saha [ID](#)¹⁰³, M. Sahinsoy [ID](#)¹⁰⁹,
 M. Saimpert [ID](#)¹³⁴, M. Saito [ID](#)¹⁵², T. Saito [ID](#)¹⁵², D. Salamani [ID](#)³⁶, G. Salamanna [ID](#)^{76a,76b},
 A. Salnikov [ID](#)¹⁴², J. Salt [ID](#)¹⁶², A. Salvador Salas [ID](#)¹³, D. Salvatore [ID](#)^{43b,43a}, F. Salvatore [ID](#)¹⁴⁵,
 A. Salzburger [ID](#)³⁶, D. Sammel [ID](#)⁵⁴, D. Sampsonidis [ID](#)^{151,f}, D. Sampsonidou [ID](#)^{62d,62c},
 J. Sánchez [ID](#)¹⁶², A. Sanchez Pineda [ID](#)⁴, V. Sanchez Sebastian [ID](#)¹⁶², H. Sandaker [ID](#)¹²⁴,
 C.O. Sander [ID](#)⁴⁸, J.A. Sandesara [ID](#)¹⁰², M. Sandhoff [ID](#)¹⁷⁰, C. Sandoval [ID](#)^{22b}, D.P.C. Sankey [ID](#)¹³³,
 A. Sansoni [ID](#)⁵³, L. Santi [ID](#)^{74a,74b}, C. Santoni [ID](#)⁴⁰, H. Santos [ID](#)^{129a,129b}, S.N. Santpur [ID](#)^{17a},
 A. Santra [ID](#)¹⁶⁸, K.A. Saoucha [ID](#)¹³⁸, J.G. Saraiva [ID](#)^{129a,129d}, J. Sardain [ID](#)⁷, O. Sasaki [ID](#)⁸²,
 K. Sato [ID](#)¹⁵⁶, C. Sauer^{63b}, F. Sauerburger [ID](#)⁵⁴, E. Sauvan [ID](#)⁴, P. Savard [ID](#)^{154,ae}, R. Sawada [ID](#)¹⁵²,
 C. Sawyer [ID](#)¹³³, L. Sawyer [ID](#)⁹⁶, I. Sayago Galvan¹⁶², C. Sbarra [ID](#)^{23b}, A. Sbrizzi [ID](#)^{23b,23a},
 T. Scanlon [ID](#)⁹⁵, J. Schaarschmidt [ID](#)¹³⁷, P. Schacht [ID](#)¹⁰⁹, D. Schaefer [ID](#)³⁹, U. Schäfer [ID](#)⁹⁹,
 A.C. Schaffer [ID](#)⁶⁶, D. Schaile [ID](#)¹⁰⁸, R.D. Schamberger [ID](#)¹⁴⁴, E. Schanet [ID](#)¹⁰⁸, C. Scharf [ID](#)¹⁸,
 M.M. Schefer [ID](#)¹⁹, V.A. Schegelsky [ID](#)³⁷, D. Scheirich [ID](#)¹³², F. Schenck [ID](#)¹⁸, M. Schernau [ID](#)¹⁵⁹,
 C. Scheulen [ID](#)⁵⁵, C. Schiavi [ID](#)^{57b,57a}, Z.M. Schillaci [ID](#)²⁶, E.J. Schioppa [ID](#)^{69a,69b},
 M. Schioppa [ID](#)^{43b,43a}, B. Schlag [ID](#)⁹⁹, K.E. Schleicher [ID](#)⁵⁴, S. Schlenker [ID](#)³⁶, J. Schmeing [ID](#)¹⁷⁰,
 M.A. Schmidt [ID](#)¹⁷⁰, K. Schmieden [ID](#)⁹⁹, C. Schmitt [ID](#)⁹⁹, S. Schmitt [ID](#)⁴⁸, L. Schoeffel [ID](#)¹³⁴,
 A. Schoening [ID](#)^{63b}, P.G. Scholer [ID](#)⁵⁴, E. Schopf [ID](#)¹²⁵, M. Schott [ID](#)⁹⁹, J. Schovancova [ID](#)³⁶,
 S. Schramm [ID](#)⁵⁶, F. Schroeder [ID](#)¹⁷⁰, H-C. Schultz-Coulon [ID](#)^{63a}, M. Schumacher [ID](#)⁵⁴,
 B.A. Schumm [ID](#)¹³⁵, Ph. Schune [ID](#)¹³⁴, A. Schwartzman [ID](#)¹⁴², T.A. Schwarz [ID](#)¹⁰⁵,
 Ph. Schwemling [ID](#)¹³⁴, R. Schwienhorst [ID](#)¹⁰⁶, A. Sciandra [ID](#)¹³⁵, G. Sciolla [ID](#)²⁶, F. Scuri [ID](#)^{73a},
 F. Scutti¹⁰⁴, C.D. Sebastiani [ID](#)⁹¹, K. Sedlaczek [ID](#)⁴⁹, P. Seema [ID](#)¹⁸, S.C. Seidel [ID](#)¹¹¹, A. Seiden [ID](#)¹³⁵,
 B.D. Seidlitz [ID](#)⁴¹, T. Seiss [ID](#)³⁹, C. Seitz [ID](#)⁴⁸, J.M. Seixas [ID](#)^{81b}, G. Sekhniaidze [ID](#)^{71a}, S.J. Sekula [ID](#)⁴⁴,
 L. Selem [ID](#)⁴, N. Semprini-Cesari [ID](#)^{23b,23a}, S. Sen [ID](#)⁵¹, D. Sengupta [ID](#)⁵⁶, V. Senthilkumar [ID](#)¹⁶²,
 L. Serin [ID](#)⁶⁶, L. Serkin [ID](#)^{68a,68b}, M. Sessa [ID](#)^{76a,76b}, H. Severini [ID](#)¹¹⁹, S. Sevova [ID](#)¹⁴²,
 F. Sforza [ID](#)^{57b,57a}, A. Sfyrila [ID](#)⁵⁶, E. Shabalina [ID](#)⁵⁵, R. Shaheen [ID](#)¹⁴³, J.D. Shahinian [ID](#)¹²⁷,
 D. Shaked Renous [ID](#)¹⁶⁸, L.Y. Shan [ID](#)^{14a}, M. Shapiro [ID](#)^{17a}, A. Sharma [ID](#)³⁶, A.S. Sharma [ID](#)¹⁶³,
 P. Sharma [ID](#)⁷⁹, S. Sharma [ID](#)⁴⁸, P.B. Shatalov [ID](#)³⁷, K. Shaw [ID](#)¹⁴⁵, S.M. Shaw [ID](#)¹⁰⁰, Q. Shen [ID](#)^{62c,5},
 P. Sherwood [ID](#)⁹⁵, L. Shi [ID](#)⁹⁵, C.O. Shimmin [ID](#)¹⁷¹, Y. Shimogama [ID](#)¹⁶⁷, J.D. Shinner [ID](#)⁹⁴,
 I.P.J. Shipsey [ID](#)¹²⁵, S. Shirabe [ID](#)⁶⁰, M. Shiyakova [ID](#)³⁸, J. Shlomi [ID](#)¹⁶⁸, M.J. Shochet [ID](#)³⁹,
 J. Shojaii [ID](#)¹⁰⁴, D.R. Shope [ID](#)¹²⁴, S. Shrestha [ID](#)^{118,ai}, E.M. Shrif [ID](#)^{33g}, M.J. Shroff [ID](#)¹⁶⁴,
 P. Sicho [ID](#)¹³⁰, A.M. Sickles [ID](#)¹⁶¹, E. Sideras Haddad [ID](#)^{33g}, A. Sidoti [ID](#)^{23b}, F. Siegert [ID](#)⁵⁰,
 Dj. Sijacki [ID](#)¹⁵, R. Sikora [ID](#)^{84a}, F. Sili [ID](#)⁸⁹, J.M. Silva [ID](#)²⁰, M.V. Silva Oliveira [ID](#)³⁶,
 S.B. Silverstein [ID](#)^{47a}, S. Simion⁶⁶, R. Simoniello [ID](#)³⁶, E.L. Simpson [ID](#)⁵⁹, N.D. Simpson⁹⁷,
 S. Simsek [ID](#)^{21d}, S. Sindhu [ID](#)⁵⁵, P. Sinervo [ID](#)¹⁵⁴, V. Sinetckii [ID](#)³⁷, S. Singh [ID](#)¹⁴¹, S. Singh [ID](#)¹⁵⁴,
 S. Sinha [ID](#)⁴⁸, S. Sinha [ID](#)^{33g}, M. Sioli [ID](#)^{23b,23a}, I. Siral [ID](#)³⁶, S.Yu. Sivoklov [ID](#)^{37,*}, J. Sjölin [ID](#)^{47a,47b},
 A. Skaf [ID](#)⁵⁵, E. Skorda [ID](#)⁹⁷, P. Skubic [ID](#)¹¹⁹, M. Slawinska [ID](#)⁸⁵, V. Smakhtin¹⁶⁸, B.H. Smart [ID](#)¹³³,
 J. Smiesko [ID](#)³⁶, S.Yu. Smirnov [ID](#)³⁷, Y. Smirnov [ID](#)³⁷, L.N. Smirnova [ID](#)^{37,a}, O. Smirnova [ID](#)⁹⁷,
 A.C. Smith [ID](#)⁴¹, E.A. Smith [ID](#)³⁹, H.A. Smith [ID](#)¹²⁵, J.L. Smith [ID](#)⁹¹, R. Smith¹⁴², M. Smizanska [ID](#)⁹⁰,
 K. Smolek [ID](#)¹³¹, A. Smykiewicz [ID](#)⁸⁵, A.A. Snesev [ID](#)³⁷, H.L. Snoek [ID](#)¹¹³, S. Snyder [ID](#)²⁹,
 R. Sobie [ID](#)^{164,x}, A. Soffer [ID](#)¹⁵⁰, C.A. Solans Sanchez [ID](#)³⁶, E.Yu. Soldatov [ID](#)³⁷, U. Soldevila [ID](#)¹⁶²,

A.A. Solodkov ³⁷, S. Solomon ⁵⁴, A. Soloshenko ³⁸, K. Solovieva ⁵⁴, O.V. Solovyanov ³⁷, V. Solovyev ³⁷, P. Sommer ³⁶, A. Sonay ¹³, W.Y. Song ^{155b}, A. Sopczak ¹³¹, A.L. Sopio ⁹⁵, F. Sopkova ^{28b}, V. Sothilingam ^{63a}, S. Sottocornola ^{72a,72b}, R. Soualah ^{115b}, Z. Soumami ^{35e}, D. South ⁴⁸, S. Spagnolo ^{69a,69b}, M. Spalla ¹⁰⁹, F. Spanò ⁹⁴, D. Sperlich ⁵⁴, G. Spigo ³⁶, M. Spina ¹⁴⁵, S. Spinali ⁹⁰, D.P. Spiteri ⁵⁹, M. Spousta ¹³², E.J. Staats ³⁴, A. Stabile ^{70a,70b}, R. Stamen ^{63a}, M. Stamenkovic ¹¹³, A. Stampekis ²⁰, M. Standke ²⁴, E. Stanecka ⁸⁵, M.V. Stange ⁵⁰, B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸, M. Stankaityte ¹²⁵, B. Stapf ⁴⁸, E.A. Starchenko ³⁷, G.H. Stark ¹³⁵, J. Stark ¹⁰¹, D.M. Starko ^{155b}, P. Staroba ¹³⁰, P. Starovoitov ^{63a}, S. Stärz ¹⁰³, R. Staszewski ⁸⁵, G. Stavropoulos ⁴⁶, J. Steentoft ¹⁶⁰, P. Steinberg ²⁹, A.L. Steinhebel ¹²², B. Stelzer ^{141,155a}, H.J. Stelzer ¹²⁸, O. Stelzer-Chilton ^{155a}, H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁵, G.A. Stewart ³⁶, M.C. Stockton ³⁶, G. Stoicea ^{27b}, M. Stolarski ^{129a}, S. Stonjek ¹⁰⁹, A. Straessner ⁵⁰, J. Strandberg ¹⁴³, S. Strandberg ^{47a,47b}, M. Strauss ¹¹⁹, T. Strebler ¹⁰¹, P. Strizenec ^{28b}, R. Ströhmer ¹⁶⁵, D.M. Strom ¹²², L.R. Strom ⁴⁸, R. Stroynowski ⁴⁴, A. Strubig ^{47a,47b}, S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹¹⁹, N.A. Styles ⁴⁸, D. Su ¹⁴², S. Su ^{62a}, W. Su ^{62d,137,62c}, X. Su ^{62a,66}, K. Sugizaki ¹⁵², V.V. Sulin ³⁷, M.J. Sullivan ⁹¹, D.M.S. Sultan ^{77a,77b}, L. Sultanaliev ³⁷, S. Sultansoy ^{3b}, T. Sumida ⁸⁶, S. Sun ¹⁰⁵, S. Sun ¹⁶⁹, O. Sunneborn Gudnadottir ¹⁶⁰, M.R. Sutton ¹⁴⁵, M. Svatos ¹³⁰, M. Swiatlowski ^{155a}, T. Swirski ¹⁶⁵, I. Sykora ^{28a}, M. Sykora ¹³², T. Sykora ¹³², D. Ta ⁹⁹, K. Tackmann ^{48,w}, A. Taffard ¹⁵⁹, R. Tafirout ^{155a}, J.S. Tafoya Vargas ⁶⁶, R.H.M. Taibah ¹²⁶, R. Takashima ⁸⁷, K. Takeda ⁸³, E.P. Takeva ⁵², Y. Takubo ⁸², M. Talby ¹⁰¹, A.A. Talyshev ³⁷, K.C. Tam ^{64b}, N.M. Tamir ¹⁵⁰, A. Tanaka ¹⁵², J. Tanaka ¹⁵², R. Tanaka ⁶⁶, M. Tanasini ^{57b,57a}, J. Tang ^{62c}, Z. Tao ¹⁶³, S. Tapia Araya ⁸⁰, S. Tapprogge ⁹⁹, A. Tarek Abouelfadl Mohamed ¹⁰⁶, S. Tarem ¹⁴⁹, K. Tariq ^{62b}, G. Tarna ^{101,27b}, G.F. Tartarelli ^{70a}, P. Tas ¹³², M. Tasevsky ¹³⁰, E. Tassi ^{43b,43a}, A.C. Tate ¹⁶¹, G. Tateno ¹⁵², Y. Tayalati ^{35e}, G.N. Taylor ¹⁰⁴, W. Taylor ^{155b}, H. Teagle ⁹¹, A.S. Tee ¹⁶⁹, R. Teixeira De Lima ¹⁴², P. Teixeira-Dias ⁹⁴, J.J. Teoh ¹⁵⁴, K. Terashi ¹⁵², J. Terron ⁹⁸, S. Terzo ¹³, M. Testa ⁵³, R.J. Teuscher ^{154,x}, A. Thaler ⁷⁸, O. Theiner ⁵⁶, N. Themistokleous ⁵², T. Theveneaux-Pelzer ¹⁸, O. Thielmann ¹⁷⁰, D.W. Thomas ⁹⁴, J.P. Thomas ²⁰, E.A. Thompson ⁴⁸, P.D. Thompson ²⁰, E. Thomson ¹²⁷, E.J. Thorpe ⁹³, Y. Tian ⁵⁵, V. Tikhomirov ^{37,a}, Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, E.X.L. Ting ¹, P. Tipton ¹⁷¹, S. Tisserant ¹⁰¹, S.H. Tlou ^{33g}, A. Tmourji ⁴⁰, K. Todome ^{23b,23a}, S. Todorova-Nova ¹³², S. Todt ⁵⁰, M. Togawa ⁸², J. Tojo ⁸⁸, S. Tokár ^{28a}, K. Tokushuku ⁸², R. Tombs ³², M. Tomoto ^{82,110}, L. Tompkins ¹⁴², K.W. Topolnicki ^{84b}, P. Tornambe ¹⁰², E. Torrence ¹²², H. Torres ⁵⁰, E. Torró Pastor ¹⁶², M. Toscani ³⁰, C. Toscirci ³⁹, M. Tost ¹¹, D.R. Tovey ¹³⁸, A. Traeet ¹⁶, I.S. Trandafir ^{27b}, T. Trefzger ¹⁶⁵, A. Tricoli ²⁹, I.M. Trigger ^{155a}, S. Trincaz-Duvoid ¹²⁶, D.A. Trischuk ²⁶, B. Trocmé ⁶⁰, A. Trofymov ⁶⁶, C. Troncon ^{70a}, L. Truong ^{33c}, M. Trzebinski ⁸⁵, A. Trzupek ⁸⁵, F. Tsai ¹⁴⁴, M. Tsai ¹⁰⁵, A. Tsiamis ^{151,f}, P.V. Tsiarshka ³⁷, S. Tsigaridas ^{155a}, A. Tsirigotis ^{151,u}, V. Tsiskaridze ¹⁴⁴, E.G. Tskhadadze ^{148a}, M. Tsopoulou ^{151,f}, Y. Tsujikawa ⁸⁶, I.I. Tsukerman ³⁷, V. Tsulaia ^{17a}, S. Tsuno ⁸², O. Tsur ¹⁴⁹, D. Tsybychev ¹⁴⁴, Y. Tu ^{64b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ³⁶, S. Turchikhin ³⁸, I. Turk Cakir ^{3a}, R. Turra ^{70a}, T. Turtuvshin ^{38,y}, P.M. Tuts ⁴¹, S. Tzamarias ^{151,f}, P. Tzanis ¹⁰, E. Tzovara ⁹⁹, K. Uchida ¹⁵², F. Ukegawa ¹⁵⁶,

P.A. Ulloa Poblete [ID](#)^{136c}, E.N. Umaka [ID](#)⁸⁰, G. Unal [ID](#)³⁶, M. Unal [ID](#)¹¹, A. Undrus [ID](#)²⁹, G. Unel [ID](#)¹⁵⁹, J. Urban [ID](#)^{28b}, P. Urquijo [ID](#)¹⁰⁴, G. Usai [ID](#)⁸, R. Ushioda [ID](#)¹⁵³, M. Usman [ID](#)¹⁰⁷, Z. Uysal [ID](#)^{21b}, L. Vacavant [ID](#)¹⁰¹, V. Vacek [ID](#)¹³¹, B. Vachon [ID](#)¹⁰³, K.O.H. Vadla [ID](#)¹²⁴, T. Vafeiadis [ID](#)³⁶, A. Vaitkus [ID](#)⁹⁵, C. Valderanis [ID](#)¹⁰⁸, E. Valdes Santurio [ID](#)^{47a,47b}, M. Valente [ID](#)^{155a}, S. Valentini [ID](#)^{23b,23a}, A. Valero [ID](#)¹⁶², A. Vallier [ID](#)¹⁰¹, J.A. Valls Ferrer [ID](#)¹⁶², T.R. Van Daalen [ID](#)¹³⁷, P. Van Gemmeren [ID](#)⁶, M. Van Rijnbach [ID](#)^{124,36}, S. Van Stroud [ID](#)⁹⁵, I. Van Vulpen [ID](#)¹¹³, M. Vanadia [ID](#)^{75a,75b}, W. Vandelli [ID](#)³⁶, M. Vandenbroucke [ID](#)¹³⁴, E.R. Vandewall [ID](#)¹²⁰, D. Vannicola [ID](#)¹⁵⁰, L. Vannoli [ID](#)^{57b,57a}, R. Vari [ID](#)^{74a}, E.W. Varnes [ID](#)⁷, C. Varni [ID](#)^{17a}, T. Varol [ID](#)¹⁴⁷, D. Varouchas [ID](#)⁶⁶, L. Varriale [ID](#)¹⁶², K.E. Varvell [ID](#)¹⁴⁶, M.E. Vasile [ID](#)^{27b}, L. Vaslin [ID](#)⁴⁰, G.A. Vasquez [ID](#)¹⁶⁴, F. Vazeille [ID](#)⁴⁰, T. Vazquez Schroeder [ID](#)³⁶, J. Veatch [ID](#)³¹, V. Vecchio [ID](#)¹⁰⁰, M.J. Veen [ID](#)¹⁰², I. Veliscek [ID](#)¹²⁵, L.M. Veloce [ID](#)¹⁵⁴, F. Veloso [ID](#)^{129a,129c}, S. Veneziano [ID](#)^{74a}, A. Ventura [ID](#)^{69a,69b}, A. Verbitskiy [ID](#)¹⁰⁹, M. Verducci [ID](#)^{73a,73b}, C. Vergis [ID](#)²⁴, M. Verissimo De Araujo [ID](#)^{81b}, W. Verkerke [ID](#)¹¹³, J.C. Vermeulen [ID](#)¹¹³, C. Vernieri [ID](#)¹⁴², P.J. Verschuuren [ID](#)⁹⁴, M. Vessella [ID](#)¹⁰², M.C. Vetterli [ID](#)^{141,ae}, A. Vgenopoulos [ID](#)^{151,f}, N. Viaux Maira [ID](#)^{136f}, T. Vickey [ID](#)¹³⁸, O.E. Vickey Boeriu [ID](#)¹³⁸, G.H.A. Viehhauser [ID](#)¹²⁵, L. Vigani [ID](#)^{63b}, M. Villa [ID](#)^{23b,23a}, M. Villaplana Perez [ID](#)¹⁶², E.M. Villhauer [ID](#)⁵², E. Vilucchi [ID](#)⁵³, M.G. Vincter [ID](#)³⁴, G.S. Virdee [ID](#)²⁰, A. Vishwakarma [ID](#)⁵², C. Vittori [ID](#)^{23b,23a}, I. Vivarelli [ID](#)¹⁴⁵, V. Vladimirov [ID](#)¹⁶⁶, E. Voevodina [ID](#)¹⁰⁹, F. Vogel [ID](#)¹⁰⁸, P. Vokac [ID](#)¹³¹, J. Von Ahnen [ID](#)⁴⁸, E. Von Toerne [ID](#)²⁴, B. Vormwald [ID](#)³⁶, V. Vorobel [ID](#)¹³², K. Vorobev [ID](#)³⁷, M. Vos [ID](#)¹⁶², J.H. Vosseveld [ID](#)⁹¹, M. Vozak [ID](#)¹¹³, L. Vozdecky [ID](#)⁹³, N. Vranjes [ID](#)¹⁵, M. Vranjes Milosavljevic [ID](#)¹⁵, M. Vreeswijk [ID](#)¹¹³, R. Vuillermet [ID](#)³⁶, O. Vujanovic [ID](#)⁹⁹, I. Vukotic [ID](#)³⁹, S. Wada [ID](#)¹⁵⁶, C. Wagner [ID](#)¹⁰², W. Wagner [ID](#)¹⁷⁰, S. Wahdan [ID](#)¹⁷⁰, H. Wahlberg [ID](#)⁸⁹, R. Wakasa [ID](#)¹⁵⁶, M. Wakida [ID](#)¹¹⁰, V.M. Walbrecht [ID](#)¹⁰⁹, J. Walder [ID](#)¹³³, R. Walker [ID](#)¹⁰⁸, W. Walkowiak [ID](#)¹⁴⁰, A.M. Wang [ID](#)⁶¹, A.Z. Wang [ID](#)¹⁶⁹, C. Wang [ID](#)^{62a}, C. Wang [ID](#)^{62c}, H. Wang [ID](#)^{17a}, J. Wang [ID](#)^{64a}, R.-J. Wang [ID](#)⁹⁹, R. Wang [ID](#)⁶¹, R. Wang [ID](#)⁶, S.M. Wang [ID](#)¹⁴⁷, S. Wang [ID](#)^{62b}, T. Wang [ID](#)^{62a}, W.T. Wang [ID](#)⁷⁹, X. Wang [ID](#)^{14c}, X. Wang [ID](#)¹⁶¹, X. Wang [ID](#)^{62c}, Y. Wang [ID](#)^{62d}, Y. Wang [ID](#)^{14c}, Z. Wang [ID](#)¹⁰⁵, Z. Wang [ID](#)^{62d,51,62c}, Z. Wang [ID](#)¹⁰⁵, A. Warburton [ID](#)¹⁰³, R.J. Ward [ID](#)²⁰, N. Warrack [ID](#)⁵⁹, A.T. Watson [ID](#)²⁰, H. Watson [ID](#)⁵⁹, M.F. Watson [ID](#)²⁰, G. Watts [ID](#)¹³⁷, B.M. Waugh [ID](#)⁹⁵, A.F. Webb [ID](#)¹¹, C. Weber [ID](#)²⁹, H.A. Weber [ID](#)¹⁸, M.S. Weber [ID](#)¹⁹, S.M. Weber [ID](#)^{63a}, C. Wei [ID](#)^{62a}, Y. Wei [ID](#)¹²⁵, A.R. Weidberg [ID](#)¹²⁵, J. Weingarten [ID](#)⁴⁹, M. Weirich [ID](#)⁹⁹, C. Weiser [ID](#)⁵⁴, C.J. Wells [ID](#)⁴⁸, T. Wenaus [ID](#)²⁹, B. Wendland [ID](#)⁴⁹, T. Wengler [ID](#)³⁶, N.S. Wenke [ID](#)¹⁰⁹, N. Wermes [ID](#)²⁴, M. Wessels [ID](#)^{63a}, K. Whalen [ID](#)¹²², A.M. Wharton [ID](#)⁹⁰, A.S. White [ID](#)⁶¹, A. White [ID](#)⁸, M.J. White [ID](#)¹, D. Whiteson [ID](#)¹⁵⁹, L. Wickremasinghe [ID](#)¹²³, W. Wiedenmann [ID](#)¹⁶⁹, C. Wiel [ID](#)⁵⁰, M. Wielers [ID](#)¹³³, N. Wieseotte [ID](#)⁹⁹, C. Wiglesworth [ID](#)⁴², L.A.M. Wiik-Fuchs [ID](#)⁵⁴, D.J. Wilbern [ID](#)¹¹⁹, H.G. Wilkens [ID](#)³⁶, D.M. Williams [ID](#)⁴¹, H.H. Williams [ID](#)¹²⁷, S. Williams [ID](#)³², S. Willocq [ID](#)¹⁰², P.J. Windischhofer [ID](#)¹²⁵, F. Winklmeier [ID](#)¹²², B.T. Winter [ID](#)⁵⁴, J.K. Winter [ID](#)¹⁰⁰, M. Wittgen [ID](#)¹⁴², M. Wobisch [ID](#)⁹⁶, R. Wölke [ID](#)¹²⁵, J. Wollrath [ID](#)¹⁵⁹, M.W. Wolter [ID](#)⁸⁵, H. Wolters [ID](#)^{129a,129c}, V.W.S. Wong [ID](#)¹⁶³, A.F. Wongel [ID](#)⁴⁸, S.D. Worm [ID](#)⁴⁸, B.K. Wosiek [ID](#)⁸⁵, K.W. Woźniak [ID](#)⁸⁵, K. Wraight [ID](#)⁵⁹, J. Wu [ID](#)^{14a,14d}, M. Wu [ID](#)^{64a}, M. Wu [ID](#)¹¹², S.L. Wu [ID](#)¹⁶⁹, X. Wu [ID](#)⁵⁶, Y. Wu [ID](#)^{62a}, Z. Wu [ID](#)^{134,62a}, J. Wuerzinger [ID](#)¹²⁵, T.R. Wyatt [ID](#)¹⁰⁰, B.M. Wynne [ID](#)⁵², S. Xella [ID](#)⁴², L. Xia [ID](#)^{14c}, M. Xia [ID](#)^{14b}, J. Xiang [ID](#)^{64c}, X. Xiao [ID](#)¹⁰⁵, M. Xie [ID](#)^{62a}, X. Xie [ID](#)^{62a}, S. Xin [ID](#)^{14a,14d}, J. Xiong [ID](#)^{17a}, I. Xiotidis [ID](#)¹⁴⁵, D. Xu [ID](#)^{14a}, H. Xu [ID](#)^{62a}, H. Xu [ID](#)^{62a}, L. Xu [ID](#)^{62a}, R. Xu [ID](#)¹²⁷, T. Xu [ID](#)¹⁰⁵, W. Xu [ID](#)¹⁰⁵, Y. Xu [ID](#)^{14b}, Z. Xu [ID](#)^{62b}, Z. Xu [ID](#)^{14a}, B. Yabsley [ID](#)¹⁴⁶,

S. Yacoob ^{33a}, N. Yamaguchi ⁸⁸, Y. Yamaguchi ¹⁵³, H. Yamauchi ¹⁵⁶, T. Yamazaki ^{17a},
Y. Yamazaki ⁸³, J. Yan ^{62c}, S. Yan ¹²⁵, Z. Yan ²⁵, H.J. Yang ^{62c,62d}, H.T. Yang ^{62a},
S. Yang ^{62a}, T. Yang ^{64c}, X. Yang ^{62a}, X. Yang ^{14a}, Y. Yang ⁴⁴, Z. Yang ^{62a,105},
W.-M. Yao ^{17a}, Y.C. Yap ⁴⁸, H. Ye ^{14c}, H. Ye ⁵⁵, J. Ye ⁴⁴, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁵,
I. Yeletsikh ³⁸, B.K. Yeo ^{17a}, M.R. Yexley ⁹⁰, P. Yin ⁴¹, K. Yorita ¹⁶⁷, S. Younas ^{27b},
C.J.S. Young ⁵⁴, C. Young ¹⁴², M. Yuan ¹⁰⁵, R. Yuan ^{62b,l}, L. Yue ⁹⁵, X. Yue ^{63a},
M. Zaazoua ^{35e}, B. Zabinski ⁸⁵, E. Zaid ⁵², T. Zakareishvili ^{148b}, N. Zakharchuk ³⁴,
S. Zambito ⁵⁶, J.A. Zamora Saa ^{136d,136b}, J. Zang ¹⁵², D. Zanzi ⁵⁴, O. Zaplatilek ¹³¹,
S.V. Zeißner ⁴⁹, C. Zeitnitz ¹⁷⁰, J.C. Zeng ¹⁶¹, D.T. Zenger Jr ²⁶, O. Zenin ³⁷, T. Ženiš ^{28a},
S. Zenz ⁹³, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, B. Zhang ^{14c}, D.F. Zhang ¹³⁸, G. Zhang ^{14b},
J. Zhang ^{62b}, J. Zhang ⁶, K. Zhang ^{14a,14d}, L. Zhang ^{14c}, P. Zhang ^{14a,14d}, R. Zhang ¹⁶⁹,
S. Zhang ¹⁰⁵, T. Zhang ¹⁵², X. Zhang ^{62c}, X. Zhang ^{62b}, Y. Zhang ^{62c,5}, Z. Zhang ^{17a},
Z. Zhang ⁶⁶, H. Zhao ¹³⁷, P. Zhao ⁵¹, T. Zhao ^{62b}, Y. Zhao ¹³⁵, Z. Zhao ^{62a},
A. Zhemchugov ³⁸, X. Zheng ^{62a}, Z. Zheng ¹⁴², D. Zhong ¹⁶¹, B. Zhou ¹⁰⁵, C. Zhou ¹⁶⁹,
H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou ⁷, C.G. Zhu ^{62b}, C. Zhu ^{14a,14d}, H.L. Zhu ^{62a}, H. Zhu ^{14a},
J. Zhu ¹⁰⁵, Y. Zhu ^{62c}, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷, V. Zhulanov ³⁷,
N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴⁰, L. Živković ¹⁵, A. Zoccoli ^{23b,23a},
K. Zoch ⁵⁶, T.G. Zorbas ¹³⁸, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶

¹ Department of Physics, University of Adelaide, Adelaide; Australia

² Department of Physics, University of Alberta, Edmonton AB; Canada

³ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye

⁴ LAPP, Univ. Savoie Mont Blanc, CNRS/IN2P3, Annecy; France

⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America

⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America

⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou; Greece

¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain

¹⁴ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Physics Department, Tsinghua University, Beijing; ^(c) Department of Physics, Nanjing University, Nanjing; ^(d) University of Chinese Academy of Science (UCAS), Beijing; China

¹⁵ Institute of Physics, University of Belgrade, Belgrade; Serbia

¹⁶ Department for Physics and Technology, University of Bergen, Bergen; Norway

¹⁷ ^(a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b) University of California, Berkeley CA; United States of America

¹⁸ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany

¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland

²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom

²¹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(c) Department of Physics, Istanbul University, Istanbul; ^(d) Istinye University, Sariyer, Istanbul; Türkiye

- ²² ^(a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; ^(b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia
- ²³ ^(a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; ^(b) INFN Sezione di Bologna; Italy
- ²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany
- ²⁵ Department of Physics, Boston University, Boston MA; United States of America
- ²⁶ Department of Physics, Brandeis University, Waltham MA; United States of America
- ²⁷ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara; ^(g) Faculty of Physics, University of Bucharest, Bucharest; Romania
- ²⁸ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic
- ²⁹ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America
- ³⁰ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina
- ³¹ California State University, CA; United States of America
- ³² Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom
- ³³ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) iThemba Labs, Western Cape; ^(c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; ^(d) National Institute of Physics, University of the Philippines Diliman (Philippines); ^(e) University of South Africa, Department of Physics, Pretoria; ^(f) University of Zululand, KwaDlangezwa; ^(g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
- ³⁴ Department of Physics, Carleton University, Ottawa ON; Canada
- ³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; ^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat; ^(f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco
- ³⁶ CERN, Geneva; Switzerland
- ³⁷ Affiliated with an institute covered by a cooperation agreement with CERN
- ³⁸ Affiliated with an international laboratory covered by a cooperation agreement with CERN
- ³⁹ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America
- ⁴⁰ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
- ⁴¹ Nevis Laboratory, Columbia University, Irvington NY; United States of America
- ⁴² Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
- ⁴³ ^(a) Dipartimento di Fisica, Università della Calabria, Rende; ^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
- ⁴⁴ Physics Department, Southern Methodist University, Dallas TX; United States of America
- ⁴⁵ Physics Department, University of Texas at Dallas, Richardson TX; United States of America
- ⁴⁶ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
- ⁴⁷ ^(a) Department of Physics, Stockholm University; ^(b) Oskar Klein Centre, Stockholm; Sweden
- ⁴⁸ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
- ⁴⁹ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany
- ⁵⁰ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
- ⁵¹ Department of Physics, Duke University, Durham NC; United States of America
- ⁵² SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom
- ⁵³ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
- ⁵⁴ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
- ⁵⁵ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany

- ⁵⁶ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
- ⁵⁷ ^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova; Italy
- ⁵⁸ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
- ⁵⁹ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
- ⁶⁰ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
- ⁶¹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
- ⁶² ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai; China
- ⁶³ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
- ⁶⁴ ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
- ⁶⁵ Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- ⁶⁶ IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- ⁶⁷ Department of Physics, Indiana University, Bloomington IN; United States of America
- ⁶⁸ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- ⁶⁹ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- ⁷⁰ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- ⁷¹ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
- ⁷² ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- ⁷³ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- ⁷⁴ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- ⁷⁵ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
- ⁷⁶ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- ⁷⁷ ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento; Italy
- ⁷⁸ Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
- ⁷⁹ University of Iowa, Iowa City IA; United States of America
- ⁸⁰ Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
- ⁸¹ ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(c) Instituto de Física, Universidade de São Paulo, São Paulo; ^(d) Rio de Janeiro State University, Rio de Janeiro; Brazil
- ⁸² KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
- ⁸³ Graduate School of Science, Kobe University, Kobe; Japan
- ⁸⁴ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- ⁸⁵ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
- ⁸⁶ Faculty of Science, Kyoto University, Kyoto; Japan
- ⁸⁷ Kyoto University of Education, Kyoto; Japan
- ⁸⁸ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
- ⁸⁹ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
- ⁹⁰ Physics Department, Lancaster University, Lancaster; United Kingdom
- ⁹¹ Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom

- ⁹² Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
- ⁹³ School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
- ⁹⁴ Department of Physics, Royal Holloway University of London, Egham; United Kingdom
- ⁹⁵ Department of Physics and Astronomy, University College London, London; United Kingdom
- ⁹⁶ Louisiana Tech University, Ruston LA; United States of America
- ⁹⁷ Fysiska institutionen, Lunds universitet, Lund; Sweden
- ⁹⁸ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
- ⁹⁹ Institut für Physik, Universität Mainz, Mainz; Germany
- ¹⁰⁰ School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
- ¹⁰¹ CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
- ¹⁰² Department of Physics, University of Massachusetts, Amherst MA; United States of America
- ¹⁰³ Department of Physics, McGill University, Montreal QC; Canada
- ¹⁰⁴ School of Physics, University of Melbourne, Victoria; Australia
- ¹⁰⁵ Department of Physics, University of Michigan, Ann Arbor MI; United States of America
- ¹⁰⁶ Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
- ¹⁰⁷ Group of Particle Physics, University of Montreal, Montreal QC; Canada
- ¹⁰⁸ Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
- ¹⁰⁹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
- ¹¹⁰ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
- ¹¹¹ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
- ¹¹² Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
- ¹¹³ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
- ¹¹⁴ Department of Physics, Northern Illinois University, DeKalb IL; United States of America
- ¹¹⁵ ^(a) New York University Abu Dhabi, Abu Dhabi; ^(b) University of Sharjah, Sharjah; United Arab Emirates
- ¹¹⁶ Department of Physics, New York University, New York NY; United States of America
- ¹¹⁷ Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
- ¹¹⁸ Ohio State University, Columbus OH; United States of America
- ¹¹⁹ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
- ¹²⁰ Department of Physics, Oklahoma State University, Stillwater OK; United States of America
- ¹²¹ Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
- ¹²² Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
- ¹²³ Graduate School of Science, Osaka University, Osaka; Japan
- ¹²⁴ Department of Physics, University of Oslo, Oslo; Norway
- ¹²⁵ Department of Physics, Oxford University, Oxford; United Kingdom
- ¹²⁶ LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France
- ¹²⁷ Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
- ¹²⁸ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America
- ¹²⁹ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
- ¹³⁰ Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
- ¹³¹ Czech Technical University in Prague, Prague; Czech Republic
- ¹³² Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic

- ¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
- ¹³⁴ IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
- ¹³⁵ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
- ¹³⁶ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; ^(c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; ^(d) Universidad Andres Bello, Department of Physics, Santiago; ^(e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; ^(f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
- ¹³⁷ Department of Physics, University of Washington, Seattle WA; United States of America
- ¹³⁸ Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
- ¹³⁹ Department of Physics, Shinshu University, Nagano; Japan
- ¹⁴⁰ Department Physik, Universität Siegen, Siegen; Germany
- ¹⁴¹ Department of Physics, Simon Fraser University, Burnaby BC; Canada
- ¹⁴² SLAC National Accelerator Laboratory, Stanford CA; United States of America
- ¹⁴³ Department of Physics, Royal Institute of Technology, Stockholm; Sweden
- ¹⁴⁴ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
- ¹⁴⁵ Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
- ¹⁴⁶ School of Physics, University of Sydney, Sydney; Australia
- ¹⁴⁷ Institute of Physics, Academia Sinica, Taipei; Taiwan
- ¹⁴⁸ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi; ^(c) University of Georgia, Tbilisi; Georgia
- ¹⁴⁹ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
- ¹⁵⁰ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
- ¹⁵¹ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
- ¹⁵² International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
- ¹⁵³ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
- ¹⁵⁴ Department of Physics, University of Toronto, Toronto ON; Canada
- ¹⁵⁵ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada
- ¹⁵⁶ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
- ¹⁵⁷ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
- ¹⁵⁸ United Arab Emirates University, Al Ain; United Arab Emirates
- ¹⁵⁹ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
- ¹⁶⁰ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
- ¹⁶¹ Department of Physics, University of Illinois, Urbana IL; United States of America
- ¹⁶² Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain
- ¹⁶³ Department of Physics, University of British Columbia, Vancouver BC; Canada
- ¹⁶⁴ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
- ¹⁶⁵ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany
- ¹⁶⁶ Department of Physics, University of Warwick, Coventry; United Kingdom
- ¹⁶⁷ Waseda University, Tokyo; Japan
- ¹⁶⁸ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
- ¹⁶⁹ Department of Physics, University of Wisconsin, Madison WI; United States of America
- ¹⁷⁰ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
- ¹⁷¹ Department of Physics, Yale University, New Haven CT; United States of America

- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN
- ^b Also at An-Najah National University, Nablus; Palestine
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America
- ^d Also at Bruno Kessler Foundation, Trento; Italy
- ^e Also at Center for High Energy Physics, Peking University; China
- ^f Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki ; Greece
- ^g Also at Centro Studi e Ricerche Enrico Fermi; Italy
- ^h Also at CERN, Geneva; Switzerland
- ⁱ Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
- ^j Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain
- ^k Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece
- ^l Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
- ^m Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America
- ⁿ Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel
- ^o Also at Department of Physics, California State University, East Bay; United States of America
- ^p Also at Department of Physics, California State University, Sacramento; United States of America
- ^q Also at Department of Physics, King's College London, London; United Kingdom
- ^r Also at Department of Physics, University of Fribourg, Fribourg; Switzerland
- ^s Also at Department of Physics, University of Thessaly; Greece
- ^t Also at Department of Physics, Westmont College, Santa Barbara; United States of America
- ^u Also at Hellenic Open University, Patras; Greece
- ^v Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain
- ^w Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany
- ^x Also at Institute of Particle Physics (IPP); Canada
- ^y Also at Institute of Physics and Technology, Ulaanbaatar; Mongolia
- ^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan
- ^{aa} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia
- ^{ab} Also at Lawrence Livermore National Laboratory, Livermore; United States of America
- ^{ac} Also at RWTH Aachen University, III. Physikalisches Institut A, Aachen; Germany
- ^{ad} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China
- ^{ae} Also at TRIUMF, Vancouver BC; Canada
- ^{af} Also at Università di Napoli Parthenope, Napoli; Italy
- ^{ag} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China
- ^{ah} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America
- ^{ai} Also at Washington College, Maryland; United States of America
- ^{aj} Also at Yeditepe University, Physics Department, Istanbul; Türkiye
- * Deceased